	· -· · · • • • • • • • • • • • • • • • •	PAGE			Form Approved OME No. 0704-0188	
1a. REPORT SECURITY CL		RESTRICTIVE I	MARKINGS	1	0,000	
Unclassified AD-A2	220 470	DISTRIBUTION	AVAILABILITY O	E REPORT		
			for public			
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	 1	• •	ion unlimit	-		
4. PERFORMING ORGANIZATION REPORT NUMBE HCA 24-89	R(S)	5 MONITORING (	ORGANIZATION R	EPORT NUM	TIC	
6a NAME OF PERFORMING ORGANIZATION US Army—Baylor University Graduate Program in Health Care	6b. OFFICE SYMBOL (If applicable) Admin/HSHAIHC	7a. NAME OF MO	NITORING ÖRGA	NIZATION	FLECTE APR 05 1990	
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (Cit	y, State, and ZIP	Code)	P. 3	
Ft. Sam Houston, TX 78234-6100		9 PPOCUREMENT	MICTOLINACIUT IO	FAITIFICATIO	(°C	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PPOCOREMENT	INSTRUVIENT ID	ENTIFICATIO	IN NOWBER	
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
		PROGRAM ELEMENT NO	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.	
11. TITLE (Include Security Classification) A MODEL RELATING THE UNIFORM CH	HART OF ACCOUNTS	TO MAJOR DI	SEASE CATEG	ORIES		
12 PERSONAL AUTHOR(S) CPT Andrew B. Cornell, Sr.					·	
13a. TYPE OF REPORT 13b. TIME CO	4. DATE OF REPO Oct 85	RT (Year, Month,		PAGE COUNT		
16. SUPPLEMENTARY NOTATION						
17. COSATI CODES	18. SUBJECT TERMS (C Health Care; D:	ontinue on revers	e if necessary and	d identify by	y block number)	
FIELD GROUP SUB-GROUP	î	reguosis nei	aved droups		•	
19. ABSTRACT (Continue on reverse if necessary	and identification to the trade of	mhar)				
This study was conducted to devente Uniform Cart of Accounts (	velop a model in	which the r	nosis Relat			
subsequently assigned to Major Major Disease Category and compared to each other and again cost savings to the government study concluded that inefficient converting to DRGs would reward and the study concluded that inefficient converting to DRGs would reward the study concluded that inefficient converting to DRGs would reward the study concluded that inefficient converting to DRGs would reward the study concluded that inefficient converting to DRGs would reward the study concluded the study concluded that inefficient converting to DRGs would reward the study concluded the study	Disease Categor: outed under both inst national ave when comparing a ncy is rewarded	the UCA and erages. The actual costs under the cu	DRG system study foun and nation rrent syste	s. The d a signal average of UCA	cted on one costs were nificant ages. The A and	

#### A MODEL RELATING

# THE UNIFORM CHART OF ACCOUNTS TO MAJOR DISEASE CATEGORIES

A Graduate Research Project
Submitted to the Faculty of
Baylor University
in Partial Fulfillment of the
Requirements for the Degree

of

Master of Health Administration

by

Andrew B. Cornell, Sr. Captain, Medical Service Corps



Accession For	
N213 GPA&I	
the manch the d	
l & usification	
777	
Distribution/	
Availabil ty Codos	_
Avail and/or	
	į
A-1	T

October 1985

#### **ACKNOWLEDGEMENTS**

I owe a debt of gratitude to many people for their help during the conduct of this research effort. First, I would like to thank my preceptor, Lieutenant Colonel Jack E. Bradford, who provided me with expert guidance, encouragement, and ready access whenever I needed his assistance. The hospital commander, Colonel Seymour Levine, also supported me and saw that I had all the resources necessary to complete this study. Without the assistance of these two individuals, this project would not have been successful.

The support of Major Stuart Baker and the Health Care
Studies and Clinical Investigation Activity has also proven to be
invaluable in the collection of data and identification of
inpatient cases which were selected for this study.

Mrs. Betty Lewis, the librarian, graciously honored my every request for literature and her tireless efforts in obtaining publications are certainly appreciated. Mrs. Vada Gordon, the UCA systems manager; Captain Brian Knapp, the Comptroller; Mrs. Aleta Perkins and Mrs. Penny J. Maggio of the Comptroller Division did much to establish for me how the current fiscal accounting and Uniform Staffing Methodology (manpower) systems operate. Mrs. Mary Fisher, Chief of the Medical Records Administration Branch, tutored me endlessly on how the International Classification of Diseases serves to code diagnoses of patients who are undergoing treatment. Captain Richard Boggan, Chief of the Nursing Education and Training Service,

taught me the nursing model for acuity of care and coded each of the 94 cases in the study by day, through their lengths of stay to permit me to identify the number of direct care nursing hours. Other members of the Medical Activity staff who have contributed to my learning experiences during the residency year and during this research project are too numerous to mention, but I would like to express my sincere appreciation to them as well.

Certainly the support given to me by my reader, Chaplain (MAJ) William Caple and other various members of the Baylor Faculty should also be mentioned. Their critical remarks involved in the preparation of the final text presenting my research have been constructive and much appreciated.

Finally, I would like to thank my wife, Janet Carol, who has been a constant source of strength during this project and throughout the two years of graduate study. Her encouragement, assistance, and sacrifice as she undertook roles as mother, father, and home-maker in raising our children, Andrew Jr. and Rebecca, to enable me to pursue this research effort to completion have been the catalyst which has kept me going.

## TABLE OF CONTENTS

ACKNOWLFI	DGEMENTS	•		•	•	•	i
LIST OF	ILLUSTRATIONS	•	• •	•	•	•	v
Chapter							
I.	INTRODUCTION  General  Conditions Which Prompted the Study Literature Review  Statement of the Problem  Objectives  Criteria  Assumptions Limitations  Research Methodology  Footnotes	•		•	•	•	1 6 9 14 16 16 17 18 22
II.	DISCUSSION	oui •	nts	•	•	•	24 24 31 34 47
III.	CONCLUSIONS AND RECOMMENDATIONS	•	• •	•	٠	•	48
Appendix							
A. B. C. D. E. F. G. H. I.	Definitions	ic	es 	•	•	•	51 53 58 64 69 70 71 72 80 81
L.	Roster of Register Numbers For Inpatients in the Study						105

# Appendix

М.	ICDA-9-CM codes matched to DRG's 109
N.	Inpatient Services Costs
0.	Cost Distribution Methodology Under the UCA 113
P.	Crude KACH DRG Costs Estimate
Q.	Cost Fractions of "Larger Contributors" 120
R.	General Base Line Costs for Inpatient Costs 132
S.	Ancillary Services Costs
${\bf T}_{ \bullet}$	Nursing Costs
U.	Operating Room, Recovery Room, and
	Anesthesiclogy Costs
V.	Refined KACH DRG Costs Estimate 150
$W$ $\bullet$	Average KACH DRG Costs
RIBI.TOGR	APHY 157

#### LIST OF ILLUSTRATIONS

FIGURE	
1	General Systems Theory Applied to Health Care 4
2	Retrospective Hospital Billing System 3
3	UCAPERS Benefits
4	Aggregation of Care Costs into DRG's and MDC's 33
5	Roster
6	Annual Hospital Service Cost/Performance Data 36
7	Cost Estimate Per DRG From UCA Cost/Performance Data (Unadjusted)
8	Fractionalization of Larger Contributors 39
9	Total Cost/Case 40
10	Annual Values for Ancillary Service Costs per Weighted Unit 41
11	Hours per Day of Direct Nursing Care per Acuity Category 43

#### I. INTRODUCTION

#### GENERAL

Studies in health care, health care administration, and health care costs are made difficult by numerous abstract concepts. Since this study deals primarily with health care costs and performance data, it is important to start with the most fundamental of definitions - "Health".

Health is a physical, mental, and social state which exists in living beings. There are infinite states between excellent and poor health. An example of someone in excellent physical health might be an Olympic athlete. At the other extreme someone in poor physical health might be an aged, chronically or acutely ill individual who is near death. The perception of health is different among individuals. An individual might feel fine at the same time his physician considers him "not well". A mother might be concerned with a low grade temperature spiked by one of her children during the flu season and rush to the physician only to be told that the child is reasonably well and not to be concerned.

Health care is generally not an issue until an individual perceives that he is "not well". It is at this point that the individual might choose to utilize the health care system. Self care (taking two aspirins for a sore throat) is vastly different from seeing an internist for some exotic disease which has a sore throat as one of its symptoms. Individuals who perceive that

they are sick, therefore, might access different levels of health care ranging from self care through inpatient care in a tertiary treatment facility (medical center (teaching) hospital).

Numerous other levels of care which exist between these polar extremes are, but are not limited to: unprofessional care (wife, friend, or the like), professional care (an outpatient clinic), nursing home care, and inpatient care in a secondary treatment facility (community hospital).

Attempting to measure the resources employed in providing health care gives rise to additional issues which are a function of the level of care being provided (self care versus tertiary treatment facility care, for example) and the adequacy of care. In this research project, the level of care will be assumed to be one in which there is a medical institution providing care which has in place accounting mechanisms to reflect where resources are being expended.

Adequacy of care is a judgmental concept that is objectively very difficult to define. A provider or hospital that is being reasonably reimbursed might consider adequate health care to be everything the patient wants. Conversely, if there is no reimbursement mechanism in place, a provider or hospital might seek to minimize the care he/it is willing to provide. Consider the magnitude of a general systems theory of health care as shown in Figure 1.

An effective manager must successfully manage the rather complex task of blending the "inputs" of the health care process to efficiently produce first the intermediate outputs and then the final outputs. In order to continue as a successful business

activity, a health care facility's reimbursements for services provided must match its expenses. It is academically unimportant which outputs, intermediate or final, are paid for by consumers. The point is that adequate pay must be received for "adequate care".

GENERAL SYSTEMS THEORY APPLIED TO HEALTH CARE

Inputs	=	Process	=	Intermediate Outputs	=	Final Outputs
Equipment Supplies Personnel Facilities Management Expertise Patients	t	Clinic Visits Inpatient Bed Days ER Care Preparation of Medicat Meal Preparatio	tions	Patients Treated Pharmaceutic Dispensed Lab Tests X-Rays Occupied Bed Days Nutrition Ca		Completed Treatments Reports Well Patients Trained Personnel
• • •		• • • • •		• • • •		• • • • •

#### FIGURE 1

In the past the focus of health care managers has been on intermediate outputs. In civilian facilities, payment for health care is made by individual patients, the Federal Government, or third party payers (insurance companies). Cases for which no payments are received are labeled charity care and must be borne by the other payers. This "hidden tax" is referred to in the literature as cost shifting. Obviously the parties making payment would prefer to pay for only the care rendered to their particular cases. Consequently, some third party payers do not pay full cost or charges. Blue Cross negotiates the "charges" which they will pay for care rendered to Blue Cross beneficiaries. Medicare and Medicaid also do not pay a full charge bill (by Legislative Edict).

A move by Medicare in October 1983 to pay prospectively for (inpatient) health care marked a major change in the health care system. The risk of health care costs began to shift from payers to providers as final products became the focus of the health care system (see Figure 1). Consumers started paying a fixed, prospective price for the final products or total treatment regimens catalogued in 470 Diagnosis Related Groups (DRGs). Prospective reimbursement by DRG has replaced cost reimbursement in the Medicare/Medicaid arenas. In some states Blue Cross has also adopted a DRG reimbursement system. The Veterans' Administration has already moved to a DRG based budget allocation It is quite possible that medical program - voluntarily. treatment facilities (MTFs) in the Department of Defense (DOD) will soon follow suit - either voluntarily or by Congressional mandate. Under prospective reimbursement, billing for intermediate products is eliminated. A simple illustration of a retrospective hospital billing system is shown below:

RE	TROSPECTIVE HO	OSPITAL BILLING	SYSTEM
Work Units	Quantity	Charge/ Work Unit	Total Work Unit Charges
Bed Days Weighted Laborat	22	\$451.00	\$9922.00
Procedures Weighted Radiolo	67	\$13.50	\$894.00
Procedures Weighted Pharmac	46	\$24.50	\$1127.00
Procedures	121	\$7.25	\$877.25

FIGURE 2

\$12820.25

Total Hospital Bill

If this same care episode belonged to DRG #191 (Major Liver, Pancreas, and Shunt Procedures), its prospective payment would have been worth about \$10,692 at central Virginia hospitals. It is easy to understand how providers would be enticed to minimize the intermediate products to the lowest level possible which 10 still affords quality health care

Accounting for health care costs is performed in military treatment facilities by a system entitled, "The Uniform Chart of Accounts"(UCA). Using the UCA, workload performance and costs are measured in terms of intermediate products (e.g. laboratory tests, radiographic procedures, pharmaceuticals dispensed, hospital bed days and others) and are aggregated into cost centers. These cost centers, under the present system, are the separate Departments and Clinics of an MTF which are allocated ll funds to perform their missions. The UCA does not account for workload or expense information by respective cases or episodes of care. Theoretically, cost per episode of care could be determined by summing the cost of the intermediate outputs for each case (patient) treated.

Just as cost shifting occurs in civilian hospitals, it also occurs in the military. The issue in the military is not of billing consumers, but rather, is one of avoiding wasteful management practices. The tax paying American public should have no problem in paying a fair cost for a sick soldier's care at a military hospital, but when costs not directly related are added, there is room for taxpayer concern. Added onto the productive function of caring for eligible beneficiaries are many other expenses. Examples of these other expenses are: Temporary Duty

(TDY) of a physician attending a professional conference, committee meetings, physical training time, coffee breaks, time off to run to the Post Exchange, Security Briefings, and Field Training Exercises (FTX's). The prudent manager should seek to limit other acceptable costs (OAC) to some level that can be justified. If there is a "profit" in military health care, it might be in terms of the margin of other acceptable costs which can be afforded based upon productive health care workload. In this project it will be contended that this "profit" should be no more than some specified fraction (e.g. 25%) of total costs. It becomes clear that the most important issue to be answered is: "How does one determine the true, direct costs of military health care?"

#### CONDITIONS WHICH PROMPTED THE STUDY

The principal stimulus for this research effort was extrainstitutional. Now that health care expenditures exceed ten

percent of the Gross National Product (GNP), there is an

increasing amount of public interest in controlling costs. The

desire to control costs is not easily fulfilled. There is a

functional relationship between services desired and their costs.

In economic terms these services are demanded by the willingness

of consumers to pay for them. It would seem to be intuitively

obvious that as more health services of increasing complexity,

technology, and expense are "demanded", health care costs will

continue to increase. The paradox is clear. Technology and

medical skills encourage use of health care services.

Concurrently, the demand for those health care services must be decreased in order to reduce health care costs.

As political pressures increase to control the size of the DOD budget and to control health care costs in general, it is easy to predict that managers of the military health care system 13,14,15,16 will seek ways to improve cost efficiency. This researcher had a desire to explore the anticipated changes which would occur in the Army Medical Department (AMEDD) if budgeting were based on a prospective model similar to the DRG system currently employed for Medicare reimbursement. If AMEDD facilities were rewarded for cost efficiency by being allowed to spend any operational gains as they saw fit or if managers were evaluated (via Officer Efficiency Reports) with regard to their performance, it is easy to predict that they would be more productivity oriented. A central issue in this study is that the accounting system developed under the Uniform Chart of Accounts should be retained and modified to provide MDC and/or DRG information. Since expense data is being quite effectively captured under the UCA, the system warrants being kept. The problem is that the expenses are not being matched against performance data, but rather, performance (cost) centers. In the future, it may be the treatment episodes (or final products) and not the cost centers which are funded. Instead of allocating x dollars to the Department of Surgery, for example, y dollars will be funded for each appendectomy, and z dollars for each heart by-pass operation.

The mathematical model developed will also propose a variable (OAC or Other Acceptable Costs) for those nonproductive functions which military facilities must undertake to fully perform their missions (e.g. military training, physical training, and committee meetings).

Much work in the area of performance measurement has already been done by a special task force working under a charter from The Surgeon General of the United States Army. The Task Force, the US Army Health Care Studies and the Clinical Investigation Activity (HCSCIA), is attempting to develop a better model than the currently used Medical Care Composite Unit (MCCU) to measure workload performance by Army medical treatment facilities. The main thrust of this HCSCIA study is toward Army Medical Department (AMEDD) inpatient workload. By comparison, this graduate research project is a limited effort to match the resources applied to the respective inpatient cases of a single MDC which were treated at Kenner Army Community Hospital (KACH) during 1984. HCSCIA provided original data to the research project by identifying cases of the 1984 KACH workload which belong to the MDC that was selected at the outset of the project. Assuming that automated equipment which is currently used in maintaining the UCA can be made available in the future to capture and manipulate data regarding health care resources, this model could readily be adapted to all MDCs and added to the UCA as a software change package. There are already functional automated systems (i.e. Pharmacy, Pathology, Radiology, and Personnel Utilization) that record cost/performance factors used

in support of the Uniform Chart of Accounts. This model will be suggested for use throughout the Department of Defense (DOD).

#### LITERATURE REVIEW

References supporting this study were drawn from two general areas. The vast majority of the literature dealing with military MTF cost and performance accounting is specific to the uniformed services. Non-military references are important to the concept of Major Disease Categories (MDCs) and Diagnosis Related Groups (DRGs). The principal literature references from both the military and non-military areas are briefly reviewed below.

The Uniform Chart of Accounts (UCA) was established by

Department of Defense (DOD) Directive 6010.10 which was entitled,

"Uniform Chart of Accounts for Fixed Military Medical and Dental

Treatment Facilities", dated 19 May 1979. The effective date was

1 October 1979, and it was mandatory for use by all DOD fixed

military medical and dental treatment facilities. The UCA, also

known as "The Uniform Resources and Performance Accounting System

for DOD Medical Operations", is designed to provide consistent

principles, standards, policies, definitions, and requirements

for expense and performance accounting and reporting by DOD fixed

military medical facilities. Available from this system are

uniform performance indicators, common expense classification by

20

work centers, and a cost assignment methodology.

Health care resources are costed and accounted for by the UCA methodology. Workload performance of health care services is likewise measured by the UCA methodology. Performance

factors vary among the different departments. The Pharmacy
Department produces weighted procedures as does the Radiology
Department and the Pathology Department. Linen Service
performance is measured as pounds of linen processed. Department
of Nursing support is based upon hours of nursing care rendered.
The list of examples seems almost endless. At a small Army
Community Hospital such as Kenner (121 beds) there are 206
separate UCA accounts. A listing of these is at Appendix B. The
UCA permits the derivation of average cost per work unit.
Determination of specific resource requirements, such as
manpower, starts with identification of services to be provided,
as indicated on the mission list. The mission list for Kenner
Army Community Hospital is at Appendix C.

Once a particular service is defined in the mission statement, the level of staffing and the grade (rank) structure which is required to support that service is determined by the Uniform Staffing Methodology (USM). Existing Department of Defense and Army Directives regarding the USM are: DOD Directive 6010.11-M, Uniform Staffing Methodology for Fixed Medical Treatment Facilities and Dental Treatment Facilities; Army Regulation 570-4, Manpower Procedures Handbook; Department of the Army Pamphlet 570-47, Manpower Procedures Handbook; Department of the Army Pamphlet 570-577, Staffing Guide for US Army Medical Department Activities; and Department of the Army Pamphlet 40-XX, Uniform Staffing Methodology. Under the mechanism of the USM, work is measured by a "performance yardstick" which varies between departments but generally includes things like the number

of hours worked, the number of patients seen, and the number of weighted pharmaceutical, laboratory, or radiographic procedures performed. Performance yardsticks are used to establish the skills and number of personnel who are required to operate a given service.

Having captured performance and expense data by the Uniform Chart of Accounts and having established the manpower requirements to support the existing workload in accordance with USM, the Automated Source Data Collection System (ASDCS) becomes the next most necessary concept to understand in the accounting system. ASDCS has been implemented to support the administrative function of collecting workload statistics. It is an element of the UCA and consists of Pharmacy, Pathology, and Radiology components. ASDCS is supported under a contract with Federal Data Systems Corporation. Desk guides and supporting documentation are provided by the contractor. These user guides and manuals will be referenced as required.

Pharmacy, Pathology, and Radiology components, also referred to as the Ancillary Services, measure cost of their respective departments and capture workload as weighted units. Consider the Pathology Department. The College of American Pathologists (CAP) has listed all of the procedures which a laboratory might perform and has established weights for each procedure. These weights are a reflection of resource intensity required for the procedures performed. Extracted pages from the listings of procedures with their respective weights for the three ancillary services are attached at Appendix D.

The Uniform Chart of Accounts Personnel Utilization System (UCAPERS) is a combination of UCA and USM systems. It was developed under DOD Contract MDA903-72-C-0200 dated 1 September 1984 by Federal Data Systems Corporation for the Office of the Assistant Secretary of Defense (Health Affairs) and the Army Medical Department. This system has recently been installed in Army Medical Treatment Facilities. Instructions and guidelines for this system are being provided by the contractor. UCAPERS is designed to report statistical information regarding manpower utilization through the Expense Assignment System Preprocessor (EASPP).

Moving out of military specific literature and into more general civilian references, assigning diagnoses into DRGs and MDCs is becoming an increasingly more common practice. Title VI of Public Law 98-21 (Social Security Amendments of 1983) added a section to the Social Security Act establishing a prospective payment system for Medicare payment of inpatient hospital services. Under the new system, Medicare payments are made at a predetermined rate for each discharge. These predetermined rates were set by Congressional Act. Their evolution was from a Yale University Study which was begun in the late 1960's. Discharges are grouped by related diagnoses called Diagnosis Related Groups. Of all potential discharges there are 470 specific DRGs into which any given diagnosis must be classified. Each of the 470 DRGs has a weighted value which is a reflection of the resource intensity which is required to support it. Additionally, each DRG has a statistically determined Average Length of Stay. To establish the dollar value of any given DRG, the weighted value

of that DRG is multiplied by the blended case mix figure. The blended case mix figure is a single index figure for the average cost of an average inpatient's hospital stay. It is a reflection of the degree of complexity a given hospital maintains in its workload. There is a federal portion and a hospital specific portion, each of which consists of Labor and Non-Labor Components. Sample calculations of a Blended Rate Figure are shown at Appendix E. It follows that a DRG with a high weighted value is worth more than a DRG with a low weighted value. Section 1886 (d)(1)(A) of the Social Security Act provides for a transition period of three years during which a prospective payment rate, originally based upon historical hospital costs, is gradually changed to a national average cost for each 23 diagnosis.

The DRG system was created as an attempt to provide an effective framework for monitoring the quality of care and the utilization of services in a hospital setting. The first major application of DRGs was in the late seventies in the state of New Jersey. DRGs provided an operational methodology for defining and measuring a hospital's case mix complexity.

Fundamental concepts employed in defining case mix complexity are: 1) severity of illness, 2) prognosis, 3) treatment difficulty, 4) need for intervention, and 5) resource intensity. The purpose of DRGs is to relate a hospital's case mix to the resource demands and associated costs experienced by the 24 hospital.

DRGs are, as the name implies, groups of "related" diagnoses. Initially, the Commission on Professional and

Hospital Activities (CPHA) divided all possible diagnoses into 349 mutually exclusive "major" diagnostic categories, each with 20 subcategories. This yields over 7000 patient classes. There are even more diagnostic codes under the International Classification of Disease Adapted for Hospital Use 9th Edition, Clinical Methodology (ICDA-9-CM). The large number of diagnosis classifications under CPHA and ICDA-9-CM methodologies presented operational problems. Consequently, another system of 23 mutually exclusive Major Disease Categories (MDCs) that roughly parallel the major body systems (e.g. circulatory, respiratory, etc.) was developed for principal diagnosis areas. There are 470 DRGs grouped under these 23 MDCs. Each DRG represents a statistical average of similar diagnoses from the ICDA-9-CM system. As stated earlier, the DRGs represent a hospital's case mix which is then matched to the resource demands and associated costs.

#### STATEMENT OF THE PROBLEM

To provide a management tool by developing a model in which the resources accounted for under the Uniform Chart of Accounts can be paired with Diagnosis Related Groups, and subsequently assigned to Major Disease Categories.

#### OBJECTIVES

The objectives of this research project were:

- 1. To accomplish the tasks indicated below:
  - a. To examine the composition and structure of the

Uniform Chart of Accounts (UCA). (UCA is designed to capture workload and expense data.)

- b. To examine the current regulation(s) regarding Uniform Staffing Methodologies (USM). (USM is designed to capture manpower data.)
- c. To review the methodology of the Uniform Chart of Accounts Personnel Utilization System (UCAPERS) in combining UCA and USM information.
- d. To review the methodology of assigning diagnoses for disease injury and illness to codes of the International Categorizaiton of Diseases Adapted for American Hospital Usage, 9th Edition, translating those codes to ICDA-9-Clinical Methodology Edition, assigning the ICDA-9-CM codes to one of the specific 470 DRGs and then assigning the DRGs to one of the 23 MDCs.
  - 2. To select a particular MDC for study.
- 3. To illustrate how the Automated Source Data Collection System (ASDCS) can be used in collecting and manipulating UCA data. Pharmacy, Pathology, and Radiology data will be taken from the ASDCS currently in use at KACH. (USM data will be taken from the UCA quarterly reports.)
- 4. To select a department at Kenner Army Community Hospital (KACH) for the proposed study.
- 5. To portray in a mathematical model the relationship between expense data as recorded by the UCA and performance data as indicated by the DRGs which were supported.

#### CRITERIA

The criteria of this research project were:

- 1. Of all inpatient cases supported in 1984, 99% must be assignable to DRGs and, subsequently, to MDCs.
- 2. The MDC selected for study must be supported by KACH seven to eight times per month with certain DRGs being supported fifteen to thirty times per year.
- 3. Expenses of key participants in supporting each of the cases identified for the study must be determined.
- 4. Verifiable costs for each episode of care must be determined.
  - 5. Average DRG costs must be established.
- 6. A formula which uses average DRG costs must be developed to predict an MDC cost as a function of the frequency that each DRG is supported.

#### **ASSUMPTIONS**

The following assumptions were made for the conduct of this study and were predicated upon data provided by the Uniform Chart of Accounts.

- 1. The UCA currently captures and effectively allocates hospital expenses to particular cost centers.
- 2. The UCA system accurately reflects workload performance of the respective cost centers.

- 3. The recently installed ASDCS system at KACH, with only minor modification, could make possible the entry and manipulation of data in accordance with the design of this model.
- 4. Patients treated by KACH will be assumed to be representative of the entire local patient population.
- 5. The hospital and staff at KACH will cooperate and support this study to the fullest extent possible.

#### LIMITATIONS

The collowing factors restricted the researcher in the conduct of this study.

- 1. Due to the numerous 4 Digit UCA codes in the accounting system and the complex interrelationships of DRGs within an MDC, this model will be limited to not less than 4 and not more than 12 UCA codes.
- 2. Only one MDC will be selected and developed in the model in order to keep the study manageable.
- 3. The study will be limited to inpatient workload in order to keep its size manageable.
- 4. Due to budgetary constraints this entire study will be performed at KACH.
- 5. Data from Calendar Year 1984 will be used to determine cost/DRG/MDC relationships.
- 6. Institutional operation of the UCA will initially remain unchanged, requiring that the model conform to the framework of the UCA. (Information required will have to be manually extracted from UCA reports.)

#### RESEARCH METHODOLOGY

The steps to accomplish the research objectives were as follows:

- 1. The mechanics of the current UCA accounting system will be discussed. How it works will be described using an organization structure model. Components of the UCA will also be discussed. These components will be: the use of Medical Care Composite Units (MCCU's), the Step-Down Assignment Statistic (SAS), the Automated Source Data Collection System (ASDCS), and the Uniform Chart of Accounts Personnel Utilization System (UCAPERS). Because the UCAPERS component of the UCA is important in assigning hours of support to particular cost centers, its relationship to Uniform Staffing Methodology will also be discussed.
- 2. The (23) MDCs will be introduced and a concept developed in how budgeting might be done using them as a system of accounting. MDC #7, Diseases and Disorders of the Hepatobiliary System and Pancreas, will be selected for study. It is an MDC which is frequently supported by KACH (7 to 8 times per month); it is often treated by a single service (Surgery); and it is projected to occur frequently enough (15 to 30 cases in selected DRGs per year) to provide a statistically valid sample.
- 3. The relationship and differences of ICDA-9 to ICDA-9CM will be described. Use of a model to transition from ICDA-9 to ICDA-9CM developed by the Health Care Studies and the Clinical

Investigation Activity of Health Services Command will be employed to assign the ICDA-9 codes to the 18 DRGs of MDC #7. These DRGs are #191 - #208.

- 4. A list, by DRG, of all ICDA-9 codes, performed by KACH in 1984, belonging to MDC #7 will be prepared.
- 5. A study of the inpatient support given to each of the ICDA-9 codes (cases) belonging to MDC #7 will be performed in order to determine the cost of the total support given to each case.
- a. Initially the inpatient services will be paired with the cases identified for the study. In fact, this includes Medical Service, Surgical Service, Gynecology Service, and Psychiatry Service. Costs will be roughly estimated as a function of the service specific cost per occupied bed day (provided from quarterly UCA reports) and the length of stay (obtained from the medical record).
- established by reviewing the medical records and determining the cost of support provided by the "key participants" to each of the cases. The Ancillary Services (Pharmacy, Pathology, and Radiology), Nursing Staff, Operating Room Staff, Recovery Room Staff, and Anesthesiology are the key participants which will be identified. All "Other Supporters" will remain in a single general category. Costs per performance unit (e.g. weighted procedures, nursing acuity of care categories (Nursing Care Hour 27 Standards Study ), hours of care, and occupied bed days) will be determined. This cost per performance unit will then be applied to the workload (number of performance units) supporting each

case based upon documentation found in the medical record. From 28

UCA methodology, workload and expense data will be paired with the workload units per case as identified in the medical records to derive the following formulas:

Workload units per case/Total UCA code workload reported x 100 = % UCA Code workload per case

- % JCA code workload/case x Total expense of UCA code = Cost of UCA code's contribution to the case
- 6. The total cost of each case will be determined by collecting the total cost of each department's support to that case. Using the previous formulas, it will be proposed that the estimated cost for a given case can be obtained from the following formula:

a(DxA) = aa'U1 + aa''U2 + aa'U3 + ...aa'Un

Where a = the number of cases of DxA treated

DxA = the average cost of treating Diagnosis A

a' = the proportion of the indicated UCA Codes supporting DxA.

U1 = UCA Cost of Contribution from Department 1

U2 = UCA Cost of Contribution from Department 2

U3 = UCA Cost of Contribution from Department 3

Un = UCA Cost of Contribution from Department n
Where n is the aggregation of all other
supporting departments.

Costs of cases or diagnoses belonging to the same DRG will be added and averaged to determine an average DRG cost.

Additionally, a 95% confidence interval will be calculated for each average DRG cost in order to indicate how well that average cost represents the "universe" of cases belonging to that DRG.

These average DRG costs will be used as "normal" values in the mathematical model for the MDC's cost. (These "normal" values should be reviewed and updated with expansion of the data base.)

7. The following formula for MDC #7 resource requirements will be developed from the aggregated average costs of each DRG:

Resources allocated to MDC #7 =

.= 1

a(DxA) + b(DxB)+c(DxC) + ...n(DxN) + OAC

Where a = the number of cases of DxA treated

DxA = the average cost of treating DRG A (For MDC #7 the first DRG would be #191)

b = the number of cases of DxB treated

DxB = the average cost of treating DRG B

c = the number of cases of DxC treated

DxC = the average cost of treating DRG C

n = the number of cases of DxN treated

DxN = the average cost of treating the last DRG
 of the MDC (for MDC #7 this would be DRG
 #208)

OAC = Other acceptable costs (i.e. PT, Unit Training, Committee Meetings, and Admin/Log Functions). The OAC will be expressed as a percentage of productive Dx costs (i.e. .25(a(DxA) + b(DxB)+c(DxC) + ...n(DxN))

(The formulas in 5b, 6, and 7 were derived and are proposed by the researcher.)

The OAC variable is intended to be used as a "profit margin".

"Profit" earned in productive care must be sufficient to cover
the necessary nonproductive activities. If budgeting were done
by DRGs/MDCs the amount allocated would be prospectively set.

This implies that if cases cost more than the resources allocated
to them, the OAC variable would be negative in order for the
formula to be true. The .25 figure is a random number.

Commanders would have to establish, after careful study, the
level at which to set resource allocations. This level should be
objectively established with some maximum allowable fraction for
"non-productive" activities.

8. KACH's cost per DRG will be compared to a nearby civilian hospital's DRG prospective reimbursement values in order to place the information obtained from the study in perspective with civilian health care literature.

#### FOOTNOTES

1

Eduardo Marenco, Jr., "Health Education: An Alternative to Illness," Family Community Health, 1 No. 1 (6 April 1978): pp. 31-36.

2

Rockwell Schulz and Alton C. Johnson, Management of Hospitals, (McGraw-Hill, Inc., 1976): pp. 3-13.

Emily Friedman, "Shifting the Cost - and the Blame," Hospitals, 56 No. 99 (16 March 1982): pp. 93-97.

Ann Johnson, "Cost-Shifting: The Discount Dilemma,"

<u>Journal of Health Politics and Policy</u>, 9 No. 2 (Summer; 1984):

pp. 251-267.

Louis F. Rossiter, "The New Wave of Competition: Will Consumers and Providers be Caught in the Undertow?" (Seminar with the Capital Area Health Advisory Council, Richmond, Virginia, 2. June 1985).

Richard F. Averill, "The Design and Development of the Diagnosis Related Groups (DRGs)", The Revised ICD-9-CM Diagnosis Related Group (DRGs), (Hospital Corporation of America, 1983), pp. 3-16.

Ibid., p. 3.

AHA, "Hospitals Wait, Wonder as Blue Cross of Kansas Prepares Its New DRG Payment Plan", Review of Federal American Hospitals, 16, No. 5 (September-October 1983): pp. 37-38, 48.

T. Jemison, "VA Prepares to Implement DRG Plan", <u>U.S. Medicine</u>, 19, No.23 (December 1983): pp. 1, 21.

John F. Triscornia and Charles K. Bradford, "Prospective Payment/DRGs -- The Results To-Date; Strategies and Approaches", ACHA Congress on Administration, February 14-15, 1985; Chicago, II.

11

DOD 6010.10-M, Department of Defense Uniform Chart of Accounts for Fixed Military Medical and Dental Treatment Facilities, (Office of the Assistant Secretary of Defense (Health Affairs, 25 July 1979)), p. 1-5 through 1-19.

Robert M. Gibson, Katharine R. Levit, Helen Lazenby, and Daniel R. Waldo; "National Health Expenditures, 1983," Health Care Financing Review, 6, No. 2 (Winter 1984): 1-29.

"Defense Resources" <u>Defense</u> <u>85</u>, (April 1985) p. 18-23.

Martin Frost, "Budget Process Holds Health Issues Captive," <u>Hospitals</u>, 59, No. 10 (16 May 1985): pp. 106-108.

15

James B. Kenley, "Rising Health Costs -- Who is going to Pay?" Remarks by State Health Commissioner, Department of Health, Commonwealth of Virginia, (Health Director's Conference, Charlottesville, Virginia, 10 April 1985), pp. 1-6.

"Hospital Cost Control; A Bitter Pill to Swallow," <u>Harvard</u> <u>Business</u> <u>Review</u>, (March-April 1985) No. 2, p. 160.

DOD 6010.10-M, Department of Defense Uniform Chart of Accounts for Fixed Military Medical and Dental Treatment Facilities, (Office of the Assistant Secretary of Defense (Health Affairs, 25 July 1979)), p. 1-5.

Title VI of Public Law 98-21 (Social Security Amendments of 1983).

19

HSC Supplement 1 to AR 37-100-86, Financial

Administration, The Army Management Structure (AMS), 1 October 1985, p. B-40.

DOD 6010.10-M, Department of Defense Uniform Chart of Accounts for Fixed Military Medical and Dental Treatment Facilities, (Office of the Assistant Secretary of Defense (Health Affairs, 25 July 1979)), p. 1-7.

Automated Source Data Collection System, Desk Guide, Uniform Chart of Accounts, (Office of the Assistant Secretary of Defense (Health Affairs), April 1983, pp. 6-21.

22

Title VI of Public Law 98-21 (Social Security Amendments of 1983).

Federal Register, (1 September 1984 and 3 January 1984): pp. 329, 330, 39868, and 39875.

Averill, "The Design and Development of the Diagnosis Related Groups (DRGs)", p. 16.

Marilyn Peacock Plomann, "Choosing a Patient Classification System to Describe the Hospital Product," <u>Hospital & Health Services Administration</u>, 30 No. 3 (May/June 1985): pp. 106-117.

26Marjorie M. Zernott, Nancy L. Ramirez, and Robert H. Seeman; Coding with ICD-9-CM, (Commission on Professional And Hospital Activities, 1983): pp. 1-65.

S. M. Sherrod, T. M. Rauch, and P. A. Twist; "Nursing Care Hour Standards Study," Academy of Health Sciences, Fort Sam Houston, Texas, File Number AD-Al09-883 (September 1981): pp. 1-6.

DOD 6010.10-M, Department of Defense Uniform Chart of Accounts for Fixed Military Medical and Dental Treatment Facilities, (Office of the Assistant Secretary of Defense (Health Affairs, 25 July 1979)), Chapters 3 and 5.

#### II. DISCUSSION

## MECHANICS OF THE UNIFORM CHART OF ACCOUNTS

The origin of the Uniform Chart of Accounts was previously mentioned in the Literature Review. DOD health care managers are expected to use the UCA for establishing a uniform reporting methodology that provides consistent financial and operating performance data. There are two areas in which the present system falls short: 1) the reporting system is not totally uniform between services (Army, Navy, and Air Force) or even between facilities in the same service even though this was the original intent; 2) while fairly successful in reporting relatively uniform performance and expense data, the system falls short of reporting costs per patient treated. The UCA does report in which departments or clinics expenses occur, but it does not match expenses to the cases which they support.

Perhaps the easiest way to explain the UCA is to imagine a single checkbook from which a military hospital operates. From this checking account, specific elements of expense are paid to subaccounts labeled UCA codes (e.g. BBAPA = Dermatology, BAAXA = Inpatient ICU/CCU, and so forth). An audit trail can be established to determine the amount of money spent on each element of expense (e.g. manpower, supplies, equipment, and travel) in a given period of time. Furthermore, each department, branch, section, or activity can be monitored with regard to resources consumed.

A listing of the UCA codes or accounts to which expenses are assigned at Kenner Army Community Hospital is at Appendix B. The 3 UCA accounts parallel the hospital's organizational structure which is generally illustrated at Appendix F. Just as command and control flow downward along the schematic of the organizational structure, so also does the hospital's operating budget. Monies provided to the facility for its operation are divided under the commander's authority and provided to each department, branch, section, and activity.

In accordance with HSC Supplement 1 to Army Regulation 37-100-86, Financial Administration; The Army Management Structure (AMS), performance or workload is measured by a unit of measure called the Medical Care Composite Unit (MCCU). MCCUs are earned in four ways. First, 10 MCCUs are earned for each hospital admission. Second, 10 MCCUs are earned for each live birth. Third, 1 MCCU is earned for each occupied bed day. Fourth, .3 MCCUs are earned for each outpatient clinic visit.

The desire of a manager to match his inputs (resources made available) of the health care process to outputs (patients treated or services provided) is not well served by the MCCU mechanism. A short term admission of a patient for elective surgery in which there is no complicating concurrent illness is vastly different from a long term admission of an elderly patient with numerous chronic, concurrent illnesses to the ICU. These two admissions are both worth 10 MCCUs but the ultimate cost of treatment is much greater for the ICU patient. Consider an inpatient (occupied bed day) in the ICU as compared to an inpatient on a minimal care ward. The ICU patient may be

receiving continuous care and monitoring by 2 nursing staff personnel 24 hours per day while the minimal care patient has a cursory visit from an aidman twice a day to obtain and record vital signs. Certainly these two inpatients are not receiving the same care but both are receiving 1 MCCU credit per hospital bed day. An outpatient clinic visit in Internal Medicine is very different from one in Dermatology or the Outpatient Clinic. An Internal Medicine visit may take an hour or more and involve a number of laboratory tests, an EKG, numerous prescriptions, and other services. A Dermatology appointment might take 10 minutes and result in a prescription for a topical ointment. While it can easily be argued that the two are not the same, they are both afforded .3 MCCU credits.

The point is that health care is too heterogenous to be lumped into just four general classifications. Specific costs must be determined on a case-by-case basis. The Uniform Chart of Accounts does allocate expense data to the various cost centers, and it does, with the help of MCCUs, crudely measure performance data. Indirect costs originally allocated to intermediate accounts (e.g. linen service, nutrition care, and administrative/personnel services) are distributed to final expense accounts (patient care or "productive" cost centers) by way of a technique called "The Step Down Assignment Statistic" (SAS). The UCA system does not provide accurate data on a case-by-case basis as to the cost of treating any particular patient. Efforts by managers to economize their resources are hindered by not knowing, or being able to establish, the total cost of treating any particular type of case.

Despite the weaknesses of the MCCU system of performance measurement, it is the system in use by the DOD. How MCCUs are used must be fully understood. Treatment facilities are programmed to perform a certain number of MCCUs per day by their respective higher, major commands. The supply portion of the (approved) Annual Operating Budget (AOB) is tied to the number of MCCUs programmed. The target value for the "cost" of an MCCU at KACH is established by the United States Army Health Services Command (HSC). In 1984 this target value was approximately \$18.00 per MCCU per day, and KACH's programmed workload was 351 MCCUs per day. This yields approximately \$6318 per day or \$2,306,070 (\$6318 x 365 days) per year for the supply portion of the KACH 1984 AOB. This \$2,306,070 was assigned to the respective departments, branches, sections, and activities using the appropriate UCA account codes.

As in previous years, the 1984 budgets assigned to each work center (UCA account) were not based upon the exact workload being done. They were based, instead, upon historical budgets which were afforded to each account coupled with an intuitive guess of expected workload (projected increase or decrease over the previous year). The supply budgets for departments not directly involved with providing health care (e.g. Logistics; Plans, Operations, Training, and Security; the Comptroller; the Command Group; and others) were factored into that supply cost per MCCU.

A treatment facility's total budget includes the AOB (which supports supply and some other operational expenses) a manpower budget, a major equipment acquisition budget, and a construction

budget. These latter types of budgets are not directly related to MCCUs earned; other mechanisms govern the establishment of their funding levels. Dollars spent on the total budget are charged to each work center and recorded by the UCA. In general, because the MCCU performance measure only relates to a part of the total budget, it falls short of supporting the UCA in matching performance to expense. The UCA tends to be more effective in measuring and accounting for total expense data than total performance data. Occupied bed days, laboratory tests performed, and other workload are measured, but the UCA does not relate the workload directly to MCCUs or episodes of care.

Two subsystems now included in the automated UCA system delve more fully into workload performance and cost measurement for specific components of the health care system. First, the Automated Source Data Collection System (ASDCS) measures the weighted units of production for the Ancilliary Services (Pharmacy, Pathology, and Radiology). A cost per weighted unit is established by dividing total cost (of a particular service) by total weighted units produced (by that service).5 This system is not directly related to MCCUs but is a valuable management tool in monitoring each of the respective Ancillary Services. This kind of information is quite useful in the model to be developed in this project. Second, the Uniform Chart of Accounts Personnel Utilization System (UCAPERS) is an automated system to help manage manpower resources. It combines Uniform Staffing Methodology (USM) with the UCA. Specific benefits to be gained from UCAPERS are listed below:

#### UCAPERS BENEFITS

- 1.- Accurate utilization data, by department, of actual time worked rather than time scheduled.
- 2. Borrowed and loaned labor report by individual.
- 3. Overtime/compensatory time report by individual.
- 4. Maternity leave report by individual.
- 5. Sixteen types of alphabetic personnel rosters.
- 6. Automated TDY log.
- 7. Schedule X data for all work centers.
- 8. Personnel Utilization Data for USM.

#### FIGURE 3

UCAPERS will attempt to account for manpower availability, defend staffing requirements, and reflect the general uses of available manhours. Since USM is responsible for establishing and justifying staffing requirements and for recording the hours of manpower involved in specific duty sections, its combination with the UCA should help relate manpower expense to workload performance (hours worked). UCAPERS replaces a manual reporting system for USM. A sample of the form used in the manual system (HSC Form 346-R) is shown at Appendix G. This form has been replaced by direct entry onto menu driven screens of the multiple terminals of an automated data base. The exact mechanics of UCAPERS are available in the appropriate users guides provided under contract by the system vendor to the Office of the Assistant Secretary of Defense (Health Affairs).

Fundamental to fully understanding UCAPERS is a working knowledge of the USM. Once a particular service is defined in the mission statement, the level of staffing and the grade (rank) structure which is required to support that service is determined by the Uniform Staffing Methodology (USM). A reduction in the patient population being served would be expected to reduce the

authorized staffing level, just as an increase in the population being served would be expected to increase the authorized staffing level. An example of the "Schedule X" manpower survey mechanics used in determining the stuffing level to be authorized for the Department of Surgery is provided at Appendix H.

HSC surveys MTFs under its control and determines recognized manpower requirements for the entire command to accomplish its health care mission. These recognized requirements are submitted to Congress annually. Since Congress may choose not to authorize the full level of recognized requirements, a lower staffing level (called authorized manpower requirements) becomes the concern for staffing managers. Authorized requirements are those for which funding exists to hire civilian personnel or to assign military personnel.

Staffing levels do not frequently change for two major reasons. First, a hospital's catchment area and size of population served is relatively stable. The second major reason is that changes to the mission list do not often occur. For the purposes of this research effort it will be assumed that the established staffing authorization is relatively constant. The UCA records the expense data for these relatively constant staffing levels and the manpower expense figures used in developing the model to relate the UCA to DRGs will be taken from 7 the quarterly UCA reports.

One specific concept regarding "general uses of manhours" should be addressed. Entries to both UCAPERS and the older manual USM are for the number of hours rendered to specific work centers (e.g. 6 hours to a primary duty section and 2 hours to

military training). Better information to an effective manager would be how many hours are rendered to specific services or what was done during that 8 hours of duty (e.g. 2 hours to cholesystectomy admission number 037345, 1.5 hours to vasectomy admission number 037312, 1.25 hours to unit level physical fitness training, 2.25 hours to 6 outpatient clinic visits, and one hour to Continuing Medical Education). From this more specific data, many valuable statistics regarding cost/performance relationships could eventually be generated. Examples of reports which could be provided are average time per cholesystectomy, percent of available time dedicated to physical fitness training, and average time per clinic visit. This kind of data would be difficult to gather under manual methods. With automation, however, the gathering and manipulating of this data would be an attainable objective.

**\***- ·- ·

## THE 23 MAJOR DISEASE CATEGORIES

The World Health Organization has attempted to facilitate the identification of the reasons for which a person might be admitted to the hospital by creating a catalog of diagnoses. The title of this three volume catalog is the International Categorization of Diseases Adapted for US Hospital Use (ICDA). The Army uses the 9th Edition of the ICDA (ICDA-9). Most civilian hospitals in the United States have transitioned from ICDA-9 to a modified edition for Clinical Methodology (ICDA-9-CM) because of its ability to capture more of the ambulatory

workload. There are thousands of diagnoses with corresponding 5 digit number codes in the ICDA-9 and ICDA-9-CM.

As mentioned in the literature review, the Yale University 8 study established 23 MDCs which include the 470 DRGs.

Certainly 23 categories were less cumbersome for categorizing the thousands of diagnoses which were already established by the ICDA index. In general, each MDC was constructed to correspond to a major organ system (e.g. Respiratory System, Circulatory System, Hepatobialary System). A complete listing of the MDCs is at Appendix I. Each MDC was evaluated to identify those additional patient characteristics which were expected to have a consistent effect on the consumption of hospital resources. From this evaluation, Diagnosis Related Groups (DRGs) were identified within each MDC. As the name implies each DRG was a group of diagnoses which were similar.

Under this system all inpatient health care can be divided into the 23 MDCs. Each MDC can then be divided into a set of particular DRGs. Each of the 470 DRGs is comprised of numerous, specific diagnostic codes indicated by the ICDA and CPHA systems. An alternative to budgeting in accordance with the organization structure at Appendix F would be to budget in accordance with the MDCs being supported by the hospital. The advantage to funding based upon a 1 MDC model would be that funding could be applied directly against work being performed and not departments performing the work. A model of this concept is shown at Figure 4.

# AGGREGATION OF CARE COSTS INTO DRG'S AND MDC'S




FIGURE 4

A list of all 470 DRGs complete with average length of stay, weighted values, and prices set by a nearby community hospital is at Appendix J.

This paper will focus on MDC #7, Diseases of the Hepatobialary System. There are 18 DRGs in this category. The specific DRGs of MDC #7 are highlighted at Annex 1 to Appendix J. Also shown are the frequencies that KACH performed each of these DRGs in 1984. MDC #7 was selected because KACH had performed roughly 100 of these cases in Calendar Year 1984. One hundred cases was about the maximum number of cases that a single researcher could evaluate. Also, MDC #7 tends to be comprised of more surgical procedures than medical cases. Quantifying hours required for surgical procedures is a simpler task than attempting to quantify the time required for purely medical procedures. This made possible the selection of the Department of Surgery as the principal department for the study.

Identification of the cases belonging to MDC #7 was done by the HCSCIA. Inpatient cases performed at KACH in CY 84 reported under ICDA-9 codes were in an automated data base. ICDA-9 codes cannot be "grouped" into DRGs. KACH's ICDA-9 codes were translated to ICDA-9-CM codes by HCSCIA. ICDA-9-CM codes were then processed through a "Grouper" program to distribute them to the appropriate DRGs. ICDA-9 codes must be translated because the CM version is the program upon which DRGs are based. ICDA-9-CM is considered more desirable than ICDA-9 because medical records technicians can also code clinical or ambulatory workload. Of 3756 records processed all but 35 were effectively assigned to a DRG. Of the DRGs in MDC #7 (#191 to #208), there were 94 cases from KACH's CY84 workload. The report from HCSCIA is at Appendix K.

## THE MODEL

Specific inpatient case numbers identified by HCSCIA were referenced against the KACH inpatient admission register. A roster was then set up containing the information illustrated at Figure 5 below.

			ROSTE	<u>R</u>			
NAME	Register #	DRG #	svc	FMP	SSN	LOS	REMARKS
2. XXXX 3. YYYY 4. ZZZZ	0320897	192 194 197	AA BA BA	30 30 02	586-01-518 223-60-729 251-64-352	3 10	A2,79

FIGURE 5

The complete roster is at Appendix L. The roster of names and register numbers was used to obtain the medical (inpatient) records. (Names of patients were, in fact, deleted from Appendix L in order to protect the privacy of the individuals involved.) Register # refers to the inpatient admission numbers assigned to individuals at the time they enter the hospital. This number is subsequently used in medical statistical reporting. DRG # refers to the DRG to which each inpatient diagnosis belongs (#191-#208). At Appendix M is a pairing of the ICDA-9 codes to the appropriate DRGs. SVC refers to the hospital service to which the patient is assigned during the treatment regimen (AA = Medical Service, BA = Surgical Service, CA = Gynecology Service, and FA = Psychiatry Service). The first two digits of the four digit UCA codes align it with the inpatient service which it supports. FMP refers to Family Member Prefix (20 = active duty service member, 30 = spouse of active duty service member, 01 = 1st child, 02 = 2nd child, and so forth). SSN stands for the patient's social security number. LOS is the acronym for length of stay. The remarks column is used to identify the multiple admissions in 1984. (The person at roster number 2, for example, is also roster number 79.) At Annex 1 to Appendix L is a calculation showing the average length of stay for the cases in the study. For the cases of MDC #7 which are being analyzed the average length of stay was 10.9 days with a standard deviaton of 10.99. Clearly there is no strong central tendency for the LOS for MDC #7 when considered collectively. Appendix M portrays the pairing of the ICDA-9 codes to the appropriate DRGs.

From the quarterly UCA reports, cost and performance data were extracted for the hospital services which supported MDC #7. A complete listing by quarter is at Appendix N. An overview of the annual data is shown at Figure 6 below.

# ANNUAL HOSPITAL SERVICE COST/PERFORMANCE DATA

Service	Total Expense	Total Performance	Average
	(\$)	(Occupied Bed Days)	(\$/OBD)
AA - Medical	3797914	15517	244.76
BA - Surgical	1912896	5997	318.98
CA - Gynecology	863741	2271	380.34
FA - Psychiatry	312827	1207	259.18
Total	6887378	24992	275.58

FIGURE 6

Average cost per Occupied Bed Day (OBD) was obtained by dividing total expense by total OBD. The figure \$275.58 represents all expenses (e.g. the utility bill, linen service, clinician fee, ancillary support, administrative and logistical support, and all other services) involved with the average inpatient occupied bed day. The mechanism which permits the consolidation of direct and indirect costs to final operating expense accounts was mentioned earlier in the discussion of the UCA; it is the "Stepdown Assignment Statistic" (SAS). Expenses are distributed in a designated hierarchial order in accordance with the rules provided at Appendix O. This distribution at KACH resulted in the 1984 service specific total costs indicated at Figure 6.

Multiplying the LOS for each of the 94 cases by the average cost/day of its associated service (AA, BA, CA, or FA) yields an estimate of the cost of each case. An example is shown below.

# COST ESTIMATE PER DRG FROM UCA COST/PERFORMANCE DATA (UNADJUSTED)

Case # SVC LOS Average Cost/OBD Case Cost 2 AA(Medical) 6 times \$ 244.76 = \$1468.56

### FIGURE 7


The cost of each DRG in MDC #7 which KACH treated in 1984 is calculated at Appendix P. Also at this Appendix KACH's estimated costs per case are compared to the DRG reimbursement values of a local community hospital. Row numbers of Appendix P relate to the row numbers on the roster at Appendix L. Column I is the average cost of an inpatient bed day, by service, at KACH. Column J is a nearby community hospital's DRG reimbursement rate. Column K is the DRG rate minus the estimated KACH cost. Negative numbers indicate that KACH was more expensive than the civilian hospital. Row 96 of Appendix P has the total costs. KACH MDC #7 cases of 1984 were \$278,056.94. The DRG reimbursement for those cases would have been \$282,794.38. The difference in total cost between the DRG rate and the estimated KACH cost was \$4737.44. From this chart it is apparent that KACH was estimated to be \$4737.44 or 1.7% cheaper than DRG reimbursement would have been for the same 94 inpatient cases. It should not be overlooked, however, that on some specific cases KACH is more expensive. Money is lost because patients are kept for what would appear to be an excessively long LOS. One additional point is that DRG rates do not include provider fees (doctor, anesthesiologist, and so forth) so the cost savings in having those cases done by KACH is actually even more than the dollar value shown.

Appendix P is a rather rough cost per case estimate.

Average costs per OBD might not be representative of specific

cases. A better model is necessary to be able to truly defend the assertion that the costs of KACH cases can be determined or even that they are or are not cheaper than DRG rates. Recall that the average bed day cost includes all direct and indirect costs of cases treated. By extracting the expense data of larger, more expensive, contributors of care from the average cost per bed day, it is possible to reduce the degree of error attributed to case averaging. Subsequently, by adding back the exact expense of these larger contributors of care, a truer cost for each case can be established: The departments identified in this study as "larger contributors" were: ancillary service support, nursing care support, operating room support, recovery room support, and anesthesiology support. Total operating costs incurred by each of the larger contributors in the performance of their mission were obtained from quarterly UCA reports, and this extraction was done. The fractions of cost for each of the "larger contributors" were identified and subtracted from the total cost of the respective services (AA, BA, CA, and FA). This is illustrated in Figure 8. A complete table of the itemized costs is shown at Appendix Q. The machinations which produ 'd these itemized costs are shown at Annexes Q1-Q7 to Appendix Q.


Expenses were aggregated by all UCA codes belonging to the given services. In nursing, for example, AAHA is the code for the medical intensive care ward, AAXA is the code for medical patients on ward B2, ABCA is the code for surgical intensive care patients, and so on. From the adjusted or purged data regarding OBD costs at Appendix Q, it is possible to start redefining the



The second

cost per DRG. The adjusted cost per service per OBD includes the clinician's cost, a share of the linen service's cost, a share of the utility cost, a share of base operations costs, and the other costs recorded in the remainder of the 206 UCA codes employed at KACH other than those itemized as "larger contributors". Though all 206 UCA codes could have been itemized, it is beyond the scope of this paper to do so. Multiplying the LOS for each case by the adjusted cost per OBD figure (for the applicable service (e.g. AA, BA, CA, and FA)) yields a general expense figure for placing and keeping the individual in the hospital. This is done at Appendix R.

The next step is to determine the expense of each patient's care by each of the "larger contributors" and to add that expense to the base line or general expense category. This process is shown in Figure 9.



In the Ancillary Services, workload is measured and recorded by the ASDCS in weighted units. The reason for "weighted" values is that some tasks are more resource intensive than others. The more resource intensive, the higher the weighted value assigned to that task. Total weighted units produced by each of the Ancillary Services was divided into the total expense for that service to yield an average cost per weighted unit. The annual average for each of the Ancillary Services is provided in the matrix below.

ANNUAL	<u>VALUES</u> <u>FOR</u> <u>ANCILLARY</u>	SERVICE COSTS PER	WEIGHTED UNIT
SERVICE	EXPENSE (\$)	WORKLOAD (WTD UNITS)	AVERAGE COST (\$/WTD UNIT)
PHARMACY	2,213,679	341,050	6.49
PATHOLOGY	1,952,821	1,744,764	1.12
RADIOLOGY	1,598,037	116,382	13.73

FIGURE 10

More detailed information is at Appendix S. By reviewing inpatient medical records and surveying them, it is possible to determine the exact amount of support (workload) provided by each of the respective ancillary services. This is done by counting each type of service provided to determine its frequency and by multiplying that frequency by the appropriate weighted value for that type of service. By multiplying the case's total weighted unit workload by the average cost per weighted unit, the expense of that case can be determined. In each record, for example, the number of unit doses and sterile products provided by the Pharmacy can be determined. Multiplying the quantity of unit doses or sterile products by their weighted values and then multiplying the total weighted units by the average cc t per

weighted unit yields the Pharmacy's expense of supporting each case. A sample worksheet which was used in surveying each medical record to count frequencies of pharmacy weighted units is at Annex 1 to Appendix S. A similar methodology was employed to determine the pathology and radiology costs of support provided to each case. Sample worksheets are at Annexes S-2 and S-3 respecively. The tabulated ancillary service costs for the cases in the study are shown at Annexes S-4, S-5, and S-6.

One concern in surveying medical records to

determine the total number and type of services performed is that

there is no way to account for repeat tests. For example, if a

laboratory test result is questionable, it is repeated for

verification. In the medical record, however, there is only a

record of one test. The laboratory does count the workload, but

it is not "charged" to the case; it is charged to the service

supporting the case (Medical, Surgical, and the like).

The costs for nursing support to inpatients of KACH in CY 84 were extracted from Quarterly UCA reports and are shown at Appendix T. Nursing care hours supporting each case were determined by use of an acuity of care model. The acuity of care model is used by nursing managers to determine the number of direct care hours required by each inpatient each day. More seriously ill patients require a greater number of direct care hours. There are 6 categories and the number of nursing care hours for each is as follows:

# HOURS PER DAY OF DIRECT NURSING CARE PER ACUITY CATEGORY

Category I - 2 Hours Category IV - 18 Hours Category II - 5 Hours Category V - 27 Hours Category III - 11 Hours Category VI - 45 Hours

#### FIGURE 11

A sample worksheet used for tallying a patient's category each day is shown at Annex 1 to Appendix T. Points are earned for treatment and frequencies of treatment rendered to each patient. At certain thresholds the point values raise a patient's category to a higher acuity level or patient category. The total direct care hours rendered to each patient, in accordance with the acuity model, is at Annex 2 to Appendix T. In addition to the number of hours an estimated cost for those hours is also shown. The cost for an hour of nursing care was approximated from the average cost per man hour at KACH. An average manhour cost was used because of the wide variance found in the pay grades of the Nursing staff. KACH's average full time equivalent (FTE) employee manyear is \$24,500. There are about 2088 hours in an FTE. Dividing cost by hours (\$24,500/2088) yields about \$11.73 per hour. The nursing care cost for each case in the study was obtained by multiplying the number of direct nursing care hours per case by \$11.73.

Operating Room (OR), Recovery Room (RR), and Anesthesiology hours are determined from the OR and RR log sheets.

Anesthesiology hours were assumed to be approximately equal to the OR hours. The fraction of hours used for a given case divided by the total of all available hours when multiplied by the total expense figure for each service yields the cost per

case. All three of these services are shown at Appendix U.

Adding the "larger contributor" specific component costs to the base line or general costs shown at Appendix R provides a more defensible figure for the cost of each case in the study. The formula for the cost of a Diagnosis proposed in the introduction can now be used:

a(DxA) = aa'U1 + aa''U2 + aa'U3 + ...aa'Un

Where a = the # of cases of DxA treated

DxA = the average cost of treating
Diagnosis A

a' = the proportion of the indicated UCA Codes supporting DxA.

U1 = UCA Code for Department 1

U2 = UCA Code for Department 2

U3 = UCA Code for Department 3

Un = UCA Code for Department n
Where n is the aggregation of all other

supporting departments.

These refined DRG costs are at Appendix V. At Annex 1 to Appendix V is the comparison of the revised KACH expenses, by case, to the DRG reimbursement values.

Average costs per DRG are calculated at Appendix W.

Inserting these average DRG costs for MDC #7, the formula for the cost of MDC #7 that was proposed in the introduction can now be employed.

Resources for MDC #7 = a(DxA) + b(DxB)+c(DxC) + ...n(DxN) + OAC

Where a = the # of cases of DxA treated

DxA = the average cost of treating Diagnosis A

b = the # of cases of DxB treated

DxB = the average cost of treating Diagnosis B

c = the # of cases of DxC treated

DxC = the average cost of treating Diagnosis C

n = the # of cases of DxN treated

DxN = the average cost of treating Diagnosis N
(The last of the diagnoses included in the
18 DRGs under MDC #7.)

OAC = Other acceptable costs (i.e. PT, Unit Training, Committee Meetings, and Admin/Log Functions). The OAC will be expressed as a percentage of productive Dx costs (i.e. .25(a(DxA) + b(DxB)+c(DxC) + ...n(DxN))

Three major gaps exist in the information provided by this study. First, not all 18 DRGs were treated at KACH in 1984, and, therefore, specific DRGs in the formula have a zero value for cost. Until these cases are done and costs are determined, this study has failed to provide completed data regarding the expected costs of MDC #7. Second, if the study were continued and the data base expanded, the average cost per DRG would be expected to be more representative of the true expected costs for treating DRGs and have a smaller standard deviation. A 95% confidence interval (2 standard deviations) for average DRG costs (See Apendix W) in this study cannot be considered useful because of the broad distribution. Finally, the OAC requires further research to be justly established. In this study, the OAC or "profit" earned from DRGs treated was \$36,128.46 less than the set DRG rates in the local area (282,794.38). Expressed as a percentage figure these savings represent 12.77%  $(36,128.46/282,794.38 \times 100)$ . Recall that provider (Dr) fees are not included in the DRG rate but are in the KACH rate. 12.77% is a conservative estimate. Though KACH provider expenses were not itemized in the study, Anesthesiology expenses were. Subtracting Anesthesiology expenses of \$17,045.89 leaves a KACH total expense of \$229,620.03. A "profit" of \$53,174.35 or 18.80% (53174.35 / 282,794.38) can be claimed when compared with DRG

rates of reimbursement. The concept of using an OAC variable could/should help manage nonproductive levels of activity by providing some objective goal or "target" to work toward not exceeding. Based upon this study the OAC sould to be greater than 18.80% of the "productive" workload.

# FOOTNOTES

"Uniform Chart of Accounts Revisited", A Touch of Class, 12
No. 1 (August 1985): pp. 1, 2, and 5.

DOD 6010.10-M, Department of Defense Uniform Chart of Accounts for Fixed Military Medical and Dental Treatment Facilities, (Office of the Assistant Secretary of Defense (Health Affairs, 25 July 1979)), Chapters 3 and 5.

Organization and Functions, MEDDAC Regulation No. 10-1, (1 June 1983): p. 4-33.

DOD Directive 6010.10-M, Department of Defense Uniform
Chart of Accounts for Fixed Military Medical and Dental Treatment
Facilities, (Office of the Assistant Secretary of Defense (Health Affairs), 25 July 1979): p. 1-5 through 1-19.

Automated Source Data Collection System, Desk Guide,
Uniform Chart of Accounts, (Office of the Assistant Secretary of
Defense (Health Affairs), April 1983): pp. 6-21.

"Briefing Material for UCAPERS Schedule Recipients", Uniform Chart of Accounts Personnel Utilization System, (1 September 1984): p. 1-1.

DOD Directive 6010.11-M <u>Uniform Staffing Methodology for Fixed Medical Treatment Facilities and Dental Treatment Facilities</u>, (Office of the Assistant Secretary of Defense (Health Affairs), January 1982): Chapters 1-3.

Richard F. Averill, "The Design and Development of the Diagnosis Related Groups (DRG's)", The Revised ICD-9-CM Diagnosis Related Group (DRG's), (Hospital Corporation of America, 1983), pp. 9-16.

S. M. Sherrod, T. M. Rauch, and P. A. Twist; "Nursing Care Hour Standards Study," Academy of Health Sciences, Fort Sam Houston, Texas, File Number AD-A109-883 (September 1981): pp. 1-6.

### III. CONCLUSIONS AND RECOMMENDATIONS

The most striking observation in this study was that in cases where the KACH lengths of stay were close to the expected or average length of stay established for DRGs the cost efficiency for each case treated was optimized. KACH's costs were as little as 15% of the DRG reimbursement rate. It follows that if KACH were to perform Utilization Review based upon DRG ALOS and attempted to discharge patients within the DRG ALOS, health care costs could be reduced. Also observed was the phenomenon that KACH was generally less expensive than the established national average DRG rates of reimbursement. This amount was 12.77% in terms of tangible dollar savings plus intangible savings which are more difficult to measure. This is an ample argument for continuing military health care at the current or even expanded levels.

A second major observation is that the MCCU system encourages inefficiency. A hospital is rewarded for what it does. It is not rewarded for minimizing or economizing required services at the lowest possible level which affords quality health care. Use of the term quality implies a level of care which is adequate but limited to only what is necessary. A DRG based budgeting system would encourage efficiency, especially if hospitals could use the "profits" earned by economizing health care costs in accordance with their own priorities. Since the term profit is alien to military MTFs, it is used here to represent the difference or profit margin between what is budgeted to treat a DRG and what it actually costs. It is

obvious that a positive difference would be the objective. A hospital's priorities for these profits might include but are not limited to: the OAC functions mentioned in the model or new medical or automation equipment.

The difficulty in identification of DRGs treated would be eliminated if military treatment facilities were to adopt ICDA-9-CM (a departure from ICDA-9) as their catalog for coding of diagnoses treated. It would be recommended that this be done, except that during this study the Researcher learned that the DOD is planning to make the transition to ICDA-9-CM in January 1986. This study supports that decision.

Finally, the fact that all accounting (under the UCA) of cost and performance data are now being done by departments and not by cases, makes the task of determining case costs and the case mix of care provided by military hospitals very difficult. If another cell was added to the menus of Pharmacy, Pathology, Radiology, and UCAPERS systems for the inclusion of an inpatient register number, the cost of each case/procedure/hour of support could be effectively captured and reported by the existing automated equipment. Such a reporting system - the costs of cases treated - would afford the ability to better monitor productivity and cost. Assuming that hospital leadership will require aggressive management, this better information should result in improved efficiency of military medical treatment facilities due to better management of those facilities. It is strongly recommended that such a cell be added to the menus provided by the software of the current automated UCA equipment

upon which work performance is reported. Including the case numbers on work or performance reports would afford the ability to obtain case specific cost/performance information from manipulations of the automated data base in the future. In both military and civilian health care arenas, the ability to accurately monitor and manage the cost of cases to be treated appears to be a situation upon which the accomplishment of the mission will depend. Perhaps economical survival itself will hinge upon how well managers control the costs of cases to be treated.

## Appendix A

### **DEFINITIONS**

AA - UCA Prefix for Inpatients belonging to the Medical Service.

ALOS - Average Length of Stay (for a given DRG or diagnosis).

AMEDD - The Army Medical Department

Ancillary Services - Term used by the UCA for Pharmacy, Pathology, and Radiology Services.

ASDCS - Automated Source Data Collection System (A component of the Uniform Chart of Accounts)

ASDM - Automated Source Data Management subsystem of the Uniform Chart of Accounts. This system correlates workload and expense data input by the local medical treatment facility.

BA - UCA Prefix for Inpatients belonging to the Surgical Service.

CA - UCA Prefix for Inpatients belonging to the Gynecology Service.

CAP - College of American Pathologists (Professional organization of pathologists from which the weighted values for lab procedures are generated).

CPHA - Commission on Professional and Hospital Activities, a professional organization providing the inpatient classification system currently in use throughout the United States.

DOD - The Department of Defense

DRG's - Diagnosis Related Groups (There are 467 DRG's into which all inpatient diagnoses are grouped.)

EASPP - Expense Assignment System Preprocessor (a component system of the UCA used for expense assignment and reporting).

EOE - Elements of Expense (Travel, Supplies, Equipment, Manpower, and so forth).

FA - UCA Prefix for Inpatients belonging to the Psychology Service.

GNP - Gross National Product

HCSCIA - The Health Care Studies Clinical Investigation Activity of Health Services Command.

HSC - Health Services Command of the U S Army

ICDA-9 - International Categorization of Diseases Adapted for Use in American Hospitals, 9th Edition; the catalogue for classification of disease, injury, and illness currently in use in military hospitals.

IC: n-9-CM - A revision of ICDA-9 which includes Clinical Methodology (more ambulatory care type cases) which civilian hospitals throughout the US have adopted and which military hospitals will adopt in January 1986.

IPDS - Inpatient Data System (Data Base in use at PASBA)

KACH - Kenner Army Community Hospital, Fort Lee, Virginia

LOS - Length of Stay (for a particular admission).

MCCU - Medical Care Composite Unit, a ficticious unit of measure of hospital productivity. 10 MCCU's are "earned" for each admission, 1 for each occupied bed day, and .3 for each outpatient clinic visit.

MDC - Major Disease Category (There are 23 MDC's which roughly correlate to the major systems (circulatory, respiratory, and so on). All DRG's are assigned to one of these MDC's.)

OAC - The variable name for Other Acceptable Costs which was generated in the model provided for this study. It includes but is not limited to TDY, Committee Meetings, Physical Training, Military Training, and Field Training.

OBD - Occupied Bed Day

OR - Operating Room

PASBA - Patient Administration System and Biostatistics Activity of Health Services Command

RR - Recovery Room

SAS - Stepdown Assignment Statistic, a technique for assigning indirect costs of a medical treatment facility to the departments and activities which provide direct care. This technique zero's the cost centers which are not involved in direct patient care.

UCA - Uniform Chart of Accounts (A military health facility accounting system for performance and expense data)

UCAPERS - The Uniform Chart of Accounts Personnel Utilization System automated component which combines UCA and USM data to provide meaningful manpower expense and performance information.

USM - Uniform Staffing Methodology or a technique of establishing manpower requirements to accomplish required tasks.

PREPARED 25 M DOD_REGION-O8	5 MAY 28 11:04		UCA - AUTOMATED S 	SOURCE DATA MAINTENANCE Definition-table_listing= Ee	AS OF 85 HAY 28 L	PCN DIU10-NAD-ODU1 LIIC H2LMAA
MTF CODE	TABLE	UCA	SAS	ASSIGN SEG	MOISTRIETTON	PLAG
	ASD	AAAA	000	000	INTERNAL MED INPT	
	ASD	AAAA	000	000		1
	ASD	AAKA	010	000	C-2	مسر
	ASB	AAXB	012	000	200	
	ASD	AAXE	014	000	WEEKEND LINEN CARTS B2	AND C2
	ASD	ABAA	000	000	GEN SURGERY INPT	
	A S D	ABCA	000	000	HALOMOLOGY INPT	
	A 5.0	ABSA	000	000 .	GOLOGY	INPT
	ASD	ABKA	016	000	C DEPT SURG ADMIN	ADUCA
	ASD	ACAA ABAA	. leave	000	PEDIATRICS INPT	
		AFYA	000	000	PSYCHIATRY INPI	
	ASD	BABA	000	000	i i	
	ASB	BALA	000	000	DERMATCLOGY CL	
	ASC	PAXE	016	000	MED CL INPT/OUTPT VTS	7 L
	ASD	BAXE	020	000		PT VTS
	ASB	96DA	000	000	OPHTHALMCLOGY CL	
	ASA	381A	0000	000	ı ⊁	\$ <u>1</u>
	ASD	BEXE	022	000	SURGICL IN/OUTPT VIS	VOD.
	ASD	89.00	024	000	OLOGY CL	VTS
	ASB	9C3A	000	000	כר הדפד עד	
	A 55 C	BCXB BCXB	029	000	OBSTETRICS CL IN/OUTPT	VTS.
	ASS	BECA	000	000	WELL BARY CL FORSOI TRATED SENTATOLS CHITPI	. SIN TAIND S.
	ASS	4 4 4	000	000		
	A S C C C C C C C C C C C C C C C C C C	860A BEDA	000	000	O SKELETAL SCREEN	נר
				<b>)</b>		

. 7 y 1

PREPARED 85 DCD_REGION	08		UCA - AUTOMATED S ACCOUNTS SUBSET_D RECOAC FT LEE	SOURCE DATA MAINTENANCE -DEFINITION TABLE-LISTING EE	AS OF 85 MAY 28	PCN DIO16-NAD-6D01 UIC-W2LMAA	2
NTF CODE	TABLE 10-	UCA	SAS	ASSIGN SEG	DESCRIPTION	-	DEL FLAG
	ASC	BEFA	000	000	PODIATRY CL		
-	ASG	BEXA	027	000	L DRIN CL		
	ASD	SFAA	000	000	NEURO SKELE SCR IN/	IN/OUTPT VIS UCA	
	A 50	BHAA	000	000	GEN OUTPT CL LEE		
-	ASD	BHAB	000	000	TARY CARE		"
-	ASB	SHAR	000	000	GEN COTPT CL DESC	NCA HCA	
	A SC	BHAS	000	030	OUTPT CL		
-	ASD	A6H8	000	000	MED CYAN CL 11G		
	A S.C.	BHCA	000	000	DRETRY CL		
	ASD	640A	000	000	AUDIOLOGY CL		
	ASD	SHYD	820	020	HEALTH CL		
	AS6	CHXR	031	000	ರ ಕ	V O O	
	ASD	SIXA		000	PT ERERG MED	ADMIN UCA	
	ASD	617A	- 1 - 6 6 90 - 1 - 1		NCY MEDICIA		
	A35	317.4	000	900	FLIGHT MED/OCCUP HE	HEALTH CP UCA	
	ASB.	6KX 8	601	000	ENT CL	#SO	
	ASB	BKKC	200	630	THERINEDAC		
	ASE .		909	630	CASI & APPLIANCE CL.	CLINIC	
•	ASD ASD	9KKR	909	000	ARMY HEALTH CL PICKET	ETT USE	
	400	4245	053	000	ATAL ABMI		
	A SD	CAYB	000	000			
	Ø S ♥	CAYC	000	000	DENTAL SVC DC1	asn	
	A CD	CAYO	0000	000	- 1	Aberra aman e a statemente de managemente de manage	
	ASG	DAYA	000	000	8		
	ASC	DBAA	042	050	CL INICAL SATHOLOGY :		
	ASE	D3AR	043.	051	PATHOLOGY	- PICKETT	
	A 50	DESA	. 440	052	PATHOLO	Y LEE	
	ASE	DEXA	046	059	G DEPT OF BATHS OCY		
	353	DCAA	047	354	Por or	200	
	A 5 C	DCA0	0,43	055	RADIOLOGY	UCA	
	ASD	DDAA	740	056	•	1	
	ASD	DDAE	036	06.5	RKG LEE		
	ASD	DOAC	037	265	i		
	450	DAGG	033	066			
	ASD	< <	059		FKG DGSC		
		DEAA	050	850	CENTRAL STERILE SUPPLY	¥ £	
	A > U	~	174	960			

:

-DOD_REGION_C8			UCA - AUTORATED ACCOUNTS-SUBSET- Meddac ft Li	SOURCE DATA MAINTENANCE "Definition table listin ēe	K AS OF 85 MAY 28 PC	R DIO16-NAD-6001 C-WZLKAA
NTF CODE	TABLE	UCA	SAS	ASSIGN SEQ	- CESCRIFIION	PELAG
	ASD	DEXA	052	057	OR/CMS/CSS ADMIN	NCA
	ASD	DFAR	669	213	1 - 3	NSN
	ASD	DESA	055	062		
	ASB	DHEA	034	071	•	
	A 50 E	EAYA	001	001	INPL DEPRECIATION	SC 415
7 THE T-10 CO. LEWIS CO., LANSING PROPERTY OF THE PROPERTY OF	A SE ASO	EAYB	059	062		
	A SD	EBYA FRYB	600		D-ADMIN-USK-CMD	X0 SS PM
	456	£876	700	02.7	COMMUNICATIONS	UCA
	450	EBYH	200	023		;
	ASC	£c.YJ	760	030	AUTOMATIC DATA PROCESSING	NG UCA
	A:0.		7000	031	BASOPS-EXP.NOT-EL	SEHHERE UCA
	A 50	ECAB	020	0c4 165	FIRE PROTECTION BASOPS	LEE Desc 116A
	ASD	ECAR	071	900	PROTECTION BASOPS	ICKETT
A die a descriptions descriptions descriptions de des a des a	ASD	EC36	070	800	PROTECTION DESC	ASOP
-	ASE ASE	ED3A	071	009	OPP. HTTLITTES 1 SE	TT-ùAS
	35.4	5036	020	011	OPN UTILITIES DGSA	
	A 50 C	EDPR	071 969	012	UTILITIES FICKETT	,
	A S D	EDCG	070	+	MAIN AL PRO DGSC	NCA
	ASD	E009	073	020	CONSTRUCTION DENT	AC UCA
	ASB	EDER	969	013	OTHER ENG SPT DEE	11CA
	A 3 D	. EDEQ	070	315	ENG.SPT.	
	38 <b>4</b>	ED ER	071	016	SPT	
	ASA .	EDGA	001	02.2		ere commende de des estados estados estados estados estados estados en estados
	ASB	EEYA	062	033	H\$7753	
•	<b>A</b> SC	E E Y &	669	200	MATERIAL BRANCH	25.20 25.20 26.20
	ASO	EEYD	650	202	STC/DISTR	RSJ .
	ASD	EEYE	669	. 263	- PICK-UP.DELV	USK
	A 50	# 2 # 2 # 1	569 669	200 200 200 200 200 200 200 200 200 200	PROP MGMI	
	ASE	ĒĒYJ	669	20.6	KEY PUNCH	NSD
	. ASC	ΕY	062	032	SVCSBASORS-	
	00₹	G > u	270	710	TOUGH SOUTH STATE TO THE STATE OF THE STATE	

Ę

(

DOD-REGION	C8		UCA - AUTOMATED ACCOUNTS SUBSET MEDDAC FT L	SOURCE DATA MAINTENANCE DEFINITION TABLE LISTING	AS OF 85 RAY 28 PCN DIO16-	DIO16-NAD-6DO1
NT F CODE	TABLE	00A 000E	SAS	ASSIGN SEQ	\_DESCRIPTION	DEL
	ASD	EEYS	065	036	HATERIAL SVCS BASOPS FSTC	UCA
	ASD	EFYB FFYB	. 290	023	CUSTODIAL SVCS CASORS 146	
•	ASD	EGYA	074	024	L-SVC_CONTRACT_D	UCA
	ASD	EGYB	07.5	039	3 #	٠,
	450	EHYA	07.6	038	PS DOLLA	nca
	A30	EIAA	076	041	LINEN SVCS BASGPS LEE	UCA
	ASD	EIBA	07.7	946	SUBSISTENCE	
	ASD	E J Y A	001	046	C- PAD-ADRIA_IN/OUTRI PERCEN	uca
	ASC	EJYD	689	262		usu
	ASD	EJYE	669	210	NO RECORDS	E03
	ASB	EJYF	669	211	ACT REP	nsn
	ASE	EKYA	07.9	2,50	AMBUL CARE ADMIN LEE	USH
	ASC .	FAJA	000	000	ADAPCP LUSH MATH CL	
	A 50	FA30	000	000	DIN THE ADMIN INCL INSTRUMENT STAFFED AFD. TERROOM	
-	ASD	FALA	000	000		
	ASD ASD	FAZA	000	000	EXIERNAL.SPONSOZED.EDUCATION Medical eg for howe haf	11.6
	ASD	FA70	000	000	1.435.3	HCA.
	ASD	FAZR	000	000	FAA ON 302 NOT DAGT MIE	מכע
***************************************	A 30	FA7.T	000	000	ON 362	nca
	ASD	FAZU	000	000	TAIAGE VIS FOR UCA NOT 302	UCA
	A S C C C C C C C C C C C C C C C C C C	FAZE	000	0.00	OTHER CL VIS FOR HEA NOT 302	11CA
	ASD	FRAA	000	- 0000	ST TREATHENT FAC	חכש
	-	FBAC	000	000	PUBLIC ENV OCC HEALTH LEE	
	ASD	FBAR	000	000	TH PICKETT	
	ASB	F5 3A	000	000	TMPHNITATIONS & SE	
	ASD	FEBG	000	000		
	ASB	(1)	000	000	ATTONS F	
	A S 0	Faat	000	000	IMMUNIZATIONS SAG	
	ASD	F83A	C00	000	PENTAL HEALT	
	ASD	0	000	000	UCA VET SVCS/USM DEPUTY/ADMIN	
	ASD	FROC	000	000	ANIMAL MEDICINE	- USK
	376	n	000	0,00		נים

UCA - AITCHAILES SOURCE DATA MINTERNACE   AS SAN 23   PER 17015-NAD-0-050	ACCOUNTS-SUBSE ACCOUNTS-SUBSE MEDDAC FT I SAS ID 000 000 000 000 000 000 000 000 000 0	SEQ	ACTV ACTV ACTV ACTV ACTV ACTV ACTV ACTV	
UCA   SAS   ASSIGN SCO   DESCRIPTION	FLOR SAS  CODE ID  FLAA DOO  FCAA DOO  FCAA DOO  FCAA DOO  FCA DOO  FCAA DOO	G	ACTV ACTV ACTV JUSH FD HOSP STATION FI HVMI	L L L L L L L L L L L L L L L L L L L
FLAA 000 000 000 000 000 000 000 000 000	FB0E 000  FC3A 000  FC3A 000  FC6A 000  FC6A 000  FDAH 000  FDAH 000  FDAH 000  FBAN 000  FEAN 000	000000000000000000000000000000000000000	ACTV ACTV ACTV > JUSH FD HOSP STATION FT HVHI	UCA USA
FCGA 000 000 000 CUEST LECTURES FOR A 000 000 000 000 000 000 000 000 000	FC3A 000 FCCA 000 FCDA 000 FDAA 000 FDAA 000 FDAA 000 FDAA 000 FDAA 000 FDAA 000 FEAA 000	000000000000000000000000000000000000000	ACTV ACTV ACTV JUSM FD HOSP PL STATION PL MUNI	nca was united to the state of
FOR 000 000 ST TO OTHER MILL ATTV 000 000 000 000 ST TO OTHER MILL ATTV 000 000 000 000 000 000 000 000 000	FCDA 000 FCEA 000 FDAH 000 FDCA 000 FDH FDZA 000 FEAA 000	000000000000000000000000000000000000000	ACTV ACTV ACTV JUSH FD HOSP CONSTITUTION FI HVMI	nsw nsw
FOR 100 000 000 000 000 000 000 000 000 00	FDAA 000 FDAH 000 FDCA 000 FDAA 000 FEAA 000	0000	ACTV FUSH FD HOSP PL BYMI	nca nca
FOCK 0000 0000 NAMPT FD ORNS FOCK 0000 0000 NAMPT FD ORNS FOCK 0000 0000 CCV PER CRANGE OF STATION OCC 0000 CCV PER CRANGE OF STATION OCC 000 CCV PER CRANGE OF STATION OCC 000 CCV PER CRANGE OF STATION OCC 000 CCV PT TRALLAMERIAL FOR PT NAMPT FOCK OCC 000 FT NAMPT FOCK	FDCA 000 FDCA 000 FDCA 000 FDCA 000 FEAA 000	0000	PCS STATION ONS PT MVMT	WSI OCT
FORM 000 000 000 000 EDAM CHANGE OF STATION OCO CIV PER CHANGE OF STATION OCO 000 000 000 FEAA 000 000 000 FEAA 000 000 000 FEAA 000 FEAA 000 FEAA 000 FEAA 000 000 FEAA 0	F D A D D D D D D D D D D D D D D D D D	0000	ND-ENROUTE TO PCS ERN CHANGE OF STATION (TARIANS ACTIONS (NSFORTATION ALTERIAL FOR PT MUNT	73
FEAA 000 000 000 FEEAA 000 000 000 FEEAA FEAFA FEAFA FEAFA FEEAA	F D Z A D 000 F E B A D 000 D	0000	MANITARIANS ACTIONS TRANSFORTATION VL/MATERIAL FOR RT MUNT	nca
1		000	CHATERIAL FOR PT	
		· ·		

_		· .							Page 1 of 5
۱		MISSION ASSIGNMENT	LIST				MEDCEN	MEDDAC:	EFFECTIVE DATE:
		(HSC Reg 40-6)		•			Fort L	ee MEDDA	d 30 Sep 84
	1				MISSION				
٤	اي	,				MODI-			
ξ	PERSONNEL COUR	•	AU	THORIZE	D	FIED	NA		•
		HOSPITAL SERVICES				May be Accomplished by Other Qualified Staff			REMARKS
1						Stal	7		
5	2	•	TDA Personnel	×	Part Time Contract	d b Fied b	Not Authorized	,	•
ŭ	9		A is	Contract	Part Time Contract	ishe ishe	# # #	• • • •	
_	4			ٽ	8.3	220			
	۱	MEDICINE .							
•	-	PULMONARY DISEASE	Maria Sana	Acceptance of	S: 1000005.	27,75,00000000	160.000.00	Control	control to the control of the second
-	-	GASTROENTEROLOGY	<del> </del>			X			
-	-+	CARDIOLOGY	<del> </del>						
0	-+	CARDIAC CATH LAB	<del>                                     </del>			_X	x		
-	÷	DERMATOLOGY	X						
•	+	ALLERGY	1			х			
)	+	ALLERGY EXTRACT PREP					X		
•	J	IMMUNOLOGY				Х			
•	I	HEMATOLOGY				Х			
١	I	NEPHROLOGY				Х			
2	1	HEMODIALYSIS					Х		
•	-	ONCOLOGY	ļ			Х			
•	-	ENDOCRINOLOGY	<del> </del>			X			
	-+	RHEUMATOLOGY	<del> </del>	ļ		X	<u> </u>		
	÷	INFECTIOUS DISEASE	X			X			
•	4	INTERNAL MEDICINE	<del>  ^</del>				<del> </del>		
	+					ļ			
	+		+				<del> </del> -		
	+				2.5	7	<del>                                     </del>	,, ,	
		PEDIATRICS	1.4		6.50 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1	. 1799	<i>#</i>	17 N.	
-	1	PEDIATRICS, GENERAL	X						
•	1	NEONATAL INTENSIVE CARE					Х		
2	Ī	PEDIATRIC ENDOCRINOLOGY				Х			
2		ADOLESCENT PEDIATRICS					Х		
2		DEVELOPMENTAL PEDIATRICS					X		
2		PEDIATRIC CARDIOLOGY	<u> </u>			X			
2	4	PEDIATRIC SURGERY	1	ļ		<u> </u>	l x		
_	4	PEDIATRIC NEUROLOGY	<del> </del>	<del> </del>			<u> </u>		
-	-		<del> </del>	<del> </del>		<del> </del>	<del> </del>		
-	4		1	<del> </del>		<del> </del>	<u> </u>		·
	+			<u> </u>		<del> </del>	<del> </del>		
	-	SURGERY							
P	-	UROLOGY	1			X	-	<del></del>	· · · · · · · · · · · · · · · · · · ·
,	-	ANESTHESIOLOGY	1			x	<del> </del>	<del></del>	
,	•	CHATHALMOLOGY	X			<del></del>	<del> </del>		
	• [	LASER	1			<b> </b>	Х	İ	
,	•	OCULAR PROSTHESIS	1				X		
	_	BLIND REHABILITATION					·X		
•	•	OTORHINOLARYNGOLOGY	Х					<del>                                     </del>	
	ļ	AURAL REHABILITATION					Х	<b>T</b>	•
	1	FITTING OF HEARING AIDS					X		
							<del></del>	<del> </del>	
	• i		1		<u> </u>	1	X	ł	

	o neg 40-0						Page 2 of 5
			M	ISSION			
300:		AUT	HORIZED	)	MODI- FIED	NA	
PERSONNEL CODE	HOSPITAL SERVICES	TOA Personnel	Contract	Part Time Contract	May be Accomplished by Other Ovstified Staff	Not Authorized	REMARKS
	SURGERY (Cant)	<i>4000000000000000000000000000000000000</i>		J. 1880.			
P	NEUROSURGERY					х	
P	GENERAL SURGERY	X					
P	THORACIC SURGERY					Х	
•	CARDIOVAS (OPEN HEART)					Χ	
٩	CARDIOVAS (NOT OPEN HEART)					X	•
-	PLASTIC SURGERY					X	
<u> </u>	ORTHOPEDIC SURGERY	X			ļ		
P	INTERVERTEBRAL DISC				ļ		
P	TOTAL JOINT PROSTHESIS				<b></b>	X	
P	HAND SURGERY				Х		
0	ORTHOPEDIC PROSTHETICS				X		
P	PERIPHERAL VASCULAR SURGERY				X		
P	ORGAN TRANSPLANT				<u> </u>	X	
_	MAXILLOFACIAL						
_	HEAD AND NECK	_			ļ	x	
_	OPTOMETRY			ļ	<del> </del>	<u> </u>	
_	PODIATRY				<del> </del>	_X	
<u>•</u>	AUDIOLOGY		<u> </u>	ļ	<del> </del>	<u> </u>	
					<del> </del>	<b></b>	
				ļ	<del> </del>	<del> </del>	
	OBSTETRICS-GYNECOLOGY		2. T A.S.	.;			
•	OBSTETRICS		<del></del>		1	Х	
•	PERINATOLOGY	<del></del>		<u> </u>		X	
P	GYNECOLOGY	X	<del>                                     </del>	<del>                                     </del>			
÷	THERAPEUTIC ABORTION BOARD					X	
<u> </u>	NURSE MIDWIFERY					X	
<u> </u>							
	PSYCHIATRY & NEUROLOGY		سىنې د.	;			
P	PSYCHIATRY	X		<u> </u>	<u> </u>	<u> </u>	
ρ	ADULT	X			<del> </del>		
P	ADOLESCENT	<u> </u>		ļ	ļ	ļ	
P		X	ļ	ļ	<del> </del>	ļ	
-	NEUROLOGY			ļ	<del>  x  </del>		
0			<del>  · · · · · · · · · · · · · · · · · · ·</del>	<del> </del>	<del> </del>		
0				<del> </del>	<del> </del>	X	
0				<del> </del>	X		
0		<del></del>	<del> </del>	<del> </del>	<u> </u>	<del> </del>	
	CLINICAL PSYCHOLOGY	X	<del> </del>	<del> </del>	<del> </del>	<del> </del>	
0	SOCIAL WORK	X	<del> </del>	<del> </del>	-	<del> </del>	
			<del> </del>	<del> </del>	<del> </del>	<del> </del>	
			<del> </del>		+	<del> </del>	
	<u> </u>		1	1			

HSC Reg

	<del></del>			******			Page 3 of 5
	· .	<b> </b>		MISSION	144001	т	4
ų Ų	·	AUT	THORIZE	D	MODI- FIED	NA	
PERSONNEL	HOSPITAL SERVICES	TDA Personnel	Contract	Part Time Contract	May be Accomplished by Other Qualified Staff	Not Authorized	REMARKS
	RADIOLOGY						
	NUCLEAR MEDICINE					x	
	RADIATION THERAPY					X	
	DIAGNOSTIC RADIOLÓGY	X					
0	HEALTH PHYSICS					X	
	PATHOLOGY ANATOMICAL PATHOLOGY			N. O.	**; *;.		
1	CLINICAL PATHOLOGY		<del> </del>	·	X		<del> </del>
0				<del>                                     </del>	X		
0						х	
0					х		
000	PHYSICAL THERAPY	X V	74,			X	
-	DENTAL ACTIVITY PREVENTIVE DENTISTRY		i travit i travit	s. Edim		x	
	ENDODONTICS		<u> </u>		×		
_	RESTORATIVE DENTISTRY	X	<b> </b>	<b>!</b>	<del>  </del>	<del> </del>	pay as you go
	ORAL AND MAXILLOFACIAL SURGERY	X				<u></u>	1
_	PEDODONTICS ORTHODONTICS	X	<del>  </del>	<del></del>	-		<u> </u>
_	PERIODONTICS				<del>  </del>	X	
_	REMOVABLE PROSTHODONTICS	X	-		<del> </del>	اـــــا	
	FIXED PROSTHODONTICS	X	<del></del>		<del>                                     </del>	<del>ا</del>	pay as you go
	ORAL PATHOLOGY		<del></del>	<del>                                     </del>	<del>                                     </del>	X	Pay as you go
	OFAL MEDICINE					X	pay as you go
H							
			<del></del>	i		<del></del>	
H						·	
· †			<del>  </del>	<b> </b>			<u> </u>
						i	
т - т		The second secon				<b>4</b>	And the second liverage and the second liverage and the second liverage and the second liverage and the second

HSC Reg 40-6

	3C Reg 40-0						Page 4 of 5
1			N	IISSION			
18					MODI-		
8		AUT	HORIZE	)	FIED	NA	
PERSONNEL CODE	HOSPITAL SERVICES				May be Accomplished by Other Qualified Staff		
3					10 E E		REMARKS
18		7	5	<b>ਵ</b> ::	by Ac	ized	
E		<b>₩</b> 8	Contract	i E	he b	hor	
L		TDA Personnel	Š	Part Time Contract	D D Sis	Not Authorized	•
1	OTHER SERVICES	\$\$\$\$\$\$\$\$		Control Control			The Control of the Co
	OTHER SERVICES				arská.	i de la seconda	
Ŀ	PREVENTIVE MEDICINE	X					
1	OCCUPATIONAL MEDICINE	<u> </u>					
9	RESIDENTIAL TREATMENT FACILITY	<del> </del>				Χ	
10	CLINICAL INVESTIGATION SERVICE	<del> </del>				×	
N	FAMILY PRACTICE					_ X	
١٩	AVIATION MEDICINE PHYSICAL FITNESS CENTER	<del></del>			X		
90	INDUSTRIAL HYGIENE	X				X	
١ <del>-</del>	INDUSTRIAL HYGIENE	<del>                                     </del>					
-							
<b>†</b> -		<del> </del>					
		<u> </u>					
				L			
	·						
				<del></del>			
							`
_							
<u> </u>							
		<del> </del>					
<u> </u>							
-		<del> </del>					
-							
<b> </b>							
П			•				· · · · · · · · · · · · · · · · · · ·
		1					
П							
П							

•	MISS	ION .	
TRAINING PROGRAMS	AUTHOR— IZED	NOT AUTHOR- IZED	REMARKS
Medical Corps Internship		Х	
Medical Corps Residency/Fellowship		X	<u> </u>
Dental Corps Residency		x	
Psychiatry & Mental Health Nurse (6F-56C)		x	
Nurse Practitioner/Pediatrics (6F-66D)		x	
Operating Room Nurse (6F-66E)		X	
Nuclear Pharmacy Orientation (6H-F19)	1	х	
Anesthesiology for ANC Officers (6F-66F), Phase II		X	
Hematology/oncology Phermacy Service (6H-F21)		Y Y	
Nurse Prectitioner - Adult Med - Surg (6F - 66H)		X	
Nurse Prectitioner/ Obstetrics and Gynecology (6F-F4)		X	
Dietetic Internship		Y	
USA/Baylor U Program in PT (6H-65B) Clinical Experience		X	
Hospital Pharmacy Residency •		X	
Clinical Psychology Internship		X	
Social Work Advanced Program on Family Studies		ı v	
Blood Bank Fellowship		X	
Clinical Pastoral Education		Y	
USA/Baylor U Program in Health Care Administration-(6H-67A) Phase II	X	<del></del>	
Practical Nurse Course (91C30)		1 X	
Ear, Nose, and Throat (ENT) Specialist (3000-91U10), Phase II	<u> </u>	X	
Resultatory Specialist (300-91V10)		X	
Eve Specialist (300-91Y10), Phase II		1 X	1
Special Forces Aidman (Airbonne) (300-F1), Phase II		l x	Í
Dialysis Technician (300-F2)	i i	i x	1
Automated Military Outpatient System (AMOSIST) Training (300-F3), Phase II		X	
Allergy -Clinical Immunology Specialist (300-F4)		l x	
	×	1	1
Operating Room Specialist (301-91010), Phase II	<del>                                     </del>	X	
Psychiatric Specialist (302-91F10), Phase II			<u> </u>
Physical Therapy Specialist (303-91J10), Phase II		X	
Occupational Therapy Specialist (303-91L10), Phase II		·	
Cardiac Specialist (303-91N10), Phase II		<u> </u>	
Orthotic Specialist (304-42C10), Phase II	<del></del>	X	<u> </u>
Orthopedic Specialist (304-91H10)		X	
Medical Technology (6%-68F)	<del>-                                    </del>	<u> </u>	
Cytology Specialist (311-91E20)	<del></del>	X	<u> </u>
X-Ray Specialist (313-91P10), Phase II	<del>x</del>	<del> </del>	<u> </u>
Dental Therapy Assistant (330-91830)		<u> </u>	<u> </u>
Nuclear Medicine Specialist (HM 8416) (91W10)		<del>' X</del>	1
Emergency Medical Technician (EMT)	X	1	
Physician Assistant (6H0011A), Phase II		<u> </u>	
Curdiovascular Technician (Phase II) 300-Y6		<u> </u>	-
Urology Procedures (300-F12)		X	
Health Physics Specialist (Phase II) 311-91X20		<u> </u>	<del> </del>
Durmatology Technician (D2)		<u> </u>	
EEG Technician (T6)		<u> </u>	<u> </u>
EKG Technician (Y6)		X	<u> </u>
		,	

HSOP-FF (23 Oct 84) 3d Ind SUBJECT: Mission Assignment List

HQ, US Army Health Services Command, Fort Sam Houston, Texas 78234-6000 28 NOV 1984

TO: Commander, US Army MEDDAC, ATTN: HSXO-C, Fort Lee, Virginia 23801-5260

- 1. Your Mission Assignment List has been reviewed and the following changes were made:
  - a. Physiatry Not authorized
  - b. Residential Treatment Facility Not authorized
  - c. Clinical Investigation Service Not authorized
  - d. Medical Corps Residency/Fellowship Not authorized
- 2. The approved Mission Assignment List is attached at Inclosure 1. If a change in status of mission function is desired, documentation will be in accordance with HSC Regulation 10-1, paragraph 1-3.

FOR THE COMMANDER:

1 Incl

Subana. Evolus, CPT R. O. GRAY Colonel, AG Adjutant General

1		DIC-U2LNAA
9.30 300003 REEL 9.10 300006 CLIN 9.30 300010 WEU 9.30 300010 UNIT 9.30 300011 STEE	мелент	DEL ELAG
9.10 9.10 9.10 9.10 9.10 1.10	01.00	
9.10 9.10 9.10 9.10 9.10 9.10 9.10 9.10	00.60	
330	00.15	
	-	1
	-	
	•	
	•	
TORG UND		

( ... (

(

	PATHOLOG MEDDAC	Y-EXPLOSIONTABLE-LISTING	83 FAT 53	
	INDIVIDUAL PROCEDURE	PROCEDURE NAME	REIGHI	830-PATH BAR_CODE
	20,00000	ASTRA 5 PANEL	606.0	301370 3C1086
	2435	HICRIDE BLD UR OR CSF/A	000-1	301101
	4140	ICH, BLD OR UR/ASTRA 5	600.1	301271
	84295.95 C3600.00	ALD UK-UR/ASIKA-3- IFF PROFILE	0.000	30208
	5018 5008	SLOCD FILE EXAMINATION	011.0	302016
	0000	GLUCOSE GLANT BLD OR UR/KDA	600.1	301390
a) &	4526-	A NITRCSEN-BLD CA Tein, Total/KDA	600.1	301407
	30.0-€	BLMIN/KDA -	C00-1	201371
<b>2</b> 0 4	4455.6	TRANSFASE AST AINVASITSCOLV KUN	600.1	301411
900 (	3	TATE DEHYRO, BLD.	000 1	301396
	2466.63	FPCL/IOT A/O EX	000-1	301446
3	9	IC-ACIDA-ELD	000	301430
ים נים נים	2 4	TOTAL	600.1	301377
œ (	2249.63	N, DIRECT KCA	600 1	361375
1	4465.63	N ARNAALT	600	301411
8	1620-63	ROZ SEDZKDA	500.1	361396
en en	4072.08	PROTEIN TOTAL/KDA	600-1	361407
æ	2040.63		1.000	301371
<b>*</b> 0 <-	246	CHOLESIERCL/10: #/O EXIRCN/KUA	0.00.0	301435
, «	433C.63	SE. GLANT. BLDOR-U	600.1	361390
7 8	520.63	UREA NITROGEN, BLD GR UP/KDA	C00.1	301417
90	4140	POTASSILM KDA	000.1	301405
	2435	JED KDA		301332
<b>a</b> u a		PHOSPHITASE - ALKALINE KDA	000	301603
a		E. ING BLD CR	000	361401
10 0		W 12	1.00.1	361338
ָ ֖֖֭֭֭֓֞֞֞֝֞֞֝֓֞֓֞		KDA	0.000	301430
co (		QUANT BL	000	361390
7	225	E.A. N. I. I. Kide (4 D. u 6 6 7 7 7 7 7 7	1 000	301415
i a		OTASSILM KD	000.1	. 9
3	2630.6	ON DICKIDE	000.1	4 (4
8	2435.63	a X	0.000	361437

DOD REGION	0.8	manylarinamananti cassas anda a cala de casa cal	MEDOAC FT LEE	FT LEE		UIC-UZLHAA	• 1 1
MTF	TABLE TO	REFERENCE PROCEDURE	INDIVIDUAL	PROCEDURE NAME	THOTOR	BAR CODE	DEL
	EXP	99907.01	84330.68	GLUCOSE QUANT BLD OR UR/KDA.	000.1	301390	
	EXP	7060	84295.68	ODIUM/KDA	000	301415	
	EXP	9.467	82435.68	HLCRIDE, BLD KDA	000	301332	•
	EXP	00.80666	00.0000	THYROID PROFILE	0.000	301438	
	Exp	99908-02	8345C.00	HYROXINE (T-4)/SA/LIGAND	0.700	301321	
	EXP	99903-04	30	- I	002-0	361320	
	EXP	99909-00	84330.35	GLUCOSE, QUANT/DUPONT ACA	5.000	301168	
	EXP	50.69666	7 M	KEA.NIIKUUEN/DUKUMI HLORIDE, BLD, UR, C	6.00.5	361099	
	EXP	99969-04	49 64	AREON DICX ODIUM, GLD	000.5	301419	
	E X 2	99909-06 99910-00	£4140.35	PRESCHE STAR S  PRESCH ASTRA S	630.5	301418	
	EXP	9.3.410.01	0.1	LUCOSE-BLOG -UR-OR-CS	000	301170	
	E XP	99910.03	<b>ο</b> υ	ODIUM, BLD OR UR/ASTRA OTASSIUM, ELD OR UR/AST	600-1	301271	
	EXP	99910.05		HLCRIDE BLD UR OR CSF/AST	1000	301101	
·.	EXP	99911.01	84330-15	OSE, QUAN	600.5	301168	
	EXP		82435.35	HECRIDE, BLO, UR, C	600.5	301099	
	EXP	97911.06	82530-35	SOBJUM, BLD OR HRIDE ACA	C00-5	301034	
	E XP	=	1 11	OTASSILM, BLD CR UR!	600.5	361418	
	e x	99913.00	0 4	CARDIAC PROFILE/KDA	0.000	301443	
	EXP	9713.	3620.	ACTATE DEATHO, SLD/KDA	600.1	301396	
	EXP	100 C	255C.6	COFATINE KINASE (CK) KDA	C00 1	301336	
•	E XP	99914-01	433C.6	LUCOSE QLANT 3LD DI	600.1	301390	
	£xP £xp:	4.00	66-¢ 25-6	ESTERCL/TOT W/ LYCERIDES/EMZ/	000 1	361446 301410	
			Andread and the state of the st				
	:	:					
				•			

CE DE SELLE TOP SELLE TOP SELLE SELL	CONLY)  CONLY)  CONLY)  CONLY)  COR CERVICAL RIB  FOR CORP  FOR CONLY)	MEIGHT 003.0 003.0 003.0 003.0 003.0 004.0 009.0 012.0 012.0 009.0 012.0 012.0 012.0 013.0	01 01 01 01 03 03 03 03 04 04 05 05 05	# V	CODE 1113 000000000000000000000000000000000	FLAG
F   TABLE   FROCEDURE   PROCEDURE   PROC	ARKERS) — CAL RIB CAL RIB LAT_DECUB CALIQUE LAT_DECUB CALIQUE LAT_DECUB OBLIGUE LYJ— TIC CALY) — TIC CALY) — CONLY) — CONLY) — CONLY) — CONLY) —	WEIGHT 003.0 003.0 003.0 003.0 003.0 003.0 009.0 012.0 009.0 012.0 000.0 0	001 011 011 011 012 013 013 013 014 015 015 015 015 015 015 015 015 015 015			
13C 3C0010 CHEST, PA CHEST, BOTH STORY CHEST, BOTH STORY CHEST, CAULUT, CAULUT, CHEST, CHES	ARKERS) —  LAL RIB  LAI DECUB  CAL RIB  LAI DECUB  CAL DECUB  CAL DECUB  CAL DECUB  CAL DECUB  COLLY) —  CONLY) —  CONLY)	003.0 003.0 003.0 003.0 003.0 009.0 009.0 009.0 0012.0 0012.0 0009.0 0009.0 0009.0	000000000000000000000000000000000000000	000000000000000000000000000000000000000		
13C	ARKERS)  LAL RIB  LAI DECUB  LAI DECUB  CAL T DECUB  TO COL  COLLY)  CONLY)	003.0 003.0 003.0 003.0 012.0 009.0 012.0 0012.0 0003.0 0005.0	001 002 003 003 003 003 003 003 003 003 003			
13C	ARKERS)  LAL RIB  LAI DECUB  CAL DECUB  CAL DECUB  CAL DECUB  CAL DECUB  CAL DECUB  CAL Y)  CONLY  CONLY  NALY)	003.0 003.0 003.0 012.0 009.0 012.0 0012.0 0012.0 0000.0 0000.0 0013.0	000 000 000 000 000 000 000 000 000 00	0000000000000000		
13G 30G014 CHEST, PA/LA 13G 3G0025 CHEST, PA/LA 13G 3G0025 CHEST, PA/LA 13G 3G0031 CHEST, PA/LA 13G 3G0031 CHEST, PA/LA 13G 3G0031 CHEST, PA/LA 13G 3G0051 CHEST, PA/LA 13G 3G0052 CHEST, PA/LA 13G 3G0052 CHEST, PA/LA 13G 3G0052 CHEST, PA/LA 13G 3G0052 CHEST, PA/LA 13G 3G0054 CHEST, PA/LA 13G 3G0054 CHEST, PA/LA 13G 3G0054 CHEST, BI-LA 13G 3G0054 CHEST, BI-LA 13G 3G0054 CHEST, BI-LA 13G 3G0054 CHEST, BI-LA 13G 3G0056 CARDIAC SERI 13G 3G0056 CARDIAC SERI 13G 3G0056 CARDIAC SERI 13G 3G0056 CARDIAC SERI 13G 3G0105 RIBS, LI ANI 13G 3G0112 RIBS, RI ANI 13G0113 RIBS, RIBS, RI ANI 13G0113 RIBS, RI ANI 13G0113 RIBS, RIBS, RI ANI 13G0113 RIBS, RI ANI 13G0113 RIBS, RIBS, RI ANI 13G0113 RIBS, RI ANI 13G0113 RIBS, RI ANI 13G0113 RIBS, RIBS, RI ANI 13G0113 RIBS, R	LAI BECUE LAI DECUE CALIQUE CALIQUE AT DECUS AT DECUS AT DECUS AT DECUS AT DECUS CALY) CONLY) CONLY)	0012.0 0012.0 0009.0 0009.0 0012.0 0012.0 0013.0 0013.0	000000000000000000000000000000000000000	350000000000000000000000000000000000000		
13G 3C0023 CHEST, PA/1 13G 3C0025 CHEST, PA/1 13G 3C0026 CHEST, PA/1 13G 3C0031 CHEST, CTHEST, CTH	LAT DECUBER DELIGION DELIGIO DELIGIO DELIGIO DEL	005.0 009.0 009.0 009.0 009.0 0012.0 0012.0 0000.0 0013.0 0013.0	003	000000000000		
13G 300025 CHEST PAR 13G 300031 CHEST PAR 13G 300041 CHEST PAR 13G 300051 CHEST PAR 13G 300051 CHEST PAR 13G 300052 CHEST PAR 13G 300052 CHEST PAR 13G 300052 CHEST PAR 13G 300071 CHEST PAR 13G 300072 CHEST PAR 13G 300073 CHEST PAR 13G 300074 CHEST PAR 13G 300074 CHEST PAR 13G 300074 CHEST PAR 13G 300094 BARIUM SWAL 13G 300094 CARDIAC SER 13G 30G 30G CARDIAC SER 13G 30G 30G CARDIAC SER 13G 30G 30G 30G CARDIAC SER 13G 30G 30G 30G 30G 30G 30G 30G 30G 30G 3	LAT_DECUBLAT DECUBLE OF LAT DECUBLE	012.0 009.0 009.0 009.0 012.0 012.0 006.0 015.0	033333333333333333333333333333333333333	00000000000		
13C 300031 CHEST PANEL 13C 300040 CHEST PANEL 13C 300050 CHEST PANEL 13C 300050 CHEST PANEL 13C 300050 CHEST PANEL 13C 300050 CHEST PANEL 13C 300070 CHEST CHEST CHEST CHEST CHEST CHEST PANEL 13C 3001070 RIBS LI ANEL 13C 3001070 RIBS RI S RI ANEL 13C 3001070 RIBS RIBS RI ANEL 13C 3001070 RIBS RIBS RIBS RIBS RIBS RIBS RIBS RIBS	CALTONE  AT DECUB  OBLIGUE  AT DECUB  A OBLIGUE  YA  YA  OBLIGUE  YA	0055.0 0095.0 012.0 012.0 0006.0 015.0	033333333333333333333333333333333333333	000000000		
13C	LAT DECUB DBLIGUE TAT DECUB TO DELIGUE TO DELIGUE TIC TIC TIC TO NLY) NLY)	009.0 012.0 012.0 0013.0 0000.0 015.0	000000000000000000000000000000000000000	,		
35C 300041 CHEST, PA/1 35C 3C0050 CHEST, PA/1 35C 3C0061 CHEST, PA/1 35C 300062 CHEST, PA/1 35C 300072 CHEST, PA/1 36C 300070 CHEST, PA/1 37C 300070 CHEST, PA/1 38C 300070 CHEST, BT/1 38C 300070 CHEST, BT/1 38C 300094 BARIUM-SWAL 38C 300094 CARDIAC SER 38C 300094 CARDIAC SER 38C 300107 RIBS, LT AN 38C 360107 RIBS, LT AN	OBLIGUE AT DECUS AT D	012.0 012.0 012.0 003.0 009.0 015.0	000000000000000000000000000000000000000	0000000		
36 300051 CHEST, PAN 36 300052 CHEST, PAN 36 300052 CHEST, PAN 36 300070 CHEST, PAN 36 300070 CHEST, LT L 36 300071 CHEST, LT L 36 300094 CHEST, RT L 36 300094 BARIUM SWAL 36 300096 CARDIAC SER 36 300096 CARDIAC SER 36 300096 CARDIAC SER 36 300109 CHEST, CTHEST, LT AN 36 300101 RIBS, LT AN 36 300102 RIBS, LT AN 37 300102 RIBS, LT AN 38 30 300102 RIBS, LT AN 39 300102 RIBS, LT AN 30 300102 RIBS, LT AN 30 300102 RIBS, LT AN 31 300102 RIBS, LT AN 32 300103 RIBS, LT AN 33 30 300104 RIBS, LT AN 34 35 360105 RIBS, LT AN 35 360105 RIBS, LT AN	1 03L 10UE  11C  11C  11C  11C  11C  11C  11C  1	000000000000000000000000000000000000000	003	900000		
3C 3C0061 CHEST PA 1 3C 300062 CHEST PA 1 3C 300062 CHEST PA 1 3C 30007C CHEST LT L 3C 30007C CHEST LT L 3C 30007C CHEST LT L 3C 30007C CHEST RT AN 3C 3C0102 RIBS LT AN 3C 3C0103 RIBS LT AN 3C 3C0103 RIBS LT AN 3C 3C0104 RIBS LT AN 3C 3C0104 RIBS RT AN 3C 3C010	11C 11C 10TIC 10NLY) 10NLY) 10NLY)	000000000000000000000000000000000000000	003	. 4 5 6 6		٠
3C 300064 CHEST, PA A 300065 CHEST, PA A 300065 CHEST, PA A 4 300065 CHEST, LT L 300070 CHEST, LT L 300070 CHEST, RT C 300070 CHEST, RT C 300070 CHEST, RT C 300094 BARIUM SWAL 30 300096 CARDIAC SEA 3000096 CARDIAC SEA 3000000  CARDIAC SEA 3000000 CARDIAC SEA 3000000 CARDIAC SEA 3000000000000000000000000000000000000	CCNLY CONLY CONLY NOLY	000000000000000000000000000000000000000	0.2 0.3 0.5	2000	000	
30 30 30 30 30 30 30 30 30 30	CCNLY)	015.0	05	900	0 0	•
30 30070 CHEST, LT 1 300070 CHEST, LT 1 300071 CHEST, LT 1 300071 CHEST, RT 1 300071 CHEST, RT 1 300093 CHEST, RT 1 300094 BARIUM-SWAL 30 300094 BARIUM-SWAL 30 300094 CARDIAC SER 30 300099 CHEST, CTHE 3000999 CHEST, CTHEST, C	CONLY CONLY NILY)	0.500	253	<b>-</b>	0	
30 360071 CHEST RILL CHEST AND 30 300034 CHEST RILL SIGNO 31 CHEST RILL SIGNO 32 CHEST CHEST CHEST RILL AND 32 SCOTO AND		0.500	 		•	
3C	m u	C 200	-0	)   	0	
3C	•	2000	0.1	3	0	***************************************
30	DECUP (ONLY)	0 - 100		ပ	0	
30	9001	0.900	05		0	
3C SCO105 RIBS. LI ANI & SCO105 RIBS. RI ANI & SCO110 RIBS. RI ANI & SCO111 RIBS. RI ANI & SCO115 RIBS. RIBS	NO FLUC	0.700		0	0	
30 30096 CARDIAC SERIES 30 300099 CHEST, CTHER 30 300100 RIBS, LT ANT B 30 300102 RIBS, LT ANT B 31 500103 RIBS, LT ANT B 32 500103 RIBS, LT ANT B 30 500105 RIBS, LT ANT B 30 500105 RIBS, LT ANT B 30 500105 RIBS, RT ANT B 30 500110 RIBS, RT ANT B 30 500112 RIBS, RT ANT B	4 CHEST PA/LAT	012.0	200	o (	0 (	
3G 10099 CHEST CTHER 3G 100100 RIBS LT ANT E 100110 RIBS RT ANT E 100110 RT E 100110	CHEST P	013.0	90	ي ا	0	
3C 100102 RIBS, LT ANT E 100102 RIBS, LT ANT E 100102 RIBS, LT ANT E 100103 RIBS, LT ANT E 100104 RIBS, LT ANT E 100112 RIBS, RT ANT		. 003.0		C.	0	
36 500102 RIBS, LI ANI & 300102 RIBS, LI ANI & 300104 RIBS, LI ANI & 300105 RIBS, LI ANI & 300105 RIBS, LI ANI & 300110 RIBS, RI ANI & 300112 RIBS,	•	033.0	03	ပ	0	
30 300103 RIBS. LI ANI & 300104 RIBS. LI ANI & 300105 RIBS. LI (ALL) 30 300105 RIBS. LI (ALL) 30 30 30 30 30 30 30 30 30 30 30 30 30	POST (1-0)	006.0	70	J	- C	
30 300104 RIBS, LT ANT 8 3C 5G0105 RIBS, LT (ALL) 3C 5C0110 RIBS, RT ANT 8 3C 5G0112 RIBS, RT ANT 8 5C 5G0112 RIBS, RT ANT 8	CST_(1-3)	0.11	Šč	ے ر	<b>&gt;</b> c	
3G 560105 RIBS, LT (ALL) 3C 5C0110 RIBS, RT ANT 3C 5C0111 RIBS, RT ANT & 3C 5C0112 RIBS, RT ANT & 3C 5C0112 RIBS, RT ANT &	FOST (1-	000.0	07	ن	- C	
3C	,	012.0	73	)	0	
SC LEGIST TATEOUR WITH SEASON SECTION AND SECTION SECT	,	003.0	03	ပ	ø	
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LAI	636.0	50	j	0	
31 - K 1 3 - K 1 3 - K 1 3 - K 1 1 4 - K	0.51(1-3)	210	ς <b>ς</b>	ى ر	<b>5</b> 6	
30 300114 RIBS, RT ANT &	P 3 ST (1-	0.200	20	C	0	
SG SCUIIS RIBS, RI (ALL)		012.0	70	g	0	
JUNION TENNES TO POST C	1-9)	0.500	۲ ک د د	<b>U</b> (	0 (	
30125 - ALDIA 30125 - T DOCT 7	ز • ر	0.400		n	0	: : :
303126 RIBS, LT EDST (		003.0	2 0	י נ	0 0	
3C 3C013C RIBS, RT POST (	6	003.0	03	ن	0	
SI RIBS, RI POST (	6	. 0.300	73		0	
36 300135 RIBS, RI POST (	9-12)	603.0		ပ (	0	
0140 TITLE BIRS IT INT	-	. 00200			0	

The state of the s

NINTERANCE AS OF 85  E LISTING  003.0  004.0  012.0  013.0  013.0  013.0  013.0  013.0  014.0  015.0	
TABLE   PROCEDURE   PROCEDURE   NAME   LAT   LODG	3 C C C C C C C C C C C C C C C C C C C
STORY   STOR	TITA TITAL TITAL TO THE CODE OF THE CODE O
B	000000000000000000000000000000000000000
Fig.   100150   132. 311.4 MIT   LAT   1002.0	M44444
STOTISTORY   STO	300000000000000000000000000000000000000
Sign	979777
# 150   10   10   10   10   10   10   10	00000000000000000000000000000000000000
# 500 106-0	300000000000000000000000000000000000000
## ## ## ## ## ## ## ## ## ## ## ## ##	000000000000000000000000000000000000000
E3C 303172 RIBS. 31LAT (ALL) PCST (1=12) 0112.0  E1G 500175 RIBS. 31LAT (ALL) PCST (1=12) 0112.0  E1G 500175 RIBS. 31LAT (ALL) PCST (1=12) 0112.0  E3G 500132 STERNUM E BILAT ANT RISS 6005.0  E3G 500132 STERNUM E BILAT ANT RISS 6005.0  E3G 500132 STERNUM E BILAT ANT RISS 6005.0  E5G 500132 STERNUM E BILAT ANT RISS 6005.0  E5G 500132 STERNUM E BILAT ANT RISS 6005.0  E5G 500130 STERNUM E BILAT ANT RISS 6005.0  E5G 500130 STERNUM E BILAT ANT RISS 6005.0  E5G 500130 LT THUNG (15T DIGIT) 0013.0  E5G 500130 LT FINGE (15T DIGIT) 0013.0  E5G 500131 LT FINGE (15T DIGIT) 0013.0  E5G 500132 LT FINGE (15T DIGIT) 0013.0  E5G 500132 LT FINGE (15T DIGIT) 0013.0  E5G 500132 LT FINGE (15T DIGIT) 0013.0  E5G 500134 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500135 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500136 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500136 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500136 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500137 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500137 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500138 RT RISS E HAND F (15T DIGIT) 0013.0  E5G 500139 FINGER	do d
# 100 175  # 185. 9147 (AL) 185. 91	299999999999999999999999999999999999999
# 55	
# 50	200000000000
# 500 32 STERNUM & SC JOINTS # 500 006-0  # 510 193 STERNUM & BILAT ANT FIBS- & SC\$ 0006-0  # 510 193 STERNUM OTHER # 6003-0  # 510 STERNUM OTHER # 60	20000000000
### ### ### ### ### ### ### ### ### ##	2000000000
# 50	90000000
STORY   STOR	999999999
## ## ## ## ## ## ## ## ## ## ## ## ##	200000
# 25C	999999
### ### ### ### ### ### ### ### ### ##	0000
E3G SC0325 LT FINIERS & HAND C03.0  E3G SC0335 RT INDEX FINGER (24G DIGIT) 003.0  E3G SC0345 RT RIDDLE FINGER (24G DIGIT) 003.0  E3G SC0345 RT RIDDLE FINGER (37H DIGIT) 003.0  E3G SC0355 RT RING FINGER (57H DIGIT) 003.0  E3G SC0355 RT FINGER (57H DIGIT) 003.0  E3G SC0355 RT FINGER (57H DIGIT) 003.0  E3G SC0355 RT FINGER (57H DIGIT) 004.0  E3G SC0355 SILAT FINGER (47H DIGIT) 006.0  E3G SC0375 SILAT FINGERS (2.0R MOR) 003.0  E3G SC0400 LT HAND SILAT FINGERS (2.0R MOR) 003.0  E3G SC0401 LT LAT HAND LAT 003.0  E3G SC0401 RT HAND LAT 003.0  E3G SC0401 RT HAND LAT 003.0  E3G SC0410 RT HAND LAT NAMB LAT 003.0  E3G SC0410 RT HAND LAT 003.0  E3G SC0410 RT HAND LAT 003.0	<b>3 0 0</b>
## 1   Humber (1st Digit)   U000-0   ## 2003-0   ## 20	
## STORT TO BE STORT TO BE STORT TO BE STORT TO	•
## 10.345  ## 10.346  ## 10.346	9
ESC 300351 RT LITTLE FINGER (STH-DIGIT) 003.0  ESC 300351 RT FINGERS (2 OR PORE) 003.0  ESC 300352 RT FINGERS (2 OR PORE) 003.0  ESC 300365 SILAT FINGER (STR DIGITS) 006.0  ESC 300375 SILAT FINGER (STR DIGIT) 006.0  ESC 300375 SILAT FINGER (STR DIGIT) 006.0  ESC 300375 SILAT FINGER (STR DIGIT) 006.0  ESC 300385 SILAT FINGER (STR DIGIT) 000.0  ESC 300385 SILAT FINGER (STR DIGIT) 000.0  ESC 300402 LT HAND ALAT  0003.0  ESC 300410 RT HAND BLAT  0003.0  ESC 300412 RT HAND BLAT  0003.0	<b>.</b> c
### ### ### ### ### ### ### ### ### ##	<b>U</b>
SUBSECT   SUBS	3 -
### ### ##############################	, o
### ### ### ### ### ### #### #########	S.
SOUTH   SOUT	<u></u>
35C 300335 BILAT FINGERS (2.08.40RE) 0000.0 35C 300399 FINGER JTHER 012.0 35C 300400 LT HAND CONTROL 0003.0 35C 300401 LT HAND & LAT 0003.0 35C 300410 RT HAND & LAT 0003.0 35C 300412 RT HAND & LAT 0003.0	, c
35C 350405 LT HAND LT HAND 6 003.0 35C 350405 LT HAND 6 LAT	<u>ں</u>
30 30412 RT HAND & LAT 30 300401 RT LAT HAND 30 300402 LT HAND & LAT 30 300411 RT LAT HAND & LAT 30 300412 RT HAND & LAT 30 300412 RT HAND & LAT	<u> </u>
303402 LT HAND & LAT 303402 LT HAND & LAT 303410 RT HAND & WRIST 303411 RT LAT HAND & LAT 303412 RT HAND & LAT	
3C 3CO410 RI HAND & LAT 3C 3CO410 RI HAND 3C 3CO411 RI LAT HAND 3C 3CO412 RI HAND & LAT	J
3C 3C0410 RT HAND 3C 3C0411 RT LAT HAND 8 LAT 003.0	
3C 3C3412 RT HAND & LAT	ے د
THE DOTTE IN	Ü
3C. 3C0413 RT HAND & HEST	
303420 31LAT HANDS	ن ر 

#### APPENDIX E

#### Blue Cross Blue Shield

#### PPS RATE CALCULATION WORKSHEET

of Virginia

JOHN RANDOLPH HOSPITAL

Facts:	
. Fiscal Year End December 31, 1984	
. Urban X Rural	
Federal Portion:	
Labor Related Component (330 FR)	\$ 2,183.42
Wage Index (39875 FR)	x8866
Sub-Total, Labor Component	\$ 1,935.82
Non-Labor Component (330 FR)	581.98
Total Federal Portion	\$ 2,517.80
Hospital-Specific Portion:	
Base Period Cost per Discharge per HCFA-1007, Part VII , line 14	\$
Updating Factor (329 FR)	x_ 1.12333
Case-mix Index (39868 FR)	÷9501
·	
Total Hospital-Specific Portion	\$ <u>xxxx</u>
Blended Rate:	
Hospital Specific Portion \$(approx) 2738.19 x	75% = \$(approx) 2053.65
Federal Portion \$ 2,517.80 x	25% = 629.45
Total Blended Rate on which payments will be ba for discharges on and after October 1, 1983	\$ 2683.10

Note: "FR" references are to specific pages in the September 1, 1983 and January 3, 1934 Federal Registers

				UNIFORM S	MAG		FING	ME	100 H	ŏ	SIES	AFFING METHODOLOGIES MANPOWER AVAILABILITY REPORT	OWE	A A	AL	ABILI	7	EPO	±										
September Office   Park   Pa		(For up	96 30	es mioj	e Chifor		) Mei	Suppo	tung la	forma	rdical	d Den	E POE	AO-15	Killies 3	um <sub>a</sub>	fanne.	DA Par	40 X	. DAA	3				إ				
Strict   S	ı				<b>E</b>		Sept/D	ie:									_	EPAR	SE I		ON T	ELEPH			E H:	-	ני ר		
1		MYF		SI/MO:		1 4	85	3		ICIAN IVEY MBER		<b>₹</b>	101 AVA HR		28 -	TAL FAVAIL		OTAL ASGI HRS			5	200			ABA UMBE	.₩ ≥ ડ	¥		OATE
A	3 4 5 6 7 8	10,01	B	7 F	27 28	181	B	ख। हा	3637	Œ Œ	7	<b>→</b> 1 1		3	0.33		3 1.0	56 57	9 2		8 3	8 8			2 8	रा ।	215		
8. Non-Austrin. C. Availing C	H		7	20	-+	+	+	의	=	2	-+-	<del>-  -</del>			-+-	+	2	Ñ	2	3	Ę	ę	1		:		_	_	
Charleton   Char	-			$\dagger$	╫	+	+	$\perp$			T	+	+	+	-											П	П	$\Pi$	П
Charles   Char	1	-			+	ŀ	<u>L</u>				П		H			Ш				l									
1   5   6   7   8   9   10   11   12   13   14   15   15   15   15   15   15   15		MT	1	SI/MO	S S	<b>E</b>		3		NCIAN RUEY MUER		CA Spe	TOY H	S F A	På	TAL V-AVAL HRS		P ASG				55	ODE		ABA S				INPUT JULIAR DATE
1 2 3 4 6 6 7 8 0 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 28 27 2	7	12 (2.0)	121		727	181	21			8	7	141	99 94 94 94	\$	9 9 9 9	<u> </u>	3 3	8	5.8 20	8		<b>3</b>	06 67		<u> </u>		15 15		2 2 2
State   Stat	Day of Month 1	+-	•	9	┢		-	-	틸	12	$\vdash$	$\vdash$	<del>   </del>	<del>├─</del> ┤	$\vdash$	<del></del> -	8	<u>~</u>	z	23	7	82	92	æ	8	8	8		TOTAL
NATE   SSIAMOS	1 1					$\dashv$	$\dashv$	_			1	$\dagger$	$\dashv$	+	+	4	_										T	$\top$	
Note	- 1		$\perp$	1	+	╁	+	4				$\dagger$	+	+	+	4	$\perp$										T	T	
	- 1				$\dashv$	$\dashv$	4	4				╢	-	-[[	4	4	١,		<u>]</u> [	_ L						}	-		
1 2 3 4 6 6 7 8 9 10 11 12 13 14 15 16 17 18 18 18 20 21 22 23 24 25 26 27 28    1		MA		SSI/MO	NIX WIX	<b>E</b>	-			VICIAI RVEY MBER		YÇ OOE	ēŞ≖	4 <del>1</del> 2	2 g -	N.AVAL HRS		PASSI HRS				55	300	LIN LU	<b>A S S S S S S S S S S S S S S S S S S S</b>			¥ # 5	DATE
1 2 3 4 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28   27 28		120201	222	100	<u>677 2</u>		ВL		8	0; 72	ş	2	45 46	9	다 다	22	2	50		813		8	90	8 =	8	2	2 3	9	Q Q Z
MTF   SSI/MOS   2   8   GR   GAT   SURVEY   1CA   AVAIL   NON-AVAIL   NON-AV	Day of Month 1	╀┤	1	-	┼┤	$\vdash$	Н	┝╌┤	╌	2	2	+-+	┼~┼	┯	-	₩	-	7	z	23	2	\$	76	2	8	8	8		TOTAL
WIF   SSI/MOS   2   8   GR   S   CLINICIAN   ICA   TOTAL   T			_		+	$\dashv$	+	_	_			+	十	+	+	+	_	$\perp$		$\perp$	$\perp$		$\perp$		1		T	1	
Integral		+	_		十	+	+	+	$\perp$			$\dagger$	+	+	╬	╀	$\perp$	$\perp$	$\perp$		$\perp$		$\perp$		$\perp$			T	
1 2 3 4 6 6 7 8 9 10 11 12 13 14 15 18 19 20 21 22 23 24 25 26 27 28 28 28 28 29 10 11 12 13 14 15 18 19 20 21 27 22 23 24 25 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28	اان		╬	]	╫	1	+	-		100	]	1	101				Ļ	TOTA	<u>.</u>	占	L			世	ě	Г	F	_	NPIJT
15   16   17   18   12   23   4   5   6   7   8   9   10   11   12   13   14   15   18   17   18   19   20   21   22   23   24   25   26   27   28   28		M &		SSI/MC		-	85			RVEY		ODE	₹=	3 5	9	N. A.A.		A ASC HAS	Q	AT		100	8	T MR	PARA				DATE
1 2 3 4 6 6 7 8 9 10 11 12 13 14 15 18 10 20 21 22 23 24 26 27 28	3466	2 (P) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	8	1		8	a				흵		15	3	ସ୍ମ ବୁ ହ	2 19	3 C	9	8 8	6 8 5		2	8	9 -	<u> </u>	2	8 3		Q .
	Day of Month	┿~	<u>  •</u>	-	+-		+-	+	4	2	2	+	+	+		+	-	1-1	8	2	7	8	8	2	8	8	8	ГΤ	TOTAL
TOYON STANDARTS	1 1		Ц		H	$\vdash$	H	$\vdash$		Ц		$\sqcap$	$\dashv$	$\dashv$	+	+	$\dashv$	$\perp$	$\perp$	$\bot$	$\downarrow$	$\perp$	$\downarrow$		$\perp$	I	T	T	
TOYTON OF THO VOTE IS ON SOUTH	B. Non-Avail Hrs	$\frac{1}{2}$	$\downarrow$		$\dagger$	+	+	$\downarrow$	$\downarrow$	$\downarrow$		十	+	+	+	+	$\downarrow$	$\perp$	$\perp$		$\bot$	$\perp$	$\perp$	$\perp$	$oxed{L}$	$oxed{\mathbb{I}}$	T	T	
	C. Avail lin	_	4		1	-	-	4	_			103	- NO	- 100	1	- 80	Į.								]		1		11-100-1

AR ST I CK I I I CK I I I CK I I I I	### Proposent agency is DCSPER.    Surgical
Surgical   Surgical	## Surgical ###   Surgical ##### Surgical #####
AR ST I OK I I I OK I I I I	PEROTIFEINENTS  TOO SULGERY  THE AS YARGSTICK  T
AR ST I OK I I I OK I I I I	ECOUNT STATES OF WORK UNITS STATES OF THE WORK UNITS STATES OF THE WORK UNITS STA
AR ST I OK I I OK I I OK I I OK I I I OK I I I OK I I I I	TO SULGERY  THE AS YARDSTICK  TO STRENGTH  TO STRENGTH  TO SURVEY TEAM  TO SURVEY
AR ST I OK I I I OK I I I I	Pt of Surgery me as Yardstick surgific
Surgery Yardstick Yardstick Yardstick  EMENTS  TEAM  WORKLO  NO. OF  WORK UNITS	USE of this form, see AR 5  SIVISION DEDT OF SURGETY Same as Yardstick ATION L STRENGTH ATION L STRENGTH SY CO AY SURVEY TEAM NOR SURVEY MAN. MORKLO EQUIV MAN. MORK UNITS (C ; d).  " " " " " " " " " " " " " " " " " " "
	use of this for the solution of the solution o

The General Surgical Clinic is conducted Monday through Friday from 0800-1200 and 1300-1700 Urology Clinic is conducted Monday, 0800-1200 and 1300-1700; Wednesday, 0800-1200 hours.

and assisting in providing smooth continuity in patient care is a key function of the NCOIC. This The duties of the Clinic NCOIC include suture removal and evaluation, debridement of minor wounds, The coordination of patients with adequate supplies while budgeting, forecasting, anticipating future needs. An inventory and stocking of equipment is maintained. The meticulous cleanliness of surgical treatment rooms applications of occlusive dressings and Unna boots. At all times, the clinic must be maintained includes patient direction, lab slips, X-rays, consultations, interpretation of instructions and including burns, irrigations, and assisting with incisions and drainage of wounds, proctoscopic other orders to aid the general surgeons in smoothly and efficiently seeing large numbers of examinations, vasectomies, catherizations, perform and assist minor surgical procedures, for control of infection and maintenance of equipment is performed. patients.

military channels and regulations in guiding the surgeons to provide medical care within the scope Operating room schedule and use of CHAMPUS forms, transfers of gynecologic patients to supporting Department. The secretary of the Department of Surgery performs duties for 3 General Surgeons, 2 and guidelines of the military. Clerical support is recognized under Clinical Support Division. Orthpedic Surgeons, and 2 Urologists. The Department Secretary is a key link in overseeing the correspondence, scheduling and coordinating with patient problems both in general surgery and (i.e., gastroscopy, colonscopy, etc.). Considerable time is necessitated in coordinating the urology as well as the many studies which are not available at Kenner Army Community Hospital The Department of Surgery's secretary is already overburdened with administrative paperwork, hospitals, monthly reports, typing, filing, and a myriad of other duties for the Surgical

The following is a complete and accurate breakdown of all procedures performed in and through the General Surgery Service:

Operating Room procedures are done on Tuesday, Wednesday and Friday in the AM only except in an emergency. A monthly breakdown and averages for the survey period are as follows:

# OF OR PROCEDURES	26	31	30	26	26
DATE	FEB 83	MAR	APR	MAY	TIM

SCHEDULE X (S 2, L 2) - Continuation Sheet

SEC D. SPECIFIC REMARKS (Cont)

COMMANDER

								u		200	•	12	10	11	6	10	10	6	7	S	7	10	10	110	6 2
										NOTIA	DRESS ING	4	0	10	12	D	17	22	11	7	٣	٣	18	125	10.45
										12.3 EV	X X	24	23	25	39	41	63	135	96	108	65	93	11	789	65.75
											EXAM	7	23	14	12	6	14	20	6	19	27	10	24	183	15.25
										Similar	REMOVAL	58	87	63	92	107	78	102	77	81	69	69	79	962	
RES										WOTEN D	CHECK	12	37	36	69	49	38	<b>5</b> 6	21	17	11	28	35	379	31.58
OR PROCEDURES	35	27	18	11	21	. 54	28	302	25.17 or 2	E DRESSING		28	25	29	64	77	53	48	46	42	27	31	58	522	43.5
# 05							84	u	age	TS ION		7	22	m	25	17	15	20	17	15	15	12	17	185	15.42
DATE	301	AUG	SEP	OCT	NOV	DEC	JAN	TOTAL	Average	MINOR	SURCERY	27										<b>2</b> 2:		m	30.58
											DATE	FEB	MAR	APR	MAX	J CN	なほど	AUG	SEP	t O	NON	DEC	JAN84	TOTALS	AVG

EP IS COES
OF SURG
(ANES)
76
105
77
76
73
80
71
55
38
60
53
62
824

SCHEDULE X (S 2, L 2) - Continuation Sheet

SEC D. SPECIFIC REMARKS (Cont)

### COMMANDER

Due to the amount of office space available it has been necessary to house the Dermatology Clinic The surgical clinic nursing staff also assists in patient care in the dermatology clinic. This has been partially supplemented by the use of one Practical Nurse from the Department of Medicine . with the Surgical Clinic.

The following is a breakdown of all procedures performed in the Dermatology Clinic:

	PATCH TESTS	2	9	80	ស	9	4	7	9	27	10	12	18	106	8.83
÷ .	MI NOR SURGERY	61	62	02	66	131	37	11	25	30	51	30	48	655	54.58
	DATE	FEB	MA F.	APR	MA Y	202	Jul	AUG	SEF	OCT	NOV	DEC	. JAN 84	TOTAL	AVG

To provide adequate physician staffing a breakout of clinic reported in Section B is provided:

i Li		
	UROL CL VISITS	34
vide adequate physician statitud a steamout of crimo reported in section a refer	SURG CL VISITS	464 773
prizatorani scarring a si	TOTAL	498 880
vide adequate }	MONTH	FEB 83 MAR

SCHEDULE X (S 2, L 2) - Continuation Sheet

SEC D. SPECIFIC REMARKS (Cont)

COMMANDER

UROL CL VISITS	52	44	54	38	84	63	97	84	80	83	89
SURG CL VISITS	626	611	590	726	742	542	531	516	496	550	598
										-	
TOTAL	678	655	644	764	826	909	628	009	576	633	999
MONTH	APR	MAY	JUN	205	AUG	SEP	ocr	NON	DF.C	JAN 84	Average

The Yardstick Codes do not address the fact that the physicians perform major and minor surgical procedures. Request local appraisal be considered.

The General Surgery Service has the responsibility for ordering ostomy supplies and providing inpatient and outpatient education.

Clerical support is requested on Sheet No. 4, Line No. 12.

## RECOMMENDED STAFFING:

3 OFF (MC) General Surgeon

OFF (MC) Anesthesiologist

SCHEDULE X (S 2, L 2) - Continuation Sheet

をなってい

SEC D. SPECIFIC REMARKS (Cont.)

COMMANDER

Urologist 1 OFF (MC)

EM

CIV

11 CIV

Dispensary Sp

Practical Nurse/Nur Asst

Segretary Steno

) <u>?</u>

REPORTS CONTROL SYMBOL CSFOR-76 V ٤ 2. LINE NO. ~ 3. CHECK APPLICABLE BLOCK. [ ] SURVEY TEAM GENERAL REMARKS (complete firm 4, only, and life after Commander's General Remarks.) I. SHEET NO. ~ For use of this form, see AR 570-4; the proponent agency is Office of the Assistant Chief of Staff for Force Development MANPOWER SURVEY REPORT - REMARKS

SURVE" TEAM SPECIFIC REMARKS (If this block is checked, complete items 1, 2, . and 4 and lile with Schedule X.) COMMANDER GENERAL REMARKS (Complete liem 4, only, and lile after Coversibet, DA Form 140.)

A, OLD COMPLETE SECRET SECRET SECRET SECRET COMPLETE LIEMS 1. 2.. and 4 and li

The functions indicated on this schedule were reviewed and found to be as stated. 4. REMARKS: [Il more space is required, continue on plain paper 10%" x 8".)

determining manpower requirements because updating of the current workload through April 1984 The information in Section B was reviewed, found to be valid, but was not considered in indicated an average of 669 clinic visits per month. Yardstick Codes 557-31/557-32/557-52.21 were applicable to this activity and were used in conjunction with local appraisal. ບໍ

(1) Yardstick Code 557-31: 2 + .13 (10-4) = 2.78 or 3 requirements. Work Unit: Medical Officers (10)

Yardstick Code 557-32: 1 - .033 (30-9) = 0.307 Physician Requirement. Occupied Beds (9) Work Unit: (2)

Yardstick Code 557-52.21: 669 Clinic Visits + 450 = 1.49 Physician Requirements. Work Unit: Clinic Visits (669) (3)

Local Appraisal: Plus 0.48 requirement. 3

clinic procedures in the surgical clinic. On-site verification established that 293 procedures were Rationale: 0.48 physician requirement was recognized to provide for the performance of inperformed per month and that the average time per procedure was 15 minutes.

193 Procedures X 15 minutes + 60 + 168 X 1.11 = 0.48 Physician Requirement.

One Urologist requirement was recognized to provide for the mission needs of Local Appraisal: Plus 1 requirement. Kenner Army Community Hospital. Rationale: (2)

Work Unit: Episodes of Surgery (80) IAW note to Y/S one Anesthesiologist was recognized to This requirement is also validated Yardstick Code 557-32: Direct Reading = 1 Anesthesiologist. provide for the performance of 80 episodes of surgery per month. based on the mission needs of the MEDDAC. (9)

FOR EXAMPLES AND INSTRUCTIONS, SEE APPENDIX B, DA PAMITILET 570-4.

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

# U.S. GPO: 1974-540-842/8623

DA . DEC 73 140-1

# Manpower Survey Report Sheet 2 Line 2

Survey Team Remarks (continued)

7) Physician Recap:

(8) Local Appraisal: Plus 1 Requirement.

Rationale: One requirement was recognized to provide para-professional support for the in-On-site validation indicated 293 procedures per clinic procedures performed in the Surgical Clinic. month which required 25 minutes per procedure.

293 procedures X 25 minutes  $\div$  60  $\div$  168 X 1.11 = 0.81 or 1 Requirement.

(9) Local Appraisal: Minus 2 Requirements. Rationale:

(a) The requirement for a PSNCO from Y/S 557-31 was not recognized because the Surgical The support is provided by Clinical Service is not organized in a manner which requires an NCO. Support Division as needed.

- (b) One clerk-typist position recognized on Y/S 557-52.21 was addressed on sheet line 12 Ambulatory Care Support Branch.
- (10) Total Yield: 10 Requirements.
- The commander's remarks, Section D, were found to be essentially as stated. ġ,
- The survey team nonconcurred with the compander and recommended staffing as indicated below: ė

3 Off (MC) General Surgeon
1 Off (MC) Urologist
2 Enl Dispensary Specialist
2 Civ LPN/NA
10 Total

#### APPENDIX I

#### MAJOR DISEASE CATEGORIES

- MDC 1: Disease and Disorders of the Nervous System
- MDC 2: Disease and Disorders of the Eye
- MDC 3: Diseases and Disorders of the Ear, Nose, and Throat
- MDC 4: Diseases and Disorders of the Respiratory System
- MDC 5: Diseases and Disorders of the Circulatory System
- MDC 6: Diseases and Disorders of the Digestive System
- MDC 7: Disease and Disorders of the Hepatobiliary System and Pancreas
- MDC 8: Diseases of the Musculoskeletal System and Connective Tissue
- MDC 9: Diseases of the Skin, Subcutaneous Tissue and Breast
- MDC 10: Endocrine, Nutritional and Metabolic Diseases
- MDC 11: Diseases and Disorders of the Kidney and Urinary Tract
- MDC 12: Diseases and Disorders of the Male Reproductive System
- MDC 13: Diseases and Disorders of the Female Reproductive System
- MDC 14: Pregnancy, Childbirth, and the Puerperium
- MDC 15: Normal Newborns and Other Neonates with Certain Conditions Originating in the Perinatal Period
- MDc 16: Disease and Disorders of the Blood and Blood-Forming Organs and Immunity
- MDC 17: Myeloproliferative Disorders and Poorly Differentiated Malignancy, and Other Neoplasms NEC
- MDC 18: Infections and Parasitic Diseases (Systemic)
- MDC 19: Mental Disorders
- MDC 20: Substance Use Disorders and Substance Induced Organic Disorders
- MDC 21: Injury, Poisoning, and Toxic Effects of Drugs
- MDC 22: Burns
- MDC 23: Selected Factors Influencing Health Status and Contact with Health Services

#### APPENDIX J

#### DRG RATE REPORT 04/16/85

RATES EFFECTIVE 10/01/84 ESTABLISHED 12/17/84

FASE 1

		•		·s			
MOC	DRG	DRG DESCRIPTION		_	HEIZHT	פרפה בדום	CHAS THOLO
****				••			<del></del>
		•					
01 P	001	CRANIOTOXY AGE )=18 EXCEPT FOR TRAUFA	19.4	41	3.3199	\$8.563.23	\$21.590.19
01 P	002	CRANIDTOMY FOR TRAUMA AGE )=18	15.3	33	3. 2493	\$3, 399, 41	\$21,118,02
01 P	003	CRRNIDTCMY ASE (18	12.7	35	2.9:53	\$7.544. <del>9</del> 4	\$13.969.68
01 P	004	SPINAL PROCEDURES	16.0	38	2.2219	55, 744, 43	\$14, 4=2, 91
01 P	005	EXTRACRANIAL VASCULAR PROCEDURES	9.8	3:	1.6605	\$4, 293, 30	
01 P	006	CARPAL TUNNEL RELEASE	2.6	8	.3952	\$1.021.75	\$:3.3.4.22
01 P	007	PERIPH & CRANIAL NERVE & OTHER NERV SYST FACO RGE 1=70 &/CR C.C.	5.3	27	1.0172	\$2.669.56	
01 P	800	PERIPH & CRANIAL NERVE & CTHER NERV SYST FROD FRE (70 W/O C.C.	4.1	23	.7154	<b>\$1.</b> 652. 17	
01 K	009	SPINAL DISCRDERS & INJURIES	9.:	31	1.3813	<b>\$3.5</b> 71.20	\$13,314,62
01 M	010	NERVOUS SYSTEM NEOPLASTS PAE )=70 RVD/CR C.C.	9.5	32	1.2951	<b>53,</b> 348, 34	\$13.3.4.22
01 M	011	NERVOUS SYSTEM NEGPLASTS AGE (70 W/O C.C.	8.5	31	1.2415	\$3.209.76	\$:3.3:4.22
01 M	012	DEGENERATIVE NERVOUS SYSTEM DISORDERS MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	9.4	3:	1.1020	12, 349, 10	\$13.314.22
01 M	013	*ULTIPLE SCLEROSIS & CEREBELLAR ATAXIA	8.9	3:	1.6045	\$2.597.62	\$13,314,22
01 X	014	SPECIFIC CEREBREVASCILLAR DISORDERS EXCEPT TIA	9.5	33	1.3385	\$3, 4±0, 2·)	\$13.3:4.22
01 %	015		5.6		.6504	<b>\$:.</b> 707.39	\$13, 314, 22
01 M	015	NONSPECIFIC CEREBREVASCULAR DISCROERS WITH C.C.	7.4	53	. 5503	\$2, 198, 25	\$13.3:4.22
01 M	017	NONSPECIFIC CEREFICIASCULAR DISCRDERS A/O C.C.	7.2	29	. 8305	±2.147.17	\$13.314.22
01 7	018	CRANIAL & FERICHERAL NERVE DISCROERS FAE )=70 GND/CR C.C.	5.6		.7233	±2,025.14	
01 #	019	CRANIAL & RERIPHERAL NERVE DISCADERS AGE (70 4/3 C.C.	5.7	53	.6:03	<b>\$1.</b> 784.69	\$13,314,62
01 M	020	NERVOUS SYSTEM INFECTION EXCEPT VIRGL MENINGITIE	7.6		1.3/04	<b>53,</b> 352, 04	\$13.3.4.22
01 ×	02:	VIRAL MENINSITIS	4,5		.6235	\$1.612.25	\$13.314.02
01 #	022	HYPERTENSIVE ENCEPHALOPATHY -	6.4		.7787	<b>\$2,</b> 013, 24	<b>\$13.3</b> 14.22
01 %	023	NONTROLMATIC STUPOR & COMA	5.9	ટેક	1.1448	<b>\$2.</b> 959. 75	<b>5</b> 13.314.62
01 M	024	SEIZURE & HEADACHE AGE )=70 AND/CR C.C.	5.6	25	.7203	\$1,662.25	\$13.3.4.82
01 M	025	SEIZURE & HEADACHE AGE 18-63 W/G C.C.	4.9		.6325	\$1,635,52	\$13, 314. 22
01 M	026	SEIZURE & HEADACHE ASE 0-17	3.3	13	.4304	\$1,112.75	\$13,314,82
01 ×	027	TRAUMATIC STUPER & COMP. COMP >: HR	4.:		1.1250	<b>\$2.9</b> (8.56	\$13,314,82
01 #	028	TRAUMATIC STUPOR & COMA, COMA (: HR AGE )=70 AND/OR C.C.	5.9	53	1.0590	\$2,737.93	\$13.314.22
01 M	053	TRAUMATIC STUDER & COMA (1 HR AGE 18-69 W/J C.C.	3.8		.7100	\$1,835.63	\$13.314.62
01 ¥	(30	TRAUMATIC STLACK & COMA (1 HR ASE 0-17	٤.٥	5	. 3539	\$314.97	\$13,314,82
01 Y	031	CONCUSSION AGE )=70 AND/OR C.C.	4.€			\$1,548,13	≇:3.3:4.22
01 8	032	CONCLSSION AGE 18-69 W/O C.C.	3.3			\$1,156,19	\$13.314.62
01 M	033	CONCLSSION AGE 0-17	1.6	5	. 2457	<b>\$</b> 655 <b>.</b> 23	\$13.314.62 -
01 #	034			23			\$13.3.4.22
01 3	035			Êŝ		\$2 <b>.</b> :£4,49	
05 5		RETINAL PROCEDURES	5.0				
02 P			3.4			<b>51.</b> 440, 32	
02 7		PRIMARY IRIS PRÉCEDURES	3.0			\$1,105,55	
02 P			2. 8			<b>5</b> 1.	
02 P			≩, 4			\$1,017.51	
02 P	041		1.8	4		<b>\$945.</b> 45	
02 P			3.8			\$1,511.16	
02 M	-	_	4. 6				\$13,314.22
02 %			6.			\$1,611.47	
02 1			4.3			\$1,443,16	
ب 20	-	T .	4.1			\$1,525.90	
05 1			3.(				• \$13.314.22
05 3	1 048	OTHER DISCROERS OF THE EYE AGE 0-17	2.9	3 13	.4018	\$1,038.81	\$13.3:4.22


#### DRB RATE REPORT 04/16/65

RATES EFFECTIVE 10/01/84 ESTPBLISHED 12/17/84

99GE 3

			)A(	/5			
MDC	DRG	DRS DESCRIPTION	XLCS	£C	AEI3HT	DRS SATE	CHRG THOLD
	****						
		•					
03 P	049	MAJOR HEAD & NECK PROCEDURES	13.6	36	2.5007	s6.465.28	\$16,255.18
03 P	050	SIALCADENECTOMY	4.6	14	.7085	<b>5</b> 1, 632. 01	\$13.3.4.22
03 P	05:	SALIVARY GLAND PROCEDURES EXCEPT SIALGADENECTORY	4,2	15	.6632	\$1.7:4.63	\$13,314.22
03 2	052	CLEFT LIP & PALATE REPAIR	3.8	11	.642:	\$1.560.08	\$13.314.22
03 P	053	SINUS & MASTOID PROCEDURES AGE )=:8 -	3.5	11	.5834	\$1.508.32	\$13.314.22
03 2	054	SINUS & MASTOID PROCEDURES AGE 0-17	3.2	11	.6833	\$1.731.07	\$13.3:4.22
03 P	055	MISCELLANEOUS EAR. NOSE & THROAT PROCEDURES	2.5	7	.4110	\$1.062.59	\$13,314,22
03 P	056	RHINDPLASTY	2.8	8	.4:01	\$1.050.27	\$13.314.22
03 P	057	THE PROC EXCEPT TOWSTLLECTOMY BYOR RDEADIDECTOMY ONLY, 656 ) 17	2.7	9	.5:96	\$1.343.37	\$13.314.22
03 P	058	THA PROC EXCEPT TONSILLECTOMY BYOR ODENOIDEDTOMY CALLY, 95E 0-17	1.5	3	.3097	\$300.69	\$13,3:4,23
03 P	059	TONSILLECTOMY AND/OR ADENDIDECTOMY ONLY. ASE >=:8	2.0	4	.3114	≨§∪ <b>5.</b> 09	513.314.22
03 P	060	TONSILLECTOMY AND/OR ADENGIDECTOMY CALY. ABE 0-17	1.5	3	.25:6	\$575.34	\$13.314.22
03 P	061	TYRINGUTCYY AGE )=18	2.:	9	.4229	≆:.093.3£	\$13.314.22
03 P	062	MYRINGOTOMY AGE 0-17	1.3	3	.3063	\$793.63	\$13.314.22
03 P	053	OTHER ERR. NOSE & THROAT G.R. PROCEDURES	5.8	28	1.0975	s≟. 8ప7. 46	\$13.314.22
03 *	054	EAR. NOSE & THRORY MALIGNANCY	5.7	28	1.0700	\$2,755.37	\$13.314.22
03 N	065	DYSEQUILIBRIUM	4.6	:7	.4607	<b>51.242.8</b> 0	\$13.314.22
03 🛪	066	EPISTAXIS	3.7	:5	. 4073	\$1,053.03	\$13.314.22
03.3	067	EPISLOTTITIS	4.3	:7	.6652	<b>31.7</b> 30.14	\$13.314.22
03 M	068	GTITIS YEDIA & URI GGE )=70 AND/CR C.C.	6.0	53	.5224	\$1,509.15	\$.3.3.4.22
03 ×	069	OTITIS YEDIA & URI ASE 18-69 W/O C.C.	4,3	:3	.5361	\$1.365.03	511.314.22
03 #	070	OTITIS YEDIA & LRI AGE (-17	3.1	:0	.3659	1945.99	\$:3.3.4.22
03 ×	071	LARYNGUTRACHEITIS	2.9	3	.3552	\$ <del>3</del> :3.33	\$13.314.62
03 #	072	NASAL TRAUYA & DEFORMITY	3.8	18	. 4807	\$1,242.8)	\$13.3.4,22
03 %	073	OTHER EAR. NOSE & THROAT DIAGNOSES 25E )=18	3.5	:7	.5:63	5:.334.64	\$13,314,22
03 X	074	OTHER EAR, NOSE & THROAT DIABNOSES AGE 0-17	2.:	9	.3427	<b>1</b> 355.01	\$13,314,22
04 P	075	MAJOR CHEST PROCEDURES	:4.4	36	2.5773	<b>56.</b> 553. 32	\$16.753.10
04 P	076	OLAL PROC ON THE RESP SYSTEM EXCEPT MAJOR CHEST WITH C.C.	10.6	33	:.853)	\$4.793.05	\$13.3.4.22
04 B	077	O.R. PROC ON THE RESP SYSTEM EXCEPT MAJOR CHEST W/O C.C.	9.5	35	7953	\$4,650,86	\$13.314,62
04 H	078	PLANONARY EXBOLISM	10.4	32	1.3349	\$3, 206. 35	\$13.3.4.22
04 *	979	RESPIRATORY INFECTIONS & INFLAMMATIONS AGE )=70 AND/CR C.C.	1:.2	33	1.7795	\$4,600.70	\$13.314.22
04 M	060	RESPIRATORY INFECTIONS & INFLAMMATIONS ABE 18-69 W/C C.C.	10.9	33	1.7254	\$4, 453, 4 <u>2</u>	\$13,3:4,22
04 M	081	RESPIRATORY INFECTIONS & INFLAVANTIONS AGE 0-17	6. :	28	.6652	<b>52.</b> 235. 88	\$13.314.22
04 🗷	082	RESPIRATORY NECPLASTS	7.4	23	1.1282	\$2, 915, 84	\$13.314,22
04 M	083	MAJOR CHEST TARLYA AGE )=70 AND/CR C.C.	3. 1	30	<del>. 9</del> 707	\$2 <b>.</b> 509 <b>.</b> 64	\$:3.3:4.62
04 #	084	YAJOR CHEST TRAUMA AGE (70 W/G C.C.	5.3	33	.7556	<b>51,</b> 979. 83	\$13.3:4,22
04 4	065	PLEURAL EFFUSION AGE )=70 AND/CR C.C.	3.4	30	:.:342	\$2, 322, 3 <b>5</b>	\$13,314,52
04 #	086	PLEURAL EFFLISION AGE (70 W/O C.C.	7.6	رڌ	1.1105	<b>\$</b> 2, 269. 7d	\$.3.3 4.22
04 M	<b>667</b>	PULMONARY EDEMA & RESPIRATORY FAILURE	7.7	30	:.5:68	<b>\$</b> 3, 373, 23	\$13.314,22
04 #	680	CHRONIC COSTRUCTIVE PULMONARY DISEASE	7.5	3)	1.0304	\$2,653,93	\$13, 3.4, 22
04 4	689	SIMPLE PNEUMONIA & PLEURISY AGE ) =70 AND/GR C.C.	8.5	31	1.0914	\$2.861.63	\$13.3:4.62
04 ×	090	SIMPLE PARLMONIA & PLEURISY AGE 18-63 W/O C.C.	7.6	29	.9747	\$2,519.93	\$13,3:4,22
04 #		SIMPLE PREUMONIA & PLEURISY AGE 0-17	4.6	14	.5078	\$1,312.66	\$13,314,22
04 M	092	INTERSTITIAL LLAS DISERSE AGE ) =70 AND/OR C.C.	7.8	30	1.0262	<b>\$2, 653.</b> 13	\$13,3:4.22
04 25		INTERSTITIAL LING DISEASE AGE (70 W/O C.C.	6. 3	23	.9623	<b>\$2.</b> 467 <b>.</b> 92	
04 M		PNEUMSTHORAX AGE )=70 AND/CR C.C.	9.2	31	1.4225	\$3,677.72	\$13,314.22
04 ×		PNEUMOTHORAX AGE (70 N/O C.C.	7.7	30	1.1135	\$2, 878, 83	\$13,314.22
04 X	096	BRONCHITIS & ASTAMA AGE )=70 AND/GR C.C.	6.9	24	.7913	\$2,045.82	\$13.314.22

The state of the s



RATES EFFECTIVE 10/01/84 ESTPBLISHED 12/17/84

:295 3

			ادرن	rS			
XDC	DRS	DAG DESCRIPTION	YLLS		MEIGHT	DAG RATE	CHRS THOLD
			• •			**********	
04 ×	097	BRONCHITIS & ASTEMA AGE 18-69 W/O C.C.	6.2	2:	.7:81	\$1.856.57	\$13.314.62
04 #	098	SRONCHITIS & ASTHMA AGE 0-17	3.7	11	.4631	\$1,093.88	\$:3.3.4.22
04 #	099	RESPIRATORY SIGNS & SYMPTOMS AGE )=70 AND/CR C.C.	5.5	27	.7552	\$2.055.30	\$13.314.22
04 H	100	RESPIRATORY SIGNS & SYMPTOMS AGE (70 W/O C.C.	5.1	é4	. 7550	\$1,977.82	\$13.3:4,22
04 M	101	OTHER RESPIRATORY DIAGNOSES AGE )=70 AND/OR C.C.	5.8	29	.6541	\$2.3:1.60	\$13.314.22
04 M	102	UTHER RESPIRATORY DIAGNOSES AGE (70	6.1	53	.6330	\$2.308.7a	\$13,3:4.22
05 P	103	HEART TRANSPLANT	.,)	υ	.0000	\$0.00	\$13.3:4.62
05 2	104	CARDIAC VALVE PROCEDURE WITH BUMP & WITH CARDIAC CATH	20.9	43	5.7315	\$17.532.81	£44, ()51. 46
05 P	105	CARDIAC VALVE PROCEDURE WITH PUMP & W/O CARDIAC CATH	:6.2	39	5.:764	513.383.0i	<b>333.547.90</b>
05 P	106	CORCHARY BYPESS WITH CARDIAC CATH	٤٥.4	42	E. 2)77	\$13.453.93	\$33.851.35
05 P	107	CORONARY BYPASS W/O CARDIAC CATH	:3.5	<b>35</b>	3. 3475	5.0.20E.0S	565.660.39
05 9	108	CARDIOTHOR PROC. EXCEPT VALVE & CORBARRY BYPRES, WITH PUMP	:3.3	35	4,3301	\$11,194,59	\$22.146.74
05 P	109	CARDIOTFORACIC PROCEDURES W/O PLMP	:2.1	34	3.6579	\$9.457.09	\$23,777.27
05 P	110	MAJOR RECONSTRUCTIVE VASCULAR PROCEDURES PGE 1=70 END/CR C.C.	:4.3	35	2.5:23	<b>57.</b> 503. 57	\$18.855.66
05 P	111	MAJOR RECONSTRUCTIVE VASCULAR PROCEDURES AGE (70 a/O C.C.	13.2	35	2. 5562	\$6.6:3.94	\$16.629.54
(5 P	112	VASCULAR PROCEDURES EXCEPT YAUGUR RECENSPRICTION	::.2	33	2.3255	<b>\$5.012.53</b>	\$15,115.93
05 P	113	AMPUTATION FOR CIRC SYSTEM DISCRDERS EXCEPT LAPER LINE & TOE	£1.6	44	2.6522	\$6.856.97	\$17.239.97
05 2	114	UPPER LINE & TOE AMOUTATION FOR CIRC SYSTEM DISCRESS	15.6	3;	2.0343	\$5.390.02	\$13.551.72
05 2	115	PERMANENT CARDIAC PACEMANER IMPLANT WITH AMI LA CHE	:5.3	33	3.8743	\$10.016.57	\$25. 154. 52
05 2	115	PERMANENT CARDIAG PACETAKER IMPLANT W/O CKI CR C-F	5.3	31	2.63 <del>5</del> 7	\$7,333.5/	\$:6.4 <sub>3</sub> 9,25
05 P	117	CARDIAC PACEMAKER MEPLACE & REVIS EXC PULSE SEN MEPL CALY	5.4	29	1.6021	\$4.659.13	
05 9	118	CARDIAC PACEYAKER PULSE SENERGTOR REPLACEMENT GNLY	4.2	:3	1.7524	\$4, 555. 49	\$13.314.22
05 P	119	VEIN LIBATION & STRIPPING	7.2	29	1.0500	\$2.7:4.66	\$13,3,4,22
05 P	120	OTHER O.R. PROCEDURES ON THE CIRCULATORY SYSTEM	15.0		2.4 <del>3</del> 42		\$13.314.22
05 ×	12:	CIRCULATORY DISORDERS WITH SMI & C.V. COMP. DISOH. WLIVE	11.9	37 34		\$5, 448, 4d	\$15,212,53
05 ×	122	CIRCLATORY DISORDERS WITH AMI W/O C.V. COMP. DISOR. ALIVE	9.8		:6454	\$4.771.08	\$13.314.22
05 X	123	CIRCULATORY DISCRESS WITH RYLL EXPIRED		32	1.3509	\$3,492.5)	\$13.3.4.22
05 M	124	CIRCULATORY DISORDERS EXC AYI. WITH CARD CATH & COYDLEX DIAG	3.1	25	1.1242	\$2.306.43	\$13.314.62
05 H	:25	CIRCLEATORY DISCREES EXC AYINGTH DARD CATH W/D COYPLEX DIAS	8.4	30	2.1359	\$5,679,8+	\$14.250.40
05 ×		ACUTE & SUBACUTE ENDOCARDITIS	5.0	27	1.6254	\$4.210.05	\$13.314.22
05 ×	126 127	HEART FAILURE & SHOCK	18.4	40	2.6368	\$5,817.15	\$i7.139.86
05 f		DEEP VEIN THROYBOP-LEBITIS	7.3	30 53	1.0300	\$2,662,95	\$13.314.22
05 X	128 129	CARDIAC ARREST. UNEXPLAINED	9.6	28	.8549	\$2,210,25	\$13.3.4.22
05 M	130	PERIPHERAL VASCULAR DISCRDERS PGE )=70 AND/CR C.C.	4.6	27	1.5345	\$3,967.28	\$13.314.22
05 M		PERIPHERAL VASCULAR DISCREES AGE (70 W/O 0.0.		29	.9545	\$2,457,75	\$13.3,4.22
05 X	131 132			58	.9392		\$13.314.22
05 M	133		6.7		.9087		\$13.3:4.22
05 A	134	ATHERUSCLEROSIS AGE (70 4/0 C.C. HYPERTENSION	5, 2		.8510		\$13,314,22
05 A	135		6. 1		.6376		\$13.3:4.22
95 F	136	CARDIAG CONGENITAL & VALVULAR DISERDERS AGE )=70 AND/OR C.C.	6. 1		. 5819		\$13,314,62
			4,9		.9573		\$13.3.4.22
6.5	127	CARDIAC CONSENITAL & VALVULAR DISDRDERS AGE 0-17	3.3		.6315	\$1.652.67	
(15 x)	134	CARDIAC ARRAYTHMIA & CONDUCTION DISORDERS POE )=70 AND/CR C.C.	5.7		.5200		\$13.3.4.22
05 %	133	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS AGE (70 W/D C.C.	4.8		.8217	<b>52.</b> 124. 41	
05 4	140	ANGINA PEOTORIS	5.5		.7470	\$1,931,29	
05.1	141	SYNCOPE & COLLAPSE AGE )=70 AND/GR C.C.	5.0		.6408	\$1.656.72	
05 X	142	SYNCOPE & COLLAPSE AGE (70 W/O C.C.	4.3		.5621		\$13.3:4.22
05 M	143	CHEST PAIN	4.4		.6743		\$13.314.22
05 #	144	OTHER CIRCLEATORY DIAGNOSES WITH C.C.	7.0	29	1.1150	<b>\$2,882.7</b> 1	\$13.3:4.22
		0.3					

#### 043 RATE REPORT

RATES EFFECTIVE 10/01/84 ESTABLISHED 12/17/84

24GE 4

			294	y			
KDC	DRB	DRG DESCRIPTION	MLGS	ūC	weight	DRG RATE	CHRG THOLD
		***************************************	-		******		
95 M	145	OTHER CIRCULATORY DIAGNOSES W/O C.C. RECTAL RESECTION AGE >=70 AND/OR C.C. RECTAL RESECTION AGE (70 W/O C.C.	6. 4	23	.9916	<b>s</b> 2. 563. 67	
06 P	146	RECTAL RESECTION AGE )=70 AND/OR C.C.	19. 1	41	2.6301	\$5, 929, 10	\$17,421,32
06 P	147				2.4626	<b>\$6.</b> 418. 49	\$:6.137.52
06 P	148	MAJOR SMALL & LARGE BOWEL PROCEDURES AGE )=70 AND/OR C.C.				\$6.522.42	
06 P	149	MAJOR SYALL & LARGE EDWEL PROCEDURES ASE (70 W/O C.C.		37	2. 1924	<b>\$5.</b> 669. 21	
06 P	150	PERITONEAL ADMESIOLYSIS AGE )=70 AVD/OR C.C. PERITONEAL ADMESIOLYSIS AGE (70 W/D C.C.	15.3	37	2.3499	\$6.075.41	\$15.274.94
06 P	151	PERITONEAL ADMESIDLYSIS AGE (70 W/O C.C.	13.4	35	2.0063	<b>55.</b> 187. 07	\$13.314.22
06 P	152	MINOR SYALL & LARGE BOWEL PROCEDURES AGE )=70 AND/CR C.C.	10.6	33	1.4597	<b>\$3,</b> 739. 75	\$13.3:4.22
06 P	153		₹.3		:. 2468	<b>5</b> 3. 223. 46	\$13.314.62
06 P	154	STEMACH, ESOPHAGEAL & INCDENAL PROCEDURES AGE >=70 AND/OR C.C.	14.8	37	2.6621	55. 382 <b>.</b> 55	\$17.304.32
06 P	155	STOMACH. ESOPHASEAL & DUODENAL PACCEDURES AGE 18-69 W/O C.C.	13.0	35	2.3094	<b>\$5.</b> 970. 70	\$15.011.68
06 P	156	STOMACH. ESDEHAGEAL & DUODENAL PROCEDURES AGE 0-17	6.0	20	.8382	\$2,157,07	\$13.314.22
05 P	157	ANAL PROCEDURES AGE )=70 AND/CR C.C.	6.0	25	.7902	\$2.042.97	\$13.314.62
9 P	158	ANAL PRECEDURES AGE (70 W/D C.C.	5.2	19	. 6341	\$1 <b>.</b> 633, 40	\$13.314.22
05 P	:59	HERNIA PROCEDURES EXCEPT INSUINAL & FEMDRAL AGE )=70 AND/GR C.C.	7.1	23	.9200	\$2.376.55	\$13.314.22
05 2	:50	HERNIA PROCEDURES EXCEPT INSUINAL & FEYGRAL AGE 18-69 W/G C.C.	6.0	:8	.7536	\$1,953.65	\$13.3:4.22
06 P	161	INSUINAL & FEMIRAL HERNIA PROCEDURES ASE )=70 AVD/GR C.C.	5.7	15	.6995	\$1.605.46	\$13,314,22
06 P	162	INGUIVAL & FEYORAL HERNIA PROCEDURES ASE 18-69 W/G C.C.		12			\$13,314.22
05 F	163				.43:3	\$1.115.08	
06 Þ	:54	APPENDECTOMY WITH COMPLICATED PRINC. DIPS AGE)=70 AND/OR C.C.			1.8:3)	\$4.587.31	
06 P	165	APPENDECTORY WITH COMPLICATED PRINC. DIPS AGE (70 W/O C.C.			:. 5966		\$13.314.62
06 P	155	APPENDECTORY W/O COMPLICATED PRINC. DIAS ROSE )=70 RMD/CR C.C.			1.4:73		\$13,3,4,22
06 P	167	APPENDECTORY W/D COPPLICATED PRINC. DIFS AGE (70 W/D C.C.				\$2,767,92	
06 2	168	PROCEDURES ON THE MOLTH PGE )=70 4VD/SR C.C.	<b>A.</b> 3	25	. 3541		\$13.3.4.22
06 P	169	PROCEDURES EN THE MOLITH PSE (70 W/O C.C.	4.2	26	.6859	\$2,300,74	
06 P	170	OTHER DISESTIVE SYSTEM PROCEDURES FOE )=70 FVD/CR C.C.	14.6	37	2.6325	\$5.000.23	
06 2	171	STREET DESCRIPTIVE SYSTEM DROCEDINGER THE 170 HAR CLD	17 7	15	3 2707	25 1.4 15	
06 ×	172	DISESTIVE YALIBNANCY ASE )=70 AND/GR C.C. DISESTIVE YALIBNANCY ASE (70 A/3 C.C. S.IEYBRRHAGE ASE )=70 AND/GR C.C. G.I. HEMORRHAGE ASE (70 A/3 C.C. COMPLICATED REPTIC BLOCK LNODWPLICATED REPTIC BLOCK (70 A/6 C.C. LNODWPLICATED REPTIC BLOCK (70 A/6 C.C. LNODWPLICATED REPTIC BLOCK (70 A/6 C.C.	A. 2	30	1.0:4:	\$3,122,92	
06 1	173	DISESTIVE YOU ISNAACY ASE 470 4/9 C.C.	6.7	. ca	0404	52. £∋0. 97	
06 4		9.1EYERR-96E 99E )=70 9\D/ER C.C.	6.7	-;	3145	\$2,374.EA	
05 1	175	G.I. HEMORY-AGE AGE (70 H/J C.C.	5.4	26	, j, 500	\$2.107.03	
06 H	175	CONDUCTOR SECTION SECTION SECTIONS	A 1	20	1 2204	\$3. 1 <i>62</i> , 35	
06 M		ENCOMPLICATED PEPTIC GLOER )=70 AND/OR C.C.	5.5	ا اط	7745	41 262 27	\$13,314,c2
05 +	178	LNCOMPLICATED PERTIC LLCER (70 A/G C.C.	g. 5	±0	. זטיכ. 177טב.	\$1,571,1+	
05 M	173	INFLAMMATORY SOMEL DISEASE	5.5 3.0	20 20	1.0045	\$2.557.30	
06 ×	180	G.I. EBSTRUCTION AGE )=70 AND/OR C.S.					\$13,314,62
05 >	181	S.I. DESTRUCTION POE (70 4/0 C.C.	6. ċ	23	.8112 2762	<b>32.</b> 097.27	
06 Y	:92	5507-961715.6857925NT.& *190. DISEST. DIS 432 >=70 &/CR C.C.	5.9 5.4	<b>2</b> 9	.7763	\$2.007.04	· · · -
06 A	163	ESOP-AGITIS, SASTROENT. & MISC. DILEST. DIS AGE 18-69 #/0 C.C.	5.4	==	.5!21	\$1.584.54	
06 ¥		ESOPHABITIS, GASTROENTERITIS & MISC. DIGEST. DISORDERS AGE (-17	4.8	13	.5553	\$1.446.01	
	:84		3.3	11	.3782	\$977,79	
06 #	:85	DEATHL & ORAL DIS. EXC EXTRACTIONS & RESTORATIONS.AGE )=18	4.2	25	.66:2	\$1.709.46	
05 X	186	DEVIAL & CRAL DIS. EXC EXTRACTIONS & RESIGNATIONS, AGE 0-17	2.3	11	.4112	\$1,063,14	
06 Y	167	DENTAL EXTRACTIONS & RESTCRATIONS	2.7	3	.3949	\$1.020.97	
06 Y	188	OTHER DIGESTIVE SYSTEM DIABNOSES ASE )=70 AND/OR C.C.	5.1	27	.7367	\$1,904.66	
05 M	189	OTHER DISESTIVE SYSTEM DIAGNOSES ASE 18-69 W/O C.C.	4.5	23	. 6508	\$1.662.57	
06 ×	:90	OTHER DIGESTIVE SYSTEM DIAGNOSES ASE 0-17	2.:	8	,3344	\$864,55	
07 P	191	MAJOR PANCREAS, LIVER & SHUNT PACCEDURES	20.8	43	4.1357	\$10.652.39	
07 ?	152	MINOR PANCREAS, LIVER & SHLAT PROCEDURES	£0. 1	42	3.6790	\$10,028.72	\$25,214,47

#### DRB RATE REPORT 04/16/65

RATES ETFECTIVE 10/01/84 ESTABLISHED 12/17/84

:435 5


			021	·5			
YDC	DRG	DR3 DESCRIPTION	TLCS	EC	<b>XEIGHT</b>	DAS RATE	CHRG THOLD
-			***	_			************
07 P	:53	BILIARY TRACT PROD EXC TOT CHOLECYSTECTCRY AGE >=70 &/GR C.C.	17.3	39	2.4258	\$6,271.64	\$15,763,31
07 P	194	BILIARY TRACT PREC EXC TOT CHOLECYSTECTOMY PGE (70 W/D S.C.	13.9	35	1.9574	\$5,035,43	\$13.314.22
97 P	195	TOTAL CHOLECYSTECTIMY WITH C.D.E. AGE >=70 AND/GR C.C.	:6.0	38	2.1455	<b>55.</b> 543. 54	\$13,952,79
07 P	196	TOTAL CHOLECYSTECTOMY WITH C.D.E. RGE (70 W/O C.C.	15.8	38	2.0380	\$5, 259, 02	\$13.3:4.22
07 P	197	TOTAL CHOLECYSTECTOMY W/O C.D.E. ASE )=70 AND/OR C.C.		53	1.4714	\$3.604.14	\$13,314,22
07 P	:98	TOTAL CHOLECYSTECTEMY W/G C.D.E. AGE (70 W/G C.C.	10.1	24	1.2519	\$3,262.50	\$13,3:4,82
07 P	199	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	17.3	40	2.43:3	<b>\$6.</b> 267. 41	\$15, 507, 96
07 2	500	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MAN-MALIGNANCY	15. 1	37	£.55E0	\$5, 505, 67	\$16, 698. 14
07 P	201	OTHER HEPATOBILIARY OR PANCREPS OUR. PROCEDURES	16. 9	33	2.7007	\$6.962.36	\$17.555.23
07 ¥	505	DIRR-OSIS & ALCOHOLIC -FOATITIS	9.3	3,	1.1341	\$3,051.35	\$13.3.4.22
07 😁	203	MALIGNANCY OF HEPATCHILIARY SYSTEM OR PANCREPS	3.0	30	:.0623	\$2.758.17	\$13.314.22
07 ¥	204	DISCRIBERS OF CONCREAS EXCECT MALIGNANCY	7.5	30	.9ta:	\$2,477.05	\$13.3 4.22
07 #	205	DISCRBERS OF LIVER EXC MALIS. DIRR. ALC MEPA AGE 0=70 AND/ER C.C.				\$2,763,95	\$13,314,62
07 ¥	205	DISCRDERS OF LIVER EXC MALIS.CIRR.ALC -204 46E (70 W/G C.C.			. 3151	\$2,305.83	\$13,3.4.22
07 ¥	207	DISDRDERS OF THE BILIARY TRACT AGE )=70 AND/ER C.O.				\$2.172.76	\$13.314.22
07 ¥	203	DISCRDERS OF THE BILLIARY TRACT 43E (70 W/G C.C.	5.5	34	7:39		\$13.3.4.62
oà a	209	PAJER COINT PROCEDURES	17.:			\$5.862.11	\$14.730.67
<b>08</b> ⊃	2:0	HER & FEMUR PROCEDURES EXCERT MAJOR COINT AGE . #70 AND/CR C.C.					\$13.491.57
CB P	2::	HEP & FEYLR PROCEDURES EXCEPT MAJOR COINT AGE 18-69 W/G C.C.			1.9327	£4. 9:55. 78	\$13.314.62
)3 o		-19 & FEYUR PROCEDURES EXCEPT MAJOR COINT AGE 6-17	11.1		1.6754		\$13.3.4.22
09 3	2:3	MARCHATIONS FOR MUSCLICOMELETAL OMETEM & COM. TISSLE DISERVERS				<b>33, 453, 62</b>	\$:3.7:1.b3
38 2	214	BACK & NECK PROCEDURES AGE 1=70 AVD/CR C.C.	15.6		1.8235	34,714.72	\$13.3.4.22
08 3	2:5	BACK & NECK PROCEDURES AGE 1=70 AND/OR C.C. BACK & NECK PROCEDURES AGE (70 W/G C.C. BIORSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	13. J		1.4765	\$3.817.33	\$13.314.62
C8 3	2:5	SIGPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	11.3		:.5+34	\$3,930.83	\$13.3.4.22
C 80	2:7	MAD DEBRID & SAN SRFT EXC FAND. FOR MUSCEMELETAL & COAN. TISS. DIS		35	2.2557	<b>\$5.</b> 839. 62	\$14.682.12
08 D	218	LOWER EXTREM & HUMER PROD EXO HER, FOOT, FEMUR AGE 1=70 6/CR C.C.		33	1.4102	<b>\$3.645.92</b>	\$13,3.4.22
08 3	219	LOWER EXTREM & HIMER PROD EXO HEP.FOST.FEVUR AGE 18-69 A/D C.C.			1.0678	\$2.760.63	\$13.314.62 \$13.314.62
08 2	220	LOWER EXTREM & HUMER PROC EXC -IP, FOOT, FEMUR 49E 0-17		£5	42	<b>5</b> 2. 339. 42	\$13,3.4,62
CS 2	221	KNEE PROCEDURES AGE )=70 AND/UR C.C.	3.3	30		\$3.25£.30	
C8 P	232	CHEE PROCEDURES AGE (70 A/O C.C.	5. 4		. 3794	•3. 2.2.30 •2. 332. 13	\$13,314,22
08 2	553	UPPER EXTREMATY PROD EXC HUMERUS & HAND AGE )=70 AND/OR G.C.	6. 3	23	1.6512	±2.7-3.61	\$ i.3, 3.4, 22
08 P	224	LARGE EXTREMITY GROD EXC -LYERLS & HAND PRE (70 W/G C.C.					\$13.314.62
08.0		FORT PROCEDURES		:5		32, ±30, 4)	
		SOFT TISSLE PROCEDURES AGE )=70 AND/OR C.C.	7. 3 5. 1		.6-05	#1.656.38	*13.314.62
08 3	227	SGFT TIBBLE PROCEDURES AGE (70 W/3 C.C.	_		.750:	\$2,042,72	113.3.4.22
68.9	255	GANGLICY (-AND) PRECEDURES	4. £ 8. £	13 7	.£271	\$1.821.3U	
05 D	553	HAND PROCEDURES EXCEPT SPABLICY	3.4		.iIdd	19:7.64	
(8.2	230	LCCAL EXCISION & REVOVAL OF INT FIX DEVICES OF HIS & FEYUR			.5366	\$1.5.4.63	· · · · · <del>-</del>
08 D	231	LODAL EXCISION & REPOYAL OF INT FIX DEVICES EXCEPT HIS & FERLA	e. 9		1.3-53	\$3,4/d.12	
08 P	232	ASTASSEDSA  BALLASSEDSA	5.3	27	.9400	\$ċ, 4აĵ, 44	
08 9	233		3.6	15	.6000	\$1,551.23	
08.2	234 234	ST-ER MUSCULESKELET SYS & CONNITIES D.R. PROC AGE 1=70 &/GR C.C.		35	1.7553	≨4. £53. 13	
08.7		STHER MUSCULOSKELET BYS & COMMITTIES OUR. PROC PGE (70 W/O C.C.	6.2		1.2325	\$3, 166 <b>.</b> 43	
08 *	235	FRECTURES OF FEMUR	:3. 5		:.7403	\$4, 499, 35	- · · · ·
C8 +	235	FRATURES OF HIR & PELVIS	11.9		1.3711	\$3, 544, 63	
08 ×	237 230	SPRAINS. STRAINS. & DISCOCATIONS OF HIP. PELVIS & THIGH	6.4		.7847	<b>\$</b> 2.028.75	,
08 %	238 270	SSTECANELITIS	:2.3		1.5320	<b>9</b> 3, 958. 57	
08 X	239	PATHOLOGICAL FRACTURES & MUSCLEOSKELETAL & CONN. TISS. YALISMANCY	9.2		1.0865	<b>\$2.</b> 80 <del>3</del> . 03	•
V0 X	240	CONNECTIVE TISSUE DISCRDERS AGE ) =70 AND/OR C.C.	8.6	31	.9606	<b>5</b> 2, 464. 04	\$13,3:4.22

#### DRG 141E 1E30A ... 04/16/65

RATES EFFECTIVE 10/01/84 ESTSBL19-ED 12/17/84

346E 6


				Y5			
*DC	599	DRB DESCRIPTION	~.:s	22	AEIG-T	DAG ARTE	C-AS THOLD
-					*********		******
08 <del>⊀</del>	241	CONNECTIVE TISSUE DISCRDERS AGE (70 4/0 C.C.	3.0	30	. 5±54	\$2.314.56	\$13,314.22
08 %	242	SEPTIC ATTHRITIS	11.2	33	1.5715	34.052.54	\$13.3.4.22
08 3	243	MEDICAL BACK PROBLESS	7.5	<u>30</u>	.7473	\$1.952.06	\$13.314.22
C8 #	244	BONE DISEASES & SEPTIO ARTHROPATHY AGE >=70 AND/CR C.C.	7.5	30	,7711	\$1.593.59	513,314.22
08 %	245	BONE DISEASES & SEPTIC ARTHROPPINY ASE (70 A/O C.C.	5.3	ĖŠ	.7102	<b>51.835.14</b>	\$13.314.22
C8 #	245	VON-SPECIFIC ARTHROPATHIES	5. á	દક	.7573	\$1. å22. 65	\$13,3:4.22
09 *	247	SIGNS & SYXPTOMS OF MUSCULOSKELETAL SYSTEM & CONNITISSUE	5.3	27	.6491	\$1.678.13	\$13.314.62
08 X	248	TENDONITIS. WYOSITIS & BURSITIS	5.4		.6072	₹:.559.65	\$13.3.4.22
08 4	243	AFTERCARE, YUSCLLOSKELETAL SYSTEM & CONNECTIVE TISSLE	7.6	30	1.0097	<b>52.610.47</b>	\$13.314.22
08 *	250	FX. SPRING. STRING & DISL OF FOREARM, HAND, FOOT AGE >=70 &/OR C.C.		23 23	.7351	\$1,300.51	\$13.314.22
08 %	25:	TX, SPRAS, STRAS & DISC OF FORERRY, HAND, FOUT ASE 19-59 W/O C.C.			5083.	\$1.500.21 \$1.525.30	\$13.314.22
08 %	252	FX. SPRIS. STRIS & DISL OF FOREARY, HAND, FOUT AGE 6-17	1.6	7		***********	\$13,3.4,22
C8 Y	253	FX, SPRNS, STRNS & DISL OF UPART, LOWLES EX FOOT AGE >=70 &/OR C.C.		23		\$1.9:0.03	
03 ×	£54	FX, SPRING, STRING & DISL OF CHARM, LOWLES EX FOOT GOE 18-69 W/C C.C.		27 27		\$1,50.03	\$13.314.62
08 M	235	FX. SPRING. STRING & DISCLOS COPRAN, CONCESS EX FOOT ROSE 0-17	2, 3				\$13.3:4.22
08 W	235 236				-633	\$1.193.10	\$13.314.62
03 3	255 257	CTHER DIRENCEES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE TOTAL MASTEDICTY FOR MALISMANDY ASE )=70 AND/OR O.C.		23	.3515	⇒2.227.57	\$13.3.4.8£
09 3			3.3	23	1.6570	se. 636.17	*13.314.62
	258	TOTAL MASTECTOMY FOR MALISMANUM ASE (70 W/C C.C.	ê.9			92.74E.1/	\$13.3.4.22
09 P	259 250	SUBTUTAL MASTERTOMY FOR MALISNANCY AGE 1970 FND/CR C.C.	7.4		1.0005	<b>52.534.7</b> 0	313.314.22
		SUBTOTAL MOSTECTOMY FOR MALIBLANCY AGE (70	5.4	<u>±7</u>	.9225	9d.335.87	\$.3.3 4.2 <u>2</u>
09.5	25:	BRESST PROS FIR NON-MALIS EXCEPT BIGJESY & LOG EXC	4.3	15	.7853	<b>\$1.</b> \$75. 13	\$. 3. 3.4. cd
09 2	252	BREGST BIORSY & LOCAL EXCISION FOR NON-PALISAMOLY	3.0	19	.4169	\$1.1á2á	\$13.3.4.22
09 9	263	SKIN GRAFTS FOR SKIN MICER OR COLLINITIS AGE 1-70 AND/OR C.C.	21.3	43	2.4460	≥6.3≿3.63	\$15. 312. 62
09 P	254	SKIN STOTTS FOR SKIN BLOSER OR CELEBRITIS PASS (70 W/D C.C.	18.2	40	ē. 130z	\$5. 235. 27	314, 171, 23
09 p	265	SKIN GRAFTS EXCEPT FOR SKIN ULCER OR CELULLITIS ATH C.C.	3.6	31	:. 4504	≢3. 5±7. 4i	\$13.314.62
09 P	256	SKIN GRAFTS EXCEPT FOR SKIN WIDER OR COLLULITIES A/C C.C.	5.9	23	.9365	\$ i. 4 i û. i i	3\3,3.4,2±
09 =	267	PERIANAL & PILONIDAL PROCEDURES	5.0	13	. ÉU45	\$1.563.30	\$i.ā.ā:4.c2
09 3	268	SKIN. SUBCUTANEOUS TISSUE & BREAST PLASTIC PROJECURES	3.0	15	.5332	\$1.378.53	\$13.3.4.22
C3 D	269	STREER SKIN. SLECUT TISS & EREAST OLAL GROW AGE )=70 3/CA C.C.	5.7	59	.9844	\$2. 545. 66	\$13.314.62
09 3	270	OTHER SKIN. SUBCUT TISS & BABAST D.R. PAGE FAE (70 A/G C.C.	4.5	<b>£</b> 7	.8039	\$2.078.33	513.3.4.32
V 60	271	SKIN ULCERS	:2.1		1.3655	\$3.531.3 <u>3</u>	₹13.314.62
7 PO	272	MAJOR SKIN DISCROERS ASE )=70 AND/OR C.C.	7.8	30	.6530	ಕರ್ಷ <u>. ಪ್ರಿಕ್</u> ತಿ. 34	\$13.3.4.2£
09 Y	273	MAJOR SKIN DISTROERS AGE (70 2/3 C.C.	7.3	29	. ಕಿಕಲ೦	<b>42.</b> 120.02	\$13.314.c2
09 4	274	YOLIGNANT BREAST DISCROERS 45E )=70 4ND/GR C.C.	7.5	3)	1.0003		±13.3.4.2≤
09 *	275	MALISMANT BREAST DISCROERS AGE (70 W/3 C.C.	5.4		. 6520	÷2.3c6,:7	¥13.314.£2
09 7	275	NON-MALIGANT SHEAST DISCHDERS	4.2	53	. 5003	\$1,552.ú.	€13.3.4.22
09 7	277	CELLALITIS PGE )=70 RAD/CR C.C.	8.3	30	. 2771	\$2.£=7.£4	\$13.314.22
03 4	278	CELLULITIS FOR 18-69 W/O C.C.	7.2	£3	.syle	ad, 071, 4;	\$ ,3, 3, 4, 2,
09 #	279	CELLLITIS FGE 0-17	4.2	13	فة 473 ،	\$1. <u>2</u> 23. 22	\$13.314.22
ú9 t	590	TRALMA TO THE SKIN, SUBDUTITIES & EREAST REE )=70 \$/CR C.C.	5.4	27	.3.31	\$1,566.65	413.3.4.22
09 ¥	28:	TRAUMA TO THE SKIN. BUBBLT TIBS & BREAST AGE 18-69 W/O C.C.	4.2	23	.532:		\$13,3:4.22
03 🐔	282	TRACYA TO THE SKIN. SUBCUT TIES & BREAST AGE 0-17	2.2	9	.3424		\$13,3.4.22
09 🛪	283	TINDR EKIN DISCRUERS AGE )=70 END/ER C.C.	5.3	ž7	فدقة.		
09 ×	284	MINOR SKIN DISCROERS AGE 170 W/G C.C.	4.4	Ē#	. 5365		\$13,3,4.2
10 9	285	AYPUTATIONS FOR ENDOCRINE NUTRITIONAL & YETABOLIC DISCRIBERS	24.0	45	2. 6360		\$18, 434, 71
10 P	286	ADREMAL & PITUITARY PROCEDURES	15.1	38	€. £s5i		\$18.623.87
10 P	287	SKIN GRAFTS & LOUND DEBRISE FOR ENDOCHNUTRIT & METAB DISORDERS	8.55		2.7851		\$18, 103, 65
10 9	288	O.R. PROCEDURES FOR CBESITY	10.0		1.5534		\$13,3.4.22
		0/	.414	₩7	>0 4441%	- 14 C + 10 + 10 H	



RATES EFFECTIVE 10/01/84 ESTABLISHED 13/17/84

1932 7


,	٠.			15			
MDC	DR3	ייי פאט עליי אור פאר פאט עליי פאט עליי אור פאר פאט עליי אור פאר פאט עליי אור פאר פאט עליי אור פאר פאט עליי אור	\$1CS	55	· XEI3HT	DAS HATE	CHR3 THOLD
		•			,		
10 P	<b>269</b>	PARATHYROID PROCEDURES	i. 3	,29	1.3553	<b>'\$3,514.</b> 32	\$13.3:4.22
10 7	520	THY ROLD FREEDURES	<b>5.</b> (:	17	. 6460	\$2, 1a7, 24	\$13.314.22
10 P	291	THYROGLOSSAL PROCEDURES	ર. ક	Ė	. 4556	\$1,255,98	\$:3,314.£2
10 2	292	OTHER ENDOCRINE, NUTRIT & METAB G.R. PROC AGE 170 B/CR G.C.	:0.2	33	£.(·)95	<b>35,</b> 195, 50	\$13.3.4.22
10 2	293	OTHER ENDOCRINE, NUTRIT & METAS O.A. 19702 ASE (70 W/D C.C.	3.0	30	:. 4796	\$3, 625, 34	<b>5</b> 13.3:4.62
10 7	294	DIABETES AGE >=36	7.7	30	. 6003	\$2,069.0 <del>3</del>	\$13,3.4.22
10 #	295	DIABETES AGE 0-35	5.5	- 25	. 7350	\$1.908.02	\$13.314.62
10 M	235	NUTRITICNAL & YISC. METABOLIC DISCRDERS AGE >=70 AND/OR C.C.	7.3	29	. śċċċ	\$2.297.33	\$13,314.22
10 X	297	NUTRITIONAL & MISC. METABOLIO DISDADERS ASE 13-69 M/G C.C.	6.0	£3	.7841	\$2.02 <b>7.</b> 20	\$13.314,62
F 01	298	NUTRITIONAL & MISC. METABOLIC DISORDERS AGE 0-17	₹.4	25	.7460	<b>\$1,</b> 928.7J	\$13.3.4.22
10 M	259	INBURY ERFORS OF YETABOLIEX	6.3	23	€0£€.	s2.4u6.74	\$13.314.62
10 X	300	ENDOCRINE DISCRDERS RGE ) = 70 AND/ER C.C.	7.6	30	.9530	<b>5</b> 2,433.73	\$13.314.22
10 ×	301	ENCODERINE DIEGREERS AGE (70 W/J C.C.	6.4	23	. 6055	<b>s</b> 2.063.31	\$13.314.62
11 7	305	KIDNEY TRANSPLANT	24.1	45	4. 1340	\$10,517.27	\$27, 197, 05
11 0	303	KIDNEY, URETER & MAJOR BLADDER PROCEDURE FOR NEDFLASK	.6. <i>ċ</i>		2.5133	\$6,497.66	<b>\$</b> 16.337.03
:: 3	304	KIBNEY, URETER & MAJ ELDR PRED FOR NEW-MALIS 49E )=70 &/C4 6.C.	12.6	33	1.7765	\$4,532.94	
11 P	305	KIDNEY, LRETER & MAJ BLOR FRED FOR NON-MALIB AGE (70 AND D.C.	11.9	34	:.6:45	<b>\$4.</b> 360.52	\$13.314.22
11 3	305	PRESTATECTEMY AGE >=70 AND/ER C.C.	ć.5	30	1.::6:	92,916,£3	\$13,3:4.22
11 2	307	PRESTATEDICTY AGE 170 W/G C.S.	7.2	خ٤	. 5414	<b>5</b> 2.433.63	\$13,314,82
11 2	208	MINOR BLADDER PROCEDURES REE 1=70 GND/OR C.C.	7.1	£3	1.0333	\$2,671.43	\$:3.3.4,££
11 3	303	MENOR BLADDER PRODEDURES REE (70 A/G C.C.	5.7 <sup>.</sup>	Żá	£€.e.	\$2.37£.7£	≨13.314.62
:1 P	3:0	TRANSLREYHRAL PROCEDURES PGE )=70 FND/CR C.L.	4.9	20	áffic.	\$1,809.65	\$13.3.4.2≤
11 7	31:	TRANSURETHRAL PROCEDURES ASE (70 W/G D.C."	4.1	15	.5510	\$1.502.11	\$13,314,62
11 P	3:2	URETHRPL PROCEDURES. ASE )=70 AND/SR C.C.	5.2	53	.7347	\$1,699,49	≇i3.3.4.2±
11 P	3:3	URETHRAL ARGOEDLASS. ASE 16-69 W/J C.C.	5. :	è1	.táti	\$1,764.53	513.314.6≥
11 7	3:4	URETYRAL PROCEDURES, AGE 0-17	٤.3	11	. 43:3	\$1, 117, žs	\$13.3.4.E=
11 2	315	OTHER KIDNEY & BINARY TRACT OUR. PROCEDURES	3. ś	:5	ರ. 4523	\$6. 3t6. T2	≨16. JUp. a7
11 4	3:5	RENAL FAILURE	6.7	Ė	:.3.75	\$3, 406. 51	٤١૩.٤.4.≥ي
11 %	317	ADMIT FOR RENAL DIALYSIS	:.2	3	. 2380	<b>\$6</b> 10.15	≟13.314.62
11 X	3:8	KIDKEY & LRIVARY TRACT MECATHERA HAS N=10 MMD/CS C'S'	5. E	23	.5347	<b>\$2,3</b> 33,69	\$.3.3.4.≥≥
11 X	3:9	KIDNEY & URINARY TRACT NECOLABYS REE (70 W/3 C.C.	4.2	ف	.7053	\$2.051.25	\$13,3:4,62
11 %	330	KIBNEY & LRIMARY TRACT INFECTIONS ASE )=70 END/OR C.C.	7.0	39	. 2039	\$2.076.35	313.3.4.22
11 ¥	321	KIDNEY & LRINARY TRACT INFECTIONS ASE 18-65 A/J C.C.		23	.6732	\$1.740.48	\$13.314.62
11 #	322	KIDNEY & URINARY TRACT INFECTIONS AGE 0-17	3.7	:3	.4506	\$1, 104, 95	\$:3,3,4,22
		URINARY STONES ASE >=70 AND/CR C.C.		خة	.7057	\$1.624.51	\$13.314.22
11 M	324	URINARY STENES ASE (70 W/C C.C.	3.9	:9	.5415	\$1.339.93	¥.3.3.4.22
11 %	325	ACONEY & URINARY TRACT SIGNS & SYMPTOMS 45E ) #70 4ND/CR C.C.	5.4	<b>£</b> 7	.7:72	\$1.324.24	\$13.314.22
11 X	326	KIDNEY & LACKARY TRACT SIGNS & GYPOTOMS AGE 18-69 W/C C.C.	4,3	£:	.5314	\$:,5)3,:5	5.3.3.4.22
11 #	327	KIDNEY & LRIVARY TRACT SIGNS & SYMPTOMS AGE 18-89 W/C 0.0. KIDNEY & LRIVARY TRACT SIGNS & SYMPTOMS AGE 0-17 URETHARL STRICTURE AGE >=70 AND/OR C.C. URETHARL STRICTURE AGE 18-69 W/O 0.0.	3.1	:4	.4975	\$1.266.23	\$13.314.22
11 1	328	URETHRAL STREETHRE ASE >=70 AVD/CR C.C.	4.8	23	. 5440	\$1,554.57	\$13,3:4.22
11.7	329	URETHARL STAIDTURE ASE )=70 AND/SR C.C. URETHARL STRICTURE ASE 18-69 A/O C.C. URETHARL STRICTURE ASE 6-69 A/O C.C.	3. Î	:7	.5271	\$1.362.76	\$13.3:4.22
11 8	330	URETHRAL STRICTURE GGE 0-17	1.6	5	.27c5		\$13,314,22
11 X	.33:	DIMER KIDNEY & URINARY TRACT DIAGNOSES ASE )=70 AND/CR C.C.					\$13.314.62
11-4	332	OTHER REDNEY & EREVERY TRACT CERTARGE CAR 18-69 W/C C.C.	5.0	27	.7582		\$13,3.4.22
11 8.	, 333	OTHER KIDNEY & UNINARY TRACT DIAGNOSES ASE U-17	3. 3	:6	.5093		\$13.314.22
12 7	334	YAJOA YALE RELVICERCEDURES WITH C.C. MAJOA WALE PELVIC PROCEDURES W/O C.C.	12.7				\$13,3:4.22
15 3	335	MAJOR MALE PELVIC PROCEDURES W/O C.C. TRANSURETHRAL PROSTATECTOMY AGE 1=70 AND/OR C.C.	11.8	29	1.3443		\$13,314.22
12 P	336	TRANSURETHRAL ARCSTATECTORY AGE >=70 AND/OR C.C.	6.4	દર		,	\$13.314.22
						•	



RATES EFFECTIVE 10/01/84 ESTR3\_15/ED 12/17/84

PAGE 8


			الوزحم	/S			
MOC	DRG	DRG DESCRIPTION	<b>*</b> _5\$		4E:5-7	DRS RATE	Cháig ThOLD
<del></del>	-				******		****
~	-	~					
15 b	337	TRANSURETHRAL PROSTATECTOMY AGE (70 W/G C.C.	7.2	:7	. 8403		4:3,3:4,22
12 7	338	TESTES PROCEDURES, FOR MALIGNANCY	5.3	ė	.ċġ7É	¥2, 3±0. 3£	\$13.3:4.22
12 7	339	TESTES PROCEDURES. NON-YALIBNANT AGE )=18	4. J	13	. £030	¥1.5£8.93	\$13.314.22
12 2	340	TESTES PAGCEDURES. NON-YALIGNAYT AGE 0-17	€. 4	7	.4335	\$1,.20.7/	\$13.3.4.22
12 2	341	PENIS PADCEDURES	5. V	è3	. :573	<b>±∂</b> , 5≿4. 11	\$13,314,62
12 7	342	CIRCUMCISION AGE )=18	ė. ŝ	10	.4:34	\$1,081.73	\$:3.3.4.22
12 P	343	CIRCLMCISION AGE 0-17	1.7	4	.2785	≥373.35	
12 2	344	OTHER YALE REPRODUCTIVE SYSTEM OUR. PROCEDURES FOR MALIENANDY	7.4	:3	1.1088	≠ಪೆ. 200. ಕೆತೆ	
15 5.	345	OTHER WALE REPRODUCTIVE SYSTEM J.R. PROC EXCEPTURER MALIA	5.6	٤7		±ċ. 10≤. 17	\$13.314.62
12 X	346	MALIGNANCY, MALE REPRODUCTIVE SYSTEM, AGE )=70 PAD/CR C.C.	ě. 9	żż	.3:31	±2. 403. 3+	\$13.3.4.22
12 %	347	MALISHANOY, MALE REPRODUCTIVE SYSTEM. ASE (70 %/3 C.C.	<b>5.</b> 7	فغ	.ceiá	á±. le4. ċ7	
12 %	348	BENIGH PROGRATIO AMPERTROPHY AGE 1=70 AND/OR C.C.	e. ż	22	.5772	\$4.457.57	
12 🚜	349	EENIBY PROBTATIO -YPERTROPHY ABE (70 W/G C.C.	4. <del>j</del>		· .cieć	\$1.7:0.35	
12 %	350	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM	5.2			=.,559.7/	
12 *	35:	STERILIZATION, MALE	:.3	ذ		=673.13	
12 7	352	SESSIVERED WETERS EVITOURSPEED BLAY FEHTO		زغ			
13 2	353	PELVID EVISTERATION. RADICAL MYSTERECTOXY & VILVEDTOXY	:2.4		1.9175		
13 2	354	NON-RADICAL HYSTEREDTOMY PAE )=70 AND/OR C.C.		Ξþ	1.0753		
13 2	355	NEW-RADICAL HYSTERECTCHY AGE (70 A/J C.C.	3. S	:7	1.0050	\$4. E39.22	
13 P	356	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROJECURES	c. i		. 3372	÷1. 154. 42	
• 13 5	357	UTERLS & ADENEXA ARCCEDIRES, FOR MALIENANCY	:3. 3		:.6367		
:3 9	358	LITERLS & ADENEXA PROC FOR NON-MALIENANCY EXCEPT TURAL INTERPLANT			1.6777		5:3.3.4.2 <u>2</u>
13 2	359	TUBAL INTERAUPTION FOR NON-MALISMANCY	2.3	7		\$1.094,91	
13 2	350	VAGENA, CERVEX & VULVA PROCEDURES	4.ċ	:,		\$1,631.33	
13 P	36:	LAPARESCOPY & ENDOSCOPY (FEMALE) EXCEPT TUBBL INTERRUPTION	2.5			51, 2+4.30	
:3 >	352	LAPARGESCATO TUBAL INTERRUATION	1.4		.3534	\$753.5±	
:3 0	353	DEC. CONTRATION & RECOMPLETE FOR MALIGNANCY	4.3	18	.6443	\$1.567.va	
:3 9	354	D&C, CONIZATION EXCEPT FOR YALISVAVOY	2.5	3	.2743 cbf2.		· · · · · ·
13 7	355	OTHER FEMALE REARCOUCTIVE SYSTEM O.R. PROCEDURES	:2.7			\$1, 930, E4	<del></del>
13 4	355 355	TALISNANCY, FEMALE REPRODUCTIVE SYSTEM AGE )=70 AND/OR C.C.	.e. 7	21		¥4, 556, 30	\$13.314.22
13 %	357	TALIBNANCY. FEMALE REPRODUCTIVE SYSTEM AGE (70 AVJ D.C.			éšča	\$2.150.35	
13 +	358	INFECTIONS, FERMLE REPRODUCTIVE SYSTEM		č4	. 57cs	31.420.33	
13 %	359	TENSTRUAL & OTHER FEMALE REPAIDUOTIVE SYSTEM DISDRUTRS	<b>3.</b> 7		.7251	\$d.00c.3/	
14 2	370	TENDINGER OF STEEL REPUBLICATION AND STORE STORE AND	ξ. i		.5537	<b>≱1.</b> 7e0. cs	\$13. 314. 22
14 3		DESPREAN SECTION A/O 0.0.			túsē.	4d, 515, (;	
14 M		VAGINAL DELIVERY WITH COMPLICATING DIRENCEES	8 <b>.</b> :		.7457		\$1.3.31+,62
14 %			<b>i.</b> i			\$1,413,75	
14 7		•	3. 2		, 4(·2;		
14 2		· · · · · · · · · · · · · · · · · · ·	3.5		. 2431	\$1.402.15	
		VASINAL DELIVERY WITH C.A. PROD EXCEPT STERL PADVOR DAG	4.4				
14 %			2.5		.4115	£1, úo3, aj	
14 3			2.2	3	.4712	\$1.2:3.24	
持州		EDIJEG PRESIDE	€.5	- 11	.6010	\$2.070.50	
14 %		TAREATENED PAGRATION	5.2	ŝ	.3:36	\$5:0.78	
14 %		ABORTICN W/O DAG	1.5			<b>\$</b> 692. ! 1	
	. 351	ABERTISM WITH DAG	1.4		. 3565	\$921.69	
14 1		FALSE LABOR	1.2			\$471.32	
**	383	OTHER ANTEPARTEM DIABADSES WITH MEDICAL COMPLICATIONS	3.4		.4272	\$1,104.48	•
14.8	- 384	OTHER ANTERARTUM DIRENOSES W/G MEDICAL COMPLICATIONS	2.2	9	.3211	9830.17	\$13.3.4.22



RATES EFFECTIVE 10/01/84 ESTABLISHED 12/17/84

1452 9

		•	DAY	/ <del>3</del>			\$13.314.88 \$23.718.92 \$13.314.88 \$13.314.82
MDC	273	DRG DESCRIPTION	MLUS		.Eijhī	DAG HATE	CHAS THOLD
	400						-
15	355	NEDNATES. DIED DR TRANSFERRED	1.8	14	.6611	<b>\$1.760.91</b>	\$13.314.22
15*	385	EXTREME IMMATURITY, NECNATE	:7.3	40	3.646)	±3, 431. E)	\$23,712.92
15	387	PREVATURITY WITH MAJOR PROBLEMS	13.3	35	1.8267	§4.722.73	\$13.314.62
:5	388	PREMATURITY W/O MAJOR PROBLEMS	8.6	31	1.1571	€c. 391.55	\$13.3.4.22
15	369	FULL TERM NEDNATE WITH MAJOR PROBLEMS	4.7	:5	.5485	\$1.402.57	\$13.314.62
15	390	NEDNATES WITH OTHER SIGNIFICANT PROBLEYS	3.4	ç	3436	. 9301,27	\$13.3:4.22
15	391	NORFAL NEWBORNS	3.:	7	.2215	£573 <b>.</b> 44	4:3.3:4.£2 .
16 9	392	SPLENECTORY AGE )=:8	15.4	33	2.7450	¥/. 098. 76	¥17.6+∂.3 <i>}</i>
16.2	393	SPLENESTBYY AGE 0-17	<del>3</del> .∶	31	1.5206	93. 3a1. 34	\$13.314.22
16-2	394	OTHER C.R. PROCEDURES OF THE BLOOD & BLOOD FORMING CROANS	6. :	ĒĠ	1.1030	£2.881.63	∌13.3:4.2 <u>2</u>
16 ×	355	RED BLOCD CELL DISCROBRS AGE )=:9	5. :	٤٩	.7753	42.005.74	₹13.314.22
15 *	376	RED BLGOD CELL DÍSÓRDERS PSE C-17	4, ;	i.i	. 6230	\$1.510.75	
15 M	397	CORBULATION DISCREÉRS	5.7	źż	.5751	ಕಲ್ಲೆ ರೇವೆ. ಕಳ	€13.314.£2
16 X	398	RETIGULCENDOTHELIAL & IMMUNITY DISCROERS 48E )=70 AND/ER C.C.	5.1	ĒĖ	.000	±2,277.61	\$13.3.4.22
16 X	375	RETIDULE NOOTHELIAL & IMMUNITY DISCROERS REE (70 W/J 0.0.	5.5	to	.837:	£خ. 154. حغ	
17 2	<b>CO4</b>	LYYPHENA CR LEDKERAA WITH MAJOR OLR. PRIDEBLAE	15.5	33	6.7573	5/, 202, 41	\$12.1:6.4)
17 2	40:	LYMPHDYA OR LELAENIA WITH MINER D.A. FRED PRE DEVO MNOVER C.C.	d. 3	<b>3</b> :	1.2260	58.174.56	
17 P	402	LYMPHOMA OR LELKERYA WITH MINOR OVER PRECEDURE ARE (10 W/G EVC.	7.:	Ė	1.1193	\$≤, 53€, 1d	
17 💆	403	LYTPHOTO OR LELKETIA FOE )=70 FND/CR CLC.	7.:	ĖĐ	:.::93	52.537.24	
17 *	404	LYM9HGMA OR LEUKEYIA RAE 18-69 W/C C.C.	5.4	29	1.1065	±3,015,65	
17 7	405	LYMPHOYA OR LELKEMIA AGE G-17	4, 3	27	1.0408	\$2.6:0.47	
17 3	405	MYBLOPABLIF DISCAD OR FOORLY DIFF NECRLASH WIYAU CURUPHOUS GUOL		3?	2.2+35	\$3.800.34	
17.2	407	WYELDARDLIF DISCRO OR ADDRLY DIFF NECAL WHAT D.R. THO W/J D.D.		35	2.1144	\$5.4t6.55	
:7 3	408	MYELOPAGLIF DISGRO OR PEORLY DIFF VEGR, WITH MINGR C.R. PAGE	7.1	23	1.1271	\$2,913.93	
17 X	409	ADDIOT-ERPPY	5.7	ÉŠ	. £04 <del>3</del>	<b>\$2.060.53</b>	
17 Y	410	CHEAGLHEISTA	ċ.5	14	.345)	\$302.30	
17 X	4:1	HISTORY OF YALIGNANCY WAS ENCOSCOPY	4.7	27	.7:46	\$1.647.52	
17 ×	412	HISTORY IF MALIBLANCY WITH ENDOSCOPY	2.0	ě	. 3355	3459.91	
17 4	413	OTHE MYELOPECLIF DISDED OF ACCELY DIFF REDAL OX ASEN =70 \$70 R D.D.	7.3	É	1.6561	\$2.507.53	
:7 #	414	OTHR WYELGOROLIF DISGRO OR REGRLY DIFF NEEDEL DX REE(70 W/G E.L.	5.4	_d	1.025.	\$2,65J,23	
:8 P	4:5	D. A. PROCEDURE FOR INFECTIOUS & PARABITIC DISERSES	:5.:	7د		\$7.502.43	
13 7	416	SEFFECEYIA FGE )=18	3.2	31	1.5343		
18 M	4:7	SEPTECENIA FOE 0-17	5. 2	±0	.7075	51. 6c 5. 34	
18 5	418	POSTCRERATIVE & FOST-TRAUMATIO INFESTICAS	ē. 4	3)	.5004	92, 22J, 23	
:3 Y	4:3	FEVER OF LAMADAN ORIGIN AGE >=70 AND/OR C.D.	i.i		. ರವಿತಿತ	32. c:7. +:	
18 *	460	FEVER OF LINANDAN CROSIN AGE 18-69 N/G C. 1.	5.0	_	دد: 753ء دد: 7		
18 +	42:	VIRAL 1_1_1553 936 )=16	:. 4	:.	.533	91.546.03	
:8 4	422	VIRAL ILLNESS & FEVER OF UNANCAN CRIBIN AGE 6-17	ء. ۔ غرب		.4315		
18 *	423	OTHER INFESTIGLE & PARASITION SIGNATURE OF THE STATE OF T	3.3	••	:.:53:	\$1, 1, 5, 2)	
19 2	424	O.R. PROCEDURES WITH PRINCIPAL DIRENCES OF MENTAL ILLNESS		ن. ت		\$3.0±1.55	
:3 Y	425	ADUTE POULST, REPUT & DISTURBANCES OF PSYCHOSOCIAL DYSFUNCTION	4.6		z.1710	\$3,3,2,64	
19 Y	425	DEPRESSIVE NEUROSES	<b>5.3</b>	23	.6741	\$1.7-2.01	
19 X	427	NEUROSES EXCEPT DEPRESSIVE	7.4		. 9396	\$2,423.Es	
19 4			<b>5.</b> 5	£ 3	.7553	\$i. 364.3d	
19 M	429	DISCRDERS OF PERSCHALITY & INCLUSE CONTROL FREENING ASER, REALES ASERTED ASERTED ASERTS	÷.3	<u>:</u> ,	. 5640	52.432.31	
19 1	430	GRBANIC DISTURBANCES & MENTAL RETARDATION ROYCHOSES	3, 5	31	. 5424	\$2.4:6.47	
19 M	431	CHILDHOOD MENTAL DISCADERS	10.8	33	1.0820	\$2,737.33	
19 X	432	OTHER DIAGNOSES OF MENTAL DISCRDERS	15.4		2. 2265	\$5,761.54	,
43 N	-95	A-LEA NIMOMOGO EL WEALME NIONAGEAR	7.2	53	1.0416	\$2,692.54	\$13,314.22



RATES EFFECTIVE 10/01/84 ESTABLISHED 12/17/84

-ridž 10

			انرن	Y3		٠.	
MDC	DRG	POITCIPESS EFC	TLOS	(C	nelj <del>n</del> :	Jad HATE	CHR3 TrOLD
~~~	-					**********	****
20	433	SUBSTANCE USE & SUBST INDUCED ORGANIC MENTAL DISORDERS, LEFT AVA	2.5	17	.44::	±1.140.42	313, 314, 22
20	434	DRUG DEPENDENCE	9. 1	3:	1.0435	₹4. col. 9£	\$13.3:4.££
20	435	DRUG USE EXCEPT DEPENDENCE	ů. Ú	٥٥	:. Leco	€z. 7-7.23	\$:3.314.62
20	436	ALCOHOL DEPENDENCE	à. i	3)	.ä75:	#4, 225. ús	\$13.3.4.22
20	437	ALCOPOL USE EXCEPT DEPENDENCE	3.5	ċŚ	.6::3	#1.E=2.00	\$13.314.62
20	438	ALCOHOL & SUBSTANCE ENDECED CREANIS MENTAL SYNDROME	6.5	£3	. خڏڏڻ .	غ <u>د</u> , :۵4, 4)	\$13,3.4.22 .
21 P	439	SKIN GAFTS FOR INJURIES	3. 3	3:	:. 3040	\$4. cbi. 4b	\$13,314.62
21 9	440	NOWN DEBAIDEMENTS FOR ENDATES	7. 2	<del>23</del>	:. 4533	\$3,7cā.37	\$13,3.4.22
21 7	44:	HAND PROCEDURES FOR INCLRIES	3. Ú	:5	.7105	91. 3:5. 9z	\$i3.314.62
2: P	442	CTHER O. R. PROCEDURES FOR INJURIES AGE 1=70 AND/ER C.C.	9.:	3:	:. ċạċa	\$4,007.77	\$13.3.4.22
5: 5	443	STHER CLR. PROSEDURES FOR INJURIES ASE (70 A/J CLC.	5.6	23	i. £ú53	:3.5.1.75	\$i3.3i4.£2
21 X	444	YULTIALE TRAUYA ASE )=70 AND/CR 0.5.	£.7	És	.ė/3s	\$4, 213. li	\$13.3.4.22
21 M	445	MALTIPLE TREUMS 95E 18-69 W/O C.C.	5.2	<b>ċ</b> 7	.7452	¥1. Šaģ. 63	\$13,314,£2
21 ¥	446	MULTIPLE TRAUMA 4SE (4-17	<b>2.</b> 4	:9	.4/33	£1, ±69, 90	9.3,3.4,22
2: *	447	ALLEASID REPORTIONS ARE 1=18	<b>3.</b> 7	: i	. <del>4</del> 7عة	÷1. žz4. 13	\$14.c2
21 ×	448	STHER D.R. PROCEDURES FOR INJURIES ASE (70 A/D D.C. YULTURUS TRAUMA ASE )=70 AND/OR D.C. MULTURUS TRAUMA ASE (-17 ALLERSTO REPORTIONS ASE )=18 ALLERSTO REPORTIONS ASE 0-17 TOXIO EFFECTS OF DRUSS ASE )=70 AND/OR D.C. TOXIO EFFECTS OF DRUSS ASE 18-69 A/C C.C. TOXIO EFFECTS OF DRUSS ASE 18-69 A/C C.C.	1.9	5	. 3453	15.000	\$13.3.4.2±
21 ¥	449	TOXIC EFFECTS OF CRUES ASE >=70 AND/OR C.C.	5. ś	دغ	.7255	\$1.815.10	#13.31#.=2
21 Y	450	TOXIO EFFECTS OF DRIGS AGE 13-69 A/C C.C.	3.9	دغ	.2002	\$1,224,63	\$i3.3.4.2±
21 #	451	TOXIO EFFECTS OF ORUSE AGE U-17	2. :	Ġ	. ೭೦ರಿದ	2745.11	\$is.3:4.c2
£1 X	452	COMPLICATIONS OF TRESTMENT AGE )=70 FND/CR C.C.	i.i		. 24-/4	*4.1/2.75	1.3.3.4,21
2: A	453	COMPLICATIONS OF TREATMENT AGE (70 A/O C.C.	5. :	<b>±</b> 7	فىدد.	\$2.3v1.7c	\$13.314.c±
21 ¥	454	OTHER INJURIES, POISONINGS & TOXIC EFF DIAG AGE )=70 AND/CR G.C.	<b>:.3</b>	<u> 2</u> 7	.5.31	\$2,104,25	#i3.3.4, <u>ك</u> ز
21 ×	455	WTHER INJURIES. POISONINGS & TOXIC EFF DIRB AGE (70 W/D C.C.	3.5	٤٤	.6:2:	*i.	કાંડે. ડો 4, ૮ટે
22	456	BURNS, TRANSFERRED TO ANOTHER ADDIE CARE PAULLITY	11.6	ي في	ಎ. ( ಇರೆತಿ	\$3,347,6\$	513.445.7 <i>i</i>
22	457	EXTENSIVE BURNS	2.5	ટેર્ડ	9. /ā:à	≨: 7. 25 <u>3</u> . 43	ā44, luj, 41
22 J	458	NOW-EXTENSIVE BURNS WITH SKIN GRAFTS	:6.3	4.)	2.6273	\$/,310.13	\$16.3/5.45
22 P	459	NON-EXTENSIVE BURNS WITH WOUND DEBRIBETENT & OTHER DUR. PROC	:2.7	35	£. 7252	≤7. 05 <i>3.</i> 45	\$1.7 <b>,</b> 733 <b>.</b> <del>23</del>
22 ×	460	NON-EXTENSIVE BURNS W/C C.R. PROCEDURE	9.0	ŝ.	1.4377	93, t37, 40	\$13,3.4,2≤
23 P	451	JURN FROD WITH DIRENGES OF OTHER CONTROT WITH HEALTH BERVICES	á. Ú	رق	:. 6335	\$4. <u>2</u> 23. 23	\$i3,3i4,62
23 🛪	462	re-abilitation	:3.5	Ēэ	1.€170	\$4, a73, 6/	<b>≠:3.3.4.2</b> 2
23 %	463	SIBNS & SYMPTOMS WITH C.C.	5.3	ćà	.7622	s:. 5/0. E9	\$i.j.j:4,62
23 🗯	454	Siens & Symphoms wid c.c.	0.0	Ėŝ	.7245	\$1,6/3.3/	
23 Y	465	APTERDARE WITH HISTORY OF MALIGNANCY AS GECONDARY DX	:.5	÷	ل <sub>ا</sub> 4نء .	•a£s.75	
23 X	465	AFTERDARE WAS HISTORY OF HALIENANDY OF SECONDARY BY	3.7		. = 3 - :	\$1,531.6+	-
23 🛪	467	OTHER FROTORS INFLLENDING HERLIN STATUS	5. i	ėż	. :657	*2. ĉu7. vá	
##	468	ENASTED CAINAGE	::.:	33	i.udio	50, ತಿಂದ, ತಿಂ	\$12.5.2.2£
		·					

(	4	

The second of the second secon

	NOUN NOMENCLATURE MAJOR PANCREAS, LIVER, & SHUNT PROCEDURES	MINOR PANCREAS, LIVER, & SHUNT PROCEDURES	BILIARY TRACT PROC EXC TOT CHOLECYSTECTONY GT=70 &/OR C.C.	BILIARY TRACT PROC EXC TOT CHOLECYSTECTOMY LT=70 W/O C.C.	TOTAL CHOLECYSTECTOMY WITH C.D.E. AGE CT=70 AND/OR C.C.	TOTAL CHOLECYSTECTOMY WITH C.D.E. AGE LT=70 W/O C.C.	TOTAL CHOLECYSTECTOMY W/O C.D.E. AGE GT=70 AND/OR C.C.	TOTAL CHOLECYSTECTOMY W/O C.D.E. AGE LT=70 W/O C.C.	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY	HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES	CIRRHOSIS & ALCOHOLIC HEPATITIS	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS	DISORDERS OF PANCREAS EXCEPT MALIGNANCY	DISORDERS OF LIVER EXC NALIG, CIRR, ALC HEPA AGE GT=70 AND/OR C.C.	DISORDERS OF LIVER EXC MALIG, CIRR, ALC HEPA AGE LT=70 W/O C.C.	DISORDERS OF THE BILIARY TRACT AGE GT=70 AND/OR C.C.	DISORDERS OF THE BILIARY TRACT AGE LT=70 W/O C.C.	UNRELATED OR PROC		YSTITIS EXPLORATION
g	ΩTY 0	· ~	0		0	0	13	15	-	7	0	<b>o</b>	ന	13	7	ပ	വ	17	-	94	HOLECY DUCT 1
1	<u>_</u> _	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	468		CHRONIC CHOLECYSTITI = COMMON DUCT EXPLOR
	OF M.																				CHR(= C(
	DRG's (					÷ .											-				C. = D.E.
		ı m	<b>~!!</b>	ľ	ıc	_	~	•	_							_		_		- 7	CO

į

MEMORANDUM FOR CPT Cornell

. . .

SUBJECT: Selected IPDS/DRG Data for Ft. Lee for FY 84

- 1. We have prepared the attached data for your facility using a recoded and reconfigured IPDS data base.
- 2. Enclosure one is the output from the Health Systems International Grouper program. This set of tables displays the frequency by DRG, MDC and return code (RTC) produced by the DRG GROUPER program. Enclosure five is a listing of the data element definitions for the fields used by GROUPER program. Your recoded IPDS data have been grouped using release 2 of the ICD-9-CM GROUPER which became effective as the official version for DRG assignment on 1 June 1983.
- 3. Enclosure two, the Case Mix Summary data for your MTF, contains a variety of summary/descriptive data to help make the DRG data meaningful and introduce the concept of case mix measures. The following definitions may be helpful in explaining this new concept. Case mix is defined as the relative proportion of cases that fall into mutually exclusive case types (e.g. DRGs). Case mix measures are calculated by application of a set of weights to the number of patients falling into each case type within a hospital. Each case type (e.g. DRG) receives a distinct weight, constant for all hospitals, that represents the relative hospital resource utilization of an average or ideal case that falls into that case type. These case mix measures employ a specific set of 'ative weights. In this case the weights employed were those published by the Care Financing Administration (HCFA). The products of the number of a neach DRG times the relative weight (relative weight products) are resulting total is then divided by the total patient dispositions, the case mix index.

The unmension of complexity that is estimated in any given case mix measure is determined by the set of weights used to estimate the relative expected patient resource consumption. Without validation of the HCFA weights for AMEDD data, they should be considered preliminary and subject to revi:ion. Case mix indexes are a special type of case mix measure that employ a base case mix for comparison purposes. Since we have used HCFA weights for this purpose, it is important to understand what the case mix index figure represents in relative terms. When the hospital under study has a more complex, i.e., more costly or more resource intensive, case mix than the base case mix. the calculated case mix index will be greater than 1.00. A hospital whose case mix is less complex than the base case mix will have a calculated case mix index of less than 1.00. A case mix index, then, results in a standard of 1.00 against which any given hospital's case mix complexity may be assessed. Thus a case mix value of 1.1 indicates an estimated 10 percent more complex mix of patients. Because of the AMEDD requirement to treat a relatively healthy population as first priority coupled with the inherent "domiciliary" responsibilities that accompany management of our younger enlisted soldiers, most AMEDD MTF case mix indexes appear to be lower than the expected base case mix of 1.00, reportedly the average case mix for civilian hospitals treating Medicare patients.

There are two case mix index figures provided in this section of the report, the unadjusted and the adjusted. The adjusted case mix is the more valuable of the two indexes in that patient records assigned to DRGs 469 and 470 have been eliminated. The titles for DRGs 469 and 470 are; "Primary diagnosis invalid as a discharge diagnosis" and "Ungroupable", respectively. These were eliminated because the relative weight value for each is 0.0. Civilian hospitals with data in those specific DRGs would review the records in order to have them reassigned to more definitive DRGs. Therefore, we have computed the adjusted case mix without using the records assigned to DRGs 469 or 470.

The <u>number of non-empty DRG cells (adjusted)</u> is a descriptive statistic that shows the number of different groups or data cells used to classify your MTF's data. The maximum number of DRG cells available in the DRG schema is 470, as described in section II above.

The total count adjusted for DRG cells 469 and 470 reveals the number of Individual Patient Data System dispositions assigned to DRGs 1-468. This count states the number of records included in the calculation of the "adjusted" case mix index.

The next portion of case mix summary table describes the MTF workload in terms of relative weight quartiles by reporting the count and percent of workload developed by quartile. The table displays the HCFA established relative weights sorted and arranged by quartiles with the 1st quartile reflecting the DRGs with the lowest relative weight value through DRGs with a relative weight value of 0.6291. The column titled relative weight ranges delineates the range of weights included in each quartile. The term "LT" means less than while "GT" means greater than. The next column in this module is entitled count and displays the number of patients assigned to DRGs that fell within the aforementioned relative weight range. The percent workload column reveals the overall percent of patients assigned to the respective quartiles. This may be used to explain the high or low value of the case mix index by displaying the concentration of dispositions in DRGs with low or high value relative weights. As an example, if 60 percent of a hospitals' data fell into the first quartile, it would seem reasonable to expect a fairly low case mix index which may be further interpreted to mean a relatively low case complexity and low cost per patient. Conversely, a higher case mix index would result if the MTF had a relatively even distribution of data across each of the relative weight quartiles.

The patient category data describes an MTF in terms of four general beneficiary categories using IPDS data. This adds to the interpretation of the case mix index by alluding to the types of diseases or injuries one could anticipate based upon the activity level or demographic features frequently associated with a given segment of the MTF catchment area population.

Lastly, age and sex data are displayed as categories with the respective percent of data attributed to each age/sex cell. This further facilitates explanation of the case mix index, in that, generally, the younger the population represented in the inpatient data the lower the complexity of the diseases and injuries treated. Conversely, the greater the percentage of

patients in the older age cells the higher the case mix index because of the presence of complicating and/or comorbid conditions and the higher relative weights associated with older Medicare patients in the HCFA Prospective Payment System.

4. Enclosure three is a record listing for the data from your facility for Major Diagnostic Category # 7 (only). The data elements displayed are:

Register Number	(7 digits)	(column 1)
DRG	(3 digits)	(column 2)
IPDS Clinic Svc	(2 digits)	(column 3)
FMP	(2 digits)	(column 4)
SSN	(9 digits)	(column 5)
Bed Days	(3 digits)	(column 6)

- 5. Enclosure four is a listing of the MDC # 7 records in a modified record format that allows you to see the recoded ICD-9-CM diagnoses and procedures and the MDC/DRG assignment.
- 6. The inpatient data used for this report were retrieved from the AMEDD Performance Measurement Study (PMS) data base for FY 84 (1 Oct 83-30 Sep 84). The IPDS data used in this study were converted from the International Classification of Diseases, Ninth Revision (ICD-9), 1977 and the International Classification of Procedures in Medicine, (ICPM), 1978 to the International Classification of Diseases, Ninth Revision with Clinical Modification (ICD-9-CM), 1979. This conversion was required in order to employ the Health Systems International Grouper Program, which assigns a DRG value to each record.

These data are still considered preliminary, because much work and research remain to be done to further refine the crossover between ICD-9 and ICD-9-CM. The refinement of the crossover will be completed within the next year. Moreover. The data in these reports are not intended to be used for external compar sons with civilian facilities.

- 7. Questions or comments concerning the data in these reports or the methods used to apply DRGs to AMEDD data should be addressed to either MAJ Stuart Baker or Mrs. Velda Austin, AMEDD Performance Measurement Study, Health Care Studies and Clinical Investigation Activity, Fort Sam Houston, TX 78234-6060, AV 471-5880/4880.
- 8. We hope these data will be useful for your research and would appreciate any input you have to our research project.

Enclosure

as

STUARY W. BAKER

Major, Medical Service Principal Investigator

AMEDD Performance Measurement Study

 $u \, n u \, d \, u \, d + d \, d \, d \, o \, b \, d \, o \, u \, d \, u \, u \, \tilde{u}  \_ 42 45 0 N W & M 0 - 0 - 0 6 W 7 - 40 0 W 1 40 0 0 0 0 - 0 - 0 W 0 0 - 2 M 0 0 M 0 4 2 W 0 − 2 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0 M 0 0  $\frac{x}{x}$  and  
Lient

9:

COMMITS BY NBC

1 176

2 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

4 173

97

FOTAL RECORDS PROCESSED

CASE HIX SUMHARY FER FT LEE, VA

PERTUR OF REPORTS	PORT: FY84					9636	
CASE MIX (UNADJUSTED)	CASE MIX (UNADJUSTED) NUMBER OF NON-EMPTY URG CELLS (UNADJUSTED)	CELLS (UNAD	JUSTED)			281	
TCTAL CDUNT	TCTAL COUNT ADJUSTED FOR DRG CELLS 469 ANE 470 CASE MIX HNEX (ADJUSTED)	DRG CELLS	469 ANE 470			3721 0.7610	
			REL WE 16HT	RELATIVE WEIGHT RANGES	COUNT	PERCENT HURKLUAD	
151			L1	LT 0.6291	1929	28.6	
4 3 KD			0. 6.959	0. EP5R-1.3637 61 1.3637	666 198	17.9 5.3	
ACTIVE DUTY MILITARY DEPENDENTS ACTIVE DU RETIRED MILITARY, DEP ALL DTHER TYPE RENEF	ACTIVE DUTY MILITARY DEPENDENTS ACTIVE DUTY MILITARY RETIRED MILITARY, DEPENDENTS RETIRED/DECEASED MILITARY ALL ETHER TYPE OFNEFICIARIES	41LITARY Ents retirec Aries	)/DECEA \$FD	H1L1TAP.Y	1636 425 1173 522	43.6 111.3 13.2	•
	1	7	FEMALE	ILE	TOTAL		
•	CDUNT	COUNT PERCENT	COLNI	COLNT PERCENT	988	23.7	
AGE 0-17	622	9.9.0	<b>91</b> 9		1401	37.3	
AGE 18-34	192	0.17 8.6	3(3	0	670	17.8	
AGE 50-64 .	292	7.8 3.1	261 127	6 4 6 6 7 7	243	6.5	
	2184	58.1	1572	41.9	3756		

NOTE: BATA EXCLUDE CRD, ABSENT SICK CASES, AND RFCOFOS WITH CLINICAL DATA MISSING.

SOURCE: INDIVIDUAL PATIENT DATA SYSTEM (1PDS)

PREFARED BY:
DEPFRIHENT OF THE ARMY
US ARMY HEALTH CARF STUDIES AND
CLIPICAL INVESTIGATION ACTIVITY
AMEED PERFORMANCE MEASUMEMENT STUDY (INPATIENT AREA)
FT SAM HOUSTON, TX 78234
DATE PREPARED: 07 MAY 85

98

and 2

Days 000 000 223647253 25164354 4165661364 4165661364 5264344 52643461 226921434 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 22743464 227434 227434 227434 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 22744 C4660303 236288665 031241383 312349189 234468577 407444525 223269265 235590548 224528122 229161167 412726715 227700403 341345081 228660266 726U171Cb 24560599b SKC .3 0320497 0320221 0320475 0320905 0323826 0323860 0323860 0315960 032120 032120 0322120 0322120 0322120 0322120 0322120 0322120 0322120 0322120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 032120 0 0320860 0320916 0321963 0322455 0322708 03233261 03233261 0319334 0321216 0315939 0319964 0319964 0326330 じるよくいいう 눑

\_

U322693 2C5 AA 2U 225244148 007
U322634 2C5 AA 2C 2512106928 U10
U3225134 2C5 AA 2C 25121944 U17
U322513 2C6 AA 2C 2512196613 U17
U322513 2C6 AA 2C 2512196613 U17
U322513 2C6 AA 2C 2512196613 U17
U322513 2C6 AA 3C 25218159 U17
U322513 2C6 AA 3C 225183161 U17
U322513 2C6 AA 3C 225183161 U17
U322513 2C6 AA 3C 225183161 U17
U322513 2C6 AA 3C 22518316 U17
U322513 2C6 AA 3C 22518316 U17
U322513 2C6 AA 3C 22518316 U17
U322613 2C6 AA 3C 22518316 U07
U322163 2C6 AA 3C 225181651 U17
U322613 2C6 AA 3C 226184165 U17
U322613 2C6 AA 3C 22618416 U07
U322613 2C6 AA 3C 22618416 U07
U322613 2C6 AA 3C 226181161 U17
U32281 2C6 AA 3C 226181316 U17

			INDIVIDUAL PATIENT DATA	AL PA	1 IENI	UAIA >	313161		,	-			•	DATTEN	-	UIC/21P	12	TYPE	. 13 AOH	· E
	RP16	2 REG	3 GR.:0E	•	SEX	5 AGE	6 RACE	_	LENGTH SERVICE	<b>∞</b>	FMP 9	NSS		CATEGORY		CODE			. Sou	SDURCE 1
		0320126			u_	31	*			•••	30	586015186	98	A50		*0967		ı		
•	1061 14 CL INIC SVC		N 16 DSPN E DATE	7 N	17 THIS ADH DA	<b>=</b>	18 IN IT ADM DA	117 047E	19 ABS DAYS	19 ABS SK BED DAYS THIS HTF	D 20	0THE TH1	DAYS	21 CON	CONV/COOP DAYS THIS	CARE	22 SU	SUPPLEMENTAL CAI DAYS THIS MIF OOO	ITAL C.	CARE 11 F
		0	84024	124	84018	.18			٠ د ''	000		•	200							
	23 EE TH		24 SICK DAYS THIS HTF	JAY S	52	TRANSFER TO VA/AUTOPSY		26 STA TÇ	NE/COU JEE OPE	STATE/COUNTRY OF TOCE OPERATION	72	27 HTF OF Init adm	~	28 TOTAL ABS SK BED DAYS 000		29 TOTAL DTH DAYS 000		30 101AL COOP CARE	CARE DAYS	
	•	900	8	<u>.</u>																•
		31 TOTAL	31 TOTAL SUPPLEMENTAL CARE DAYS	MIAL	32 T	32 TOTAL BED DAYS	33	101	AL SICK DAYS	34 PREOP DAYS		35 CAUSE OF INJURY		36 UNDERLYING CAUSE	YING	37 COR	CORRECIED RECORD	•		
			000			900		900	•	0	_									
				38	38 06 1	39 06	6 2 40	6 93 0	#	<b>9</b> 0	42 06	5 43	9 90	90 ++	\$	<b>9</b>				
				5741	0 1													•	,	
				•	46 OP 1	47 09	8	40 EP 3	40 64 · 6	<b>→</b> d0	50 OP	5 51	9 40	92 Ob	7 53	8 40			•	•
<b>0</b> 1				55	552201															
	Ğ	A OF CIDIA		,05T/	55 POST/PREOP DAYS	DAYS	56 TOT		QTR/DISP DAYS TO	1423 7423	57 TOT HTF =	01 01R/ = 00 AF	GTR/DISP DAYS 00 AFTER 74243	VYS THIS		SO ORIGINAL PROCESS DATE	<u>۳</u>	59 RECORD	JRD 10	
	`	DISABILITY	<b>&gt;</b>	V 000	FTER 7	77365	DAIE	8				00				840309			2	
		10E 97	ne Fe		61 10	61 TOT OP FLO	٥	 	RECODED	63	RECODED DRG SEX	\$	RECODED DRG DSPO	<b>18</b> 0	ORG	82 MDC GROUP		83 RETURN CODE	Z w	
		C00E0	CODED THIS RECORD		CODED	THIS R	ECORD	3	037		2		10		192	0	01	•		
	. 88 CP	00E0 06 1	66 RECODED CM DG 2		67 RECODE CM DG	RECODED CM DG 3	68 RECODEC CM DG 4	DDEC DG 4	. 69 RE	RECODED CM DG 5	70 %E	RECODED CM DG 6	T REC	RECODED CM DG 7	72 REC	00E0	<b>8</b> 79 8	DRG Prim DG	88 S	DRG SEC DG
	-	57410													,			٥		
	<b>67</b> 50	RECOOED CM OP 1	74 RECODED CM OP 2		75 RECODED CM OP 3	RECODED CM OP 3	76 RECODE CM OP	ECODEC H OP 4	77 RE	RECODED CM DP 5	78 C.	RECODED CM OP 6	79 RE	REC00ED CM OP 7	8 5 7 2	CH OP 8		PRIN 0P 523		
		523																		

#### Chapter 1

#### INTRODUCTION

The purpose of this manual is to provide technical personnel with the detail necessary to install and understand the ICD-9-CM grouper so they may then debug, support and, if necessary, rewrite it. The first four chapters deal with the installation, testing and running of the grouper. Chapters 5 and 6 provide detailed information on the logic of the Executor and the construction of the tables.

The grouper, as it is currently written, may be implemented either as a set of subroutines to be called from a program written in a higher level language (e.g., COBOL) or as a utility program with all parameters passed through a job's SYSIN input stream. In preparing this manual, we made the following assumptions:

- 1. The reader is familiar with IBM OS Assembler.
- 2. The reader is familiar with IBM OS Job Control Lanquage.
- 3. The reader is familiar with the ICD-9-CM coding scheme from a computer standpoint (e.g., diagnosis codes are five character alphanumerics which are usually left-justified in a five byte field and padded on the right with either blanks or zeroes).
- 4. For example purposes, the datasets required by the grouper are to be copied to disk and cataloged under the Userid GROUPER.
- 5. Volume serial numbers on the sample JCL will be replaced with the volume serial number of the transfer tape received by your installation. This number will be clearly indicated on the outside of the tape you receive.

Minimally, the ICD-9-CM grouper consists of three tables and two Assembler programs. The tables required by the grouper contain information for all valid diagnosis and procedure codes in the coding scheme. These tables were prepared from the CPHA ICD-9-CM codes and abbreviated description tape (December 1979 revision).

June 2, 1983

Chapter 1

The grouper executor is contained in two Assembler programs. The data formats required by the executor are shown in Figure 1.1. The grouper may be implemented as a utility program if these data requirements are met (see Chapter 3). Whenever these requirements are not met, the grouper will have to be implemented as a subroutine to a higher level language program which recodes the information as necessary (see Chapter 4).

FIELD NAME	LENGTH IN BYTES	CODING
Diagnosis	5	Left-justified, padded with either blanks or zeroes, up to 15 accepted.
Procedure	4	Left-justified, padded with either blanks or zeroes, up to 15 accepted.
AGE	3	0 (zero) through 124, right justified.
Sex		1 through 2 1-male 2-female
Discharge		
Status	2  	00 (zero) through 20 00-invalid - 01-home, self-care - 02-short term hosp. 03-SNF 04-ICF 05-other facility 06-home health service - 07-against medical advice - 20-died

Figure 1.1: Required Field Coding

The information returned by the Grouper is shown in Figure 1.2. The DRG and MDC numbers are simply the Diagnosis Related Group and Major Diagnostic Category numbers which have been assigned to the patient record. The Grouper return code indicates whether or not the grouping process was successful for a given record. It should be mentioned that return codes 3, 4 and 5 (invalid age, sex and discharge sta-

June 2, 1983

THE PROPERTY OF THE PARTY OF TH

tus, respectively) will occur only for those DRGs for which they are part of grouping criteria (i.e., the Grouper does not perform an automatic edit check of these fields). We should also note here that the discharge status codes are those used for the UB-82 form.

Diagnosis (ADX and SDX) and procedure (MPR) codes will be returned by the Grouper whenever the grouping criteria involves a search of the patient's record for a particular set of codes. If the grouping criteria does not require any searching of the patient's diagnosis or procedure codes then the fields returned by Grouper will contain blanks. The version number (VCC) returned is for identification purposes. When users call HSI with potential problems, this identification number must be provided. Essentially, it tells the support staff at HSI which version of the grouper is installed, and aids in clearing up problems. When testing a grouping program, the programmer should use these fields to verify the correct grouping of input records.

FIELD	LENGTH	
NAME	IN BYTES	DESCRIPTION
DRG	3	DRG number (1-470)
MDC	2	MDC number (0-24)
RTC	1	Grouper return code
		0-record grouped
		1-invalid principal dx
		2-record does not meet
		criteria for any DRG
		in MDC as indicated
		by principal dx
		3-invalid age, not 0-124
,	•	4-invalid sex, not 1 or 2
		5-invalid discharge status
		6,7,8,9- unused at present
MPR	4	ICD-9-CM procedure code used by Grouper
ADX	5	ICD-9-CM diagnosis code used by Grouper to
		satisfy "any diagnosis" grouping criteria
SDX	5	ICD-9-CM diagnosis code used by Grouper to
		satisfy "secondary diagnosis" grouping criteria
VCC	9	Version identification returned by Grouper.

Figure 1.2: Information Returned by the ICD-9-CM Grouper

## APPENDIX L

			APPI	ENDIX	L					
	A	В	С	D	E	F	G	H	I	
1 2 3 4 5 6 7 8 9	NAME		G NO	DRG	svc	FMP	SSN	ros	REMARKS	- T
2		32 32	126 897	192 194	AA BA	30 30	586015186 223607293	6 10	A2,79	
3 4		32	221	197	BA	2	251643520	22		
5		32	875	197	BA	30	168013601	30		18.00 m
6		32	965	197	BA	20	414508814	15		Ag - Open
7		32	1015	197	AA	30	586055244	14		1
8			2003	197	AA	30	709129927	. 8		÷
9			2071	197	AA	30	279098742	7	A9,75	<b>4</b>
10 11			2312 2383	197 197	AA BA	30 30	224440401 226921434	14 10		
12			2303 2848	197	AA	30	227039205	60		
13		32	3026	197	BA	20	264312143	14		
14		32	3087	197	BA	30	728017108	10		
15			3156	197	BA	20	351121984	18	A15,66	
16	,		3680	197	BA	30	409823591	7		
17 18			9954 9985	198 198	AA BA	30 20	228700290 34222062	7 7		
19		32	204	198	BA BA	20	728017108	9		
20			1043	198	BA	30	215387666	9		
21			1330	198	BA	30	410506980	6		
22		32	1502	198	BA	30	48600303	6	A22,74	
23			1599	198	BA	20	236288665	7	A23,88	-
24			3088	198	BA	30	31241383	7	A24,57	
25 26			3140 3203	198 198	BA AA	3 30	312349189 234408977	6 8		
27			3322	198	BA	30	374442828	9		
28			3438	198	BA	30	407444525	6		
29		32	3547	198	PA	30	223209285	8		
30			3646	198	BA	20	235550548	7		
31			3647	198 199	BA		171034319	8		
32 33		32 32	3459 198	200	AA AA		224528122 229181187	27 <b>7</b>	122 72	
34			1446	200	AA		412720715	14	A33,73 A34,54,56	
35	•	32	342	202	AA		227700403	8	N34/34/30	
36		32	565	202	AA		229328448	8	A36,61,62	
37		32	918	202	AA		341345081	2		
38			1195	202	AA		228660266	2	′ <b></b>	
39 40			1270 1456	202 202	AA		444140876 224427197	15	A39, A42	
41			2134	202	BA AA		245605998	12 6		
42			2677	202	AA		444140876	29	A39, A42	
43			3047	202	AA		234609623	4		
44		32	132	203	AA	30	247202566	28	•	
45			1028	203	AA		429744130	1	A45,46	
46			1216	203	AA		429744130	4	A45,46	
47 48			9939 9964	204 204	AA aa		224058598	19	340 60	
49		32	330	204	AA AA		267028849 430054352	15 23	A48,50	
50		32	470	204	AA		267028849	15	A48,50	
				•	- 44 4	~~			N-0120	

105

in the state of

	A	В	С	D	E	F	G	H	I
51		32	846	204	AA	30	266086205	4	c
52		32	880	204	AA	20	463605495	14	
53		32	916	204	AA	20	264508201	13	e and
54		32	1983	204	BA	20	412720715	9	A34,54,5(
55		32	2104	204	AA	20	414542490	4	A55,58
56		32	2455	204	AA	20	412720715	14	A34,54,56
57		32	2708	204	AA	30	31241383	. 9	A24,5
58		32	3281	204	BA	20	414542490	3	A55,58
59		32	3485	204	AA	20	416669328	7	
60		31	9134	205	AA	20	545120672	78	,
61		31	9996	205	AA	20	229328448	6	A36,61,62
62		32	93	205	AA	20	229328448	7	A36,61,62
63		32	634	205	AA	30	555266085	10	
64		32	2846	205	AA	20	13106928	8	365 05
65		32	2938	205	CA	30	264524881	17	A65,95
66		32	3618	205	AA	20	351121984	7	A15,6€
67		32	63	206	AA	20	237049473	13	
68		32	1517	206	AA	30	288386613	7	3
69		32	1793	206	AA	20	326422220	5	
70		32	3136	206	AA	30	6281583	6	
71		32	3225	206	AA	20	345622939	4	
72		32	3585	206	AA	30	182304598 229181187	9	322 72
73		32	53	207 207	AA	30 30	48600303	8	A33,73
74		32	1428 1795	207	BA BA	30	279098742	4	A22,74
75 76		32 32	2494	207	BA	30	220109840	9 11	A9,75
76 77		32	2535	207	AA	20	229095683	25	
78		31	9947	208	BA	30	228385769	1	
79		32	19	208	AA	30	586015186	2	A2,79
80		32	259	208	AA	30	408429967	5	RZ, 13
81		32	446	208	BA	30	320225603	4	
82		32	537	208	BA	30	276189745		
83		32	679	208	AA	30	316522541	2	
84	•	32	789	208	AA	30	364288678	8 2 3	
85		32	1035	208	AA	20		9	
86		32	1071	208	AA		420526119	15	
87		32	1327	208	BA		384309896	3	
88		32	1433	208	BA	20		ī	A23,88
89		32	1727		BA	30		16	1123700
90		32	2724	208	AA		401947356	2	
91		32	2781	208	BA	30		2 5 6 7	
92		32	2811	208	AA		484011481	6	
93		32	3165	208	BA		231569456	7	•
94		32	3706	208	BA		294403361	2	
95		32	1374	468	FA	30		30	A65,95
		~ ~		.00		50	20.02.1001	30	202132

# APPENDIX L

4.0	E	F	C	II
. 1	<u> </u>		YS	なるひてもいので
3		عنا للسندة		AWITWOD
<u> </u>			6	24.13010
<b>4</b>			10	.83/0303
4			22	122,8796
5	•		22 30 15	24.15618 .8370303 122.8796 364.2413
5			15	10.00000
7			14	9.517881
8			8	8.496605
9			14 8 7	15.32639
10			14	15.32639 9.517881 .8370303 2409.348
11			10	.8370303
:2			60	2409.348
:3			14	9.517881
:4			14 10 60 14	.8370303
-			18	50.19873
16			18 7	15.32639
123:55789011234F676		-	7	15,32639
			7	15.32639
1.3			Ġ	3.666818
• •			ā	3.666818
•			Ĕ	24.15618
**			ď	24 15618
, 5			7	15 32620
			<del>'</del>	15 32630
<b>:</b>			Ġ	24 15619
: #			0	2 406605
			0	3 666819
Notice of the second se			7 7 9 9 6 6 7 7 6 8 9 6 8	9.517881 .8370303 50.19873 15.32639 15.32639 15.32639 3.666818 24.15618 24.15618 15.32639 15.32639 24.15618 8.496605 3.666818 24.15618
- 6			C C	2 406605
			7	15 32639
11-			7 8	15.32639 8.496605
• 🕏			27	258 7306
, <u>3</u>			7	258.7306 15.32639 9.517831 8.496605
			7 14	9.517081
			* 8	8 406605
, e			8	8.496605
				79.47533
7 2			2	79.47533
70			2 2 15 12 6	16.69309
'n			12	1.177456
. 1			6	1.177456 24.15618
. 2			29	327.9711
- 3			4	47.21575
4			4 28	201_0000
5			i	98.30512
-5			.1	47.21573
78901234557			10	65 <b>.</b> 36995
,			15	98.30512 47.11573 55.24495 16.63899
,			23	146.0498
• ,			1 19 15 23 15	16.68800
•				

	E	F	G	H
51	, <del>, ,</del>		4	47.81575 9.517881 4.347669
51 52			14	9.517881
53	•		13	4.347669
54			9	3.666318
.55			4	47.81575
56			14	9.517881
57			9 3 7	3.666818 62.64554
58			3	62.54554
59			78	15.32639 4500.411
60			6	24.15613
61			7	15-32639
62 63			10	.8370303
64			8	15.32639 .8370303 8.496605
65			17	37.02852
56	• • 5		7	15.32639
67	•*		13	4.347669
68			7	4.347669 15.32639
69			5	34.98597
70			6	24.15613
71			4	47.81575
72			9	3.666313
72 73			8	8.496605
74			4	47.81575
75			9	3.666818 .0072431
75			11	100/2431
77			25 1	198.3902 98.30512
73 70			2	70 17532
7º 80			2 5 4 8 2 3 9	79.47533 34.98597
- 81			4	47.31575
82			8	8.496605 -
83			2	79.47533
84		•	3	62.64554
85			9	62.64554 3.666818
86			15	16.68809
87			3	62.64554
83			1	98.30512
89			16	25.85831
90			2 5 6 7	79.47533
91			ົວ	34.98597
92			(;	24.15618 15.32639
93			2	79.47533
94			30	364.2413
95	TOTAL	•	1026	204454113
	AVERAGE	10.91		
	SUM(N-N')2	10.31.	10 2.1	11237.32
	$(X-X^{\dagger})2/93$			120.3314
	SQRT VARIA	CEESD		10.99233
,	, பாழ்த்தான்			<b>-</b>

;

La Carta Carta

A	c	D ·	Ξ
	DRG	PRIN DX	OP PROC 5522D1 5710D1 5511D1 5455D1
1 5VC 2 AA 3 BA 4 BA	192	5741	5522D1
3 DA	194	5741 5741	571171
4 (M) 5 73.	107	57-11	ธ์สรีธิกโ
6 EA	197	5740	551171
5 EA - 6 EA 7 AA 9 AA	197	5741 5741	551101
9 AF.	197	5741 #7:1	5511:1
9 777	197	5741 5740	551101
11 EA	197	5753	551121
12 · AA	197	5762	5511D1
13 BA	197	5751 5711	5511171
14 BA	197	5741 5741	351171
16 EA .	197	5741	551101
17 AA	199	57 11	5511D1
18 BA	198	57.11 57.11	551121
10 EV	108	5741 5741	551101
21 BA	198	57.11	551171
22 DA	198	57-11	551171
23 E7	198	5741 5741	351171 551171
4 BA 5 EA 6 EA 7 AA 9 AA 10 AA 11 BA 12 BA 13 BA 14 BA 15 BA 16 BA 17 AA 18 BA 19 BA 20 BA 21 BA 22 BA 23 BA 24 BA 25 BA 26 AA 27 BA 28 BA 28 BA 29 BA 20 BA 21 BA 22 BA 23 BA 24 BA 25 BA 26 BA 27 BA 28 BA 38 BA	19247777777777777988888888888899999999999	5740 5740 5753 5763 57751 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741 57741	551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101 551101
25 nA 26 AA	198	5741	551101
27 EA	198	57-41	251171
28 EA	198	5751	551171 551171
29 DA	100	5731 5711	581171 851171
30 DA 31 PA	199	7741	551101
32 AA	199	1550	961901
33 AA	200	5712 5712	1551D1 3610D1
34 AA	200	5771 5711	201001
35 AA 36 AA	202	5715	
37 AA	202	5712	
38 34	202	5715	
39 AA 40 DA	202 202	5713 - 5715	344801
41 22	202	5712	215701
42 <i>IJ</i> .	202	5715	
43 AA	202	5711	
44 AA 45 AA	203 200	1077 1579	
45 AA	273	1572	
47 A.A.	204	5770	
48 AA	204	5770	ማ ታ ታ ጠየተና
49 AA 30 AA	204 204	5770 5770	344011

1	A	C	D	E
51 52 53 54	2A AA AA DA	204 204 204 204	5770 5770 5770 5770	915701
55 56 5 <b>7</b>	AA AA AA	204 204 204	5770 5770 5770	361901
58 59 60 61	EA AA AA AA	204 204 205 205	5770 5771 5722 5723	3619D1 3519U1
52 63 64 65	aa aa aa ca	205 205 205 205	5722 5722 705 706	3449**1
66 67 68	AA AA AA	205 206 206	5722 703 3700	
59 70 71	AA AA AA	206 206 206	796 2702 5733	351971
72 73 74	YY YY YY	206 207 207	5710 5742	081301
75 76 77	EA EA AA	207 207 207 207	5742 5751 5741 5744	0000r1
78 79 30	DA AA AA	203 203 208	5744 5750 5742 5750	J
81 82 83	BA BA AA	208 208 203	5742 5750 5769	
84 85 86	AA AA AA	208 208 209	5742 5750 5741	3629D1
37 88 99	DA . E2	200 200 200	5745 5742 5762	321501
35 31 30		200 200 200	5751 5751 5761 5741	351971
93 34		ଧରଣ 202	5751 5741	351001
95		462	5729	071071

```
DX'S
              \OmegaTY
      703
                1
                   MEPATITIS
់១
       705
                1 .
                   MET ATITIS
                 2 HEPATITIC
      706.
101
      1550
                 1 MALIGNANT MEOPLASM OF LIVER
                1 MALIGNANT MEOPLASH OF PAMER
1 MALIGNANT MEOPLASH OF PAMER
      1572
, 53
     1579
14
      1977
                I - SECCHDARY MEOPLASM OF LIVER
      5700
                    NECROSIS OF LIVER
106
      5711
                    ALCOHOLIC HEPATITIS
      5712
                    ALCOHOLIC CIRRHOSIS OF LIVE
08
      5713
                1
                    "ALCOHOLIC LIVER DAMAGE
29
      5715
                4 CIRRHOSIS OF LIVER (NON-ALC
10
     5718
                1 CHRONIC MON ALC LIVER DISEA
     5722
                4 HEPATIC COMA
.:2
      5723
                1 PORTAL HYPERTENSION
                   HEPATITIS UNSPECIFIED
      5733
                1
1
      5739
                   LIVER DISORDER
      5740
                2
                   CHOLELITHIASIS
      5741
                28
                    CALCULUS OF GALL BLADDER
               • 6
                    CALCULUS OF CALL PLANCER
      5742
                    CALCULUS OF PILT DUCT CALCULUS OF DILT DUCT
· 7
      5744
                1
19
      5745
                1
..)
      5750
                -1
                    Adute cholicistitis
     5751
                   CHOLECYSTETS
                6
      5753
                1 HYDROPS OF CALL PLADDER
                    OBSTRUCTION OF DILE DUCT
      5762
      5769
                1
      577C
               12
                    MOUTE PANCHEATITIE
      5771
                    CHICHIC PARCELLIZIES
                5.5
     TOTAL
```

第二十週111日(B)

```
, G
                                       Г
        \kappa
129 OP PRO
                       LIVER LICPSY
130 155101
131 3215D1
132 344?U1
                       SCAN
                       CT SCALL
                       MADIOISCTOFE SCAN
                   2
100 391901
                       ANDIOISCTOPE TON
134 351901
                       OTHER MUCLIAR PIACHONTIC
135 3599D1
                      ULTRASQUED
136 3619D1
                   7
107 262001
109 545501
                       THERMOGRAPHY
                       midision or lamon int
                   1
                       CHOLESYSTOTOLIN
130 531001
                   1
                       CHOSESTECTORY
1:0 551101
                       MARGUPIALITATON OF TOMONTATION OF ASPIRATION OF PROJECTIONS OF ANY TO
1-1 552001
142 015701
                    2
                  40
      TOTEL
```

# APPENDIX N

			В	c	19	D	المارية والمارية
1	CUNRTERLY DATA  CTR NO		_			\$10 m m	43.
3	CAR MO	TOTAL.	THERE	! Morkload,	/000 an		1
4	MEDICAL	LOIMD	651426	•		ST PIR	209.06
5	SURGICAL		200053		1024		272.49
ō <del>7</del>	Gui.		225073		6.23	٠	361.27
, 8	PSYCKIATRIC		95343		345		276.36
	QUARTERLY DATA				•		i. 4
10	QTR NO		3		•	,	
11	4.222	TOTAL	EMPENSE	WORKLOAD	מס ממסט	st Per	inal i
12 13	:EDICAL		1857947		8301		223.92
	SURCICAL CYN:		888508		2936		302.63
	PSYCHIATRIC		342719 144995		955 565		358.87
15	,		A1819 7 2 Q	1	202	,	256.63
	QUARTERLY DATA						
10	QTR NO		4		•		
19 20	MEDICAL	TOTAL	EXPENSE	MODELLOADA		מבר בב	TRED
21	SURGICAL		586469 363264		2012		201.49
	CIN		138519		. 1088 354		333.00
23	PSYCHINTRIC		55982		202		245.10
24							
	QUARTIFLY DATA						
25 27	סאן אדרס	TOTAL	1	7 ::07:17F 0.5 fb .	/an=:		
	MEDICAL	d Maria Salar	######################################	WORKLOAR	2000		~ <del>L</del> ,
20	SURGICAL		381671		77.40		1.00 a 2
	CIN		157431		330 040		aca.40
31 32	PSYCHIATRIC		15007		63		240.11
33	OVERALL AVERACES	•		·: -			
	MEDICAL	1	3797914	•••	15517		241 76
35	SURGICAL		1912896	-	5997		244.76
36			863741		2271		218.00 280.34
37	PSYCHIATRIC		312827		1307		250.10
38	IMPATIENT AND		6387373		24902		273.5%

#### APPENDIX O

#### TABLE 4

### ALIGNMENT OF INTERMEDIATE OPERATING EXPENSE

### ACCOUNTS AND BASES FOR ASSIGNMENT

#### ACCOUNT

## BASES OF ASSIGNMENT

- 1. Depreciation of Equipment
- As described in the Depreciation Account.
- 2. Command and Administrative Support Services

Ratio of each receiving account's number of full time equivalent man-months (excluding patients) to the total number of full time equivalent workmonth.

3. Personal Support Services

Ratio of each receiving account's square footage to the total square footage of the medical treatment facility.

4. <sup>1</sup>Public Works

i.

- a. Plant Management,
  Operations of Utilities,
  Other Engineering Support
  and that portion of the
  Maintenance of Real Property which cannot be
  identified with a
  specific work center
- a. Ratio of each
  account's square
  footage to the
  total square footage
  of the medical
  treatment facility.
- b. Maintenance of Real
  Property and Minor Construction (including
  projects by contract not
  funded under 10 USC 2674A)
  which can be identified
  with a specific work
  center
- b. Ratio of hours (or percentage) of service rendered to each receiving account to the total hours (or percentage) of service rendered to the medical treatment facility.

- c. Leases and Rental of Real c. Property and Facilities
- Ratio of each receiving account's square footage used to the total square footage leased or rented by the medical treatment facility.
- d. Transportation Services
- d. Ratic of hours of service received by each receiving account to the total hours of service received by the medical treatment facility.
- 5. Materiel Service
  - a. All operating expenses except equipment maintained by contract or installation provided
- a. Ratio of each receiving account's combined expenses for supplies (except subsistence) and minor plant equipment to total combined expenses for supplies (except subsistence) and minor plant equipment of the medical treatment facility issued by Materiel Service.
- Equipment maintenance by contract or provided by the installation
- b. Ratio of service rendered to each receiving account to the total service rendered to the medical treatment facility.
- 6. <sup>1</sup>Housekeeping and Janitorial Service

Ratio of hours of service rendered to each receiving account to the total hours of service rendered to the medical treatment facility.

- Biomedical Equipment Repair
   Personnel, bench stock and shop equipment costs
- a. Ratio of hours of service rendered to each receiving account to the total hours of service rendered to the medical treatment facility.
- b. Medical equipment maintenance contracts
- b. Ratio of hours (or percentage) of service rendered to each receiving account to the total hours (or percentage) of service rendered to the medical treatment facility.
- 8. Linen and Laundry Service

Ratio of pounds of dry laundry processed for each receiving account to the total pounds of laundry processed for the medical treatment facility. Pieces of laundry processed may be used as an alternate assignment basis only if to convert to pounds of dry laundry is prohibitive in cost, or prohibited by contract.

9. Inpatient Food Service

١

Ratio of inpatient rations served to each receiving account to the total inpatient rations served in the medical treatment facility.

10. Inpatient Affairs

Ratio of occupied bed days in each work center to the total number of occupied bed days in the medical treatment facility.

11. Ambulatory Care Administration

Ratio of ambulatory patient visits to each receiving account supported for record maintenance to the total visits to those clinics.

12. Pharmacy

Ratio of weighted procedures requested by each receiving account to the total weighted procedures provided by the Pharmacy.

13. Pathology

Ratio of weighted procedures requested by each receiving account to the total weighted procedures provided by Pathology.

14. Radiology

Ratio of weighted procedures requested by each receiving account to the total weighted procedures provided by Radiology.

 15. Central Sterile Supply/ Materiel Service
 a. Central Sterile Supply

a. Ratio of hours of service rendered to each receiving account to the total hours of service rendered by Central Sterile Supply.

- b. Central Materiel Service
- b. Ratio of cost of supplies and equipment issued to each receiving account to the total cost value of supplies and equipment issued by Central Materiel Service.

16. Surgical Services

Ratio of hours of service provided each receiving account to the total hours of service provided by Surgical Services.

17. Same Day Services

Ratio of hours of service provided each receiving account to the total hours of service provided by Same Day Services.

18. Special Procedures Services

Ratio of procedures requested by each receiving account to the total procedures provided by Special Procedures Services.

19. Rehabilitative Services

Ratio of visits requested by each receiving account to the total number of visits provided by Rehabilitative Services.

20. Nuclear Medicine

Ratio of weighted procedures requested by each receiving account to the total weighted procedures provided by Nuclear Medicine.

### APPENDIX P

	I	J	ĸ
1.	КАСН	DRG	DRG-KACH
2	1468.56	10028.72	8560,16
3	3189.80	5006.49	1896.69
4	7017.56	3804.14	-3213.42
5	9569.40	3804.14	-5765.26
6	4784.70	3804.14	-980.56
7	3426.64	3804.14	377.50
8	1958.08	3804.14	1846.06
9	1713.32	3804.14	2090.82
10	3426.64	3804.14	377.50
11	3189.80	3804.14	614.34
12	14685.60	3804.14	-10881.46
13	4465.72	3804.14	-661.58
14	3189.80	3804.14	614.34
15	5741.64	3804.14	-1937.50
16	2232.86	3804.14	1571.28
17	1713.32	3262.50	1549.12
18	2232.86	3262.50	1029.54
19	2870.82	3262.50	391.68
20	2370.82	3262.50	391.68
21	1913.88	3262.50	1348.62
22	1913.88	3262.50	1348.62
23	2232.36	3262.50	1029.64
24	.2232.96	3262.50	1029,64
25	1913.88	3262.50	1348.62
26	1958.08	3262.50	1304.42
27	2870.62	3262.50	301.00
28 29	1913.88	3262.50	1349.62
30	2551.84 2232.86	3262.50	710.66
31	2551.84	3262.50 3262.50	1029.64 710.56
32	6608.52	6287.41	-321.11
33	1713.32	6605.67	4892.35
34	3426.64	6605.67	3179.03
35	1958.08	3061.36	1103.28
36	1958.08	3061.36	1103.20
37	489.52	3061.36	2571.04
38	489.52	3061.36	2571.94
39	3671.40	3061.36	-610.04
40	3827.76	3061.36	-766.40
41	1468.56	3061.36	1592.00
42	7098.04	3061.36	-4036.68
43	979.04	3061.36	2092.32
44	6853.28	2798.17	-4055.11
45	244.76	2798.17	2553.41
46	979.04	2728.17	1819.13
47	4650.44	2477.06	-2173.38
48	3671.40	2477.06	-1194.34
49	5629.48	2477.06	-3152.42
50	3671.40	2477.06	-1194.34

	I .	Ĵ	К
51	979.04	2477.06	1498.02
52	3426.64	2477.06	-949.58
53	3181.88	2477.06	<del>-</del> 704.82
54	2870.82	2477.06	-393.76
55	979.04	2477.06	1498.02
		2477.06	<b>-949.58</b>
56	3426.64	2477.06	
57	2202.84		274.22
58	956.94	2477:06	1520.12
59	1713.32	2477.06	763.74
60	19091.28	2768.95	-16322.33
61	1468.56	2768.95	1300.39
62	1713.32	2768.95	1055.63
63	2447.60	2768.95	321.35
64	1958.08	2768.95	810.87
65	6465.78	2768.95	-3696.83
66	1713.32	2768.95	1055.63
67	3181.88	2365.89	-815.99
68	1713.32	2365.89	652.57
69	1223.80	2365.89	1142.09
70	1468.56	2365.89	897.33
71	979.04	2365.89	1386.85
72	2202.84	2365.89	163.05
73	1958.08	2172.76	214.69
74	1275.92	2172.76	896.94
75	2870.82	2172.76	-698.06
76	3508.78	2172.76	-1336.02
<b>7</b> 7	6119.00	2172.76	-3946.24
<b>7</b> 8	318.98	1871.56	1552.53
<b>7</b> 9	489.52	1871.56	1382.04
80	1223.80	1871.56	647.76
31	1275.92	1871.56	595.64
82	2551.84	1871.56	-680.28
83	489.52	1871.56	1382.04
84	734.28	1871.56	1137.28
85	2202.84	1871.56	-331.28
86	3671.40	1871.56	-1799.94
87	956.94	1871.56	914.62
88	318.98	1871.56	1552.58
89	5103.68	1871.56	-3232.12
50	489.52	1271.56	1382.04
91	1594.90	1871.56	276.96
92	1468.56	1871.56	403.00
93	2232.26	1871.56	-261.30
94	637.96	1371.56	1233.60
95	7775.40	5382.26	-2393.14
96	278056.94	282794.38	4737.44
97	282745.08		

....

dispression of the second

.

# APPENDIX Q

A D C	
1 ORIGINAL DATA PHARM FRAC	PATIL FRAC
2 AA (MEDICAL) 3797914 333835.17	169889.3
3 AJ (SURGICAL) 1912896 39259.04	64987.93
4 AC (GYM) 863741 15327.25	37733.16
5 AF (PSYCHIATRIC) 312827 201.91	1198.713
201401	11201/13
E F G	<b>:</b> :
1 RADIOL FRAC MSG FRAC CPERATING TO	DECOVERY RM
2 115779.5 1989874 24.9	47407.79
2 115779.5 1989874 24.9 3 39306.06 784490.6 127142.7	53235.01
4 28807.56 237946.7 04779.3	26036.86
4 29807.56 237946.7 C4779.3 5 0 213375.3	20030100
J 22373.3	<u>~</u>
I J ;	•
	T/OTT DAY
2 0 1141103.34 15517	73.7%
3 154010.4 639913.46 5997	106.71
4 78787.7 374322.47 2271 5 0 98051.077 1207	164.03 01.24

1 2 3 4 5 6 7		B WORKLOAD QTR2 13468 988 484	89100 .1511560 .0110887 .0054321	D DXP DIST 506137 76513.20 5612.938 2749.658 73.85444
8 9 10 11 12 13	AA AB AC AF	QTR3 13373 1684 413 23	.0193508 .0047453	74459.60 9376.353 2299.545 128.0618
14 15 16 17 18 19	AA AB AC AF	QTR4 2149 705 0		104886.7 17626.02 5782.384
20 21 22 23 24	AA AB AC AF	QTR1 11725 999 676 0	83633 .1401959 .0119450 .0080829	556191 77075.67 6643.727 4495.655

1	A CLINICAL DE	В .	, c	D	E	F	G	II.
_			err 3 g	amna e	לימיים ל	COTAL		
3		390947						
4	EXPENSE	338154		679508	154809			
5	AΛ	33763	33932	32658	32174	132527		
	AB	6480	7712			21709		•,
	AC	2912	3075		1615	10140		
	AF	448	218	<b>3</b> 64	35	1065		
9								
	ANATOMICAL		DDBA = 46.60	44300	12766	207624		
	TOTAL WKL	64989 27277	54660 462 <b>77</b>	44209 64929	43766 25663	207624 164146		
	AA	3263	3874	392	1028	8557		
	AB .	7081	10870	7832	9740	34523		
	AC	5570	5262	4344	5603	21784		
16		33	,4,,2		200	21704		
	BLOOD BANK	DECA						
	TOTAL WKL	20453	18193	22718		86583		
	DMPENSE	21406	30576		9286	100874		
	λA	2096	2786		3169	10705		
	ΛE	353	416		239	1932		
	AC	646	275	577	291	1709		
	AF	5				6		
24	QTR TOTAL	2	3	•	1	COMIT		
	UKLD	476389		4 4 <b>2</b> 9 <b>3</b> 50	1 40 <b>73</b> 35	TOTAL 1744764		
	EMPENSE				109752			
	COST/UNIT							
	SVC SPEC TO		21233333					
30				***		3	FRACTION	EMPENSE
31	AA	39122	40592	35704	36371	151709	•0009969	169989.3
	AB	13914	18998		11659			64937.93
	AC	9128	9612	7459	7514			37733.16
34	AF	454	218	364	35	1071	.0006133	1199.713

to the side of department and authorise such that and a state of the special department of the state of the s

	' A	B	C	פ	E	F	O	H
1	RADIOLOGY	WORKLOAD	DCVV					
2		QTR2 (	grr3 (	TR4 (	OTR1			G*F10
3	TOTAL	29956	28156	28436	29834	SVC TOT	FRACTION	SVC CST
4	AA	2487	2587	1578	1680	8432	.0724511	115779.5
5	AB	684	493	833	889	2899	.0249094	39806.06
6	AC	339	131	172	1456	2098	.0180268	28807.56
7								
3					T	OTALS		
9	WORKLOAD	29956	28156	28436	29834	116382		
10	COSTS	304211	490344	653652	149830	1598037		
11	AA	.25256.13	45053.27	38571.31	9437.1GG			
12	λE	6946.199	3535.722	19147.99	4464.667			
13	AC	3442.633	2281.399	3953.726	7312,210			

```
A
                  B
23
24 TOTALS-
25 AA
              739949.7
26 AB
              351995.1
27 AC
              104765.4
28 AF
              39607.52
29
30
            3
31 TOTALS
32 AA
              562481.8
33 AP
              238297.1
34 AC
              65202.10
35 AF
              67885.47
36
37
            2 .-
38 TOTALS
39 AA
              442313.0
40 AB
              120823.6
41 VC
              40927.37
42 AF
              51231.47
43
-:4
            1
45 TOTALS
46 AA
              245129.7
47 AB
              73374.77
48 AC
              27051.85
-9 AF
              4650.802
50
51 OVERALL TOTAL
52 AA
              1989374.
23 73
              784490.6
54 AC
              237946.7
55 AF
              213375.3
```

	Α	В	С	D
1	QTR2			
2	C2	AAXA		
3	•	EXP	HRS	53
4	TOTAL	279827	1311	
5	AA	218995.0	1026	.7926097
6	AB	20490.76	96	.0732265
7	AC	213.4455	_1	.0007628
8	AF	37566.40	176	.1342487
9				
10	E2	AAXE		%
11	TOTAL	236420	2341	
12	λA	130279.4	1290	.5510466
13	AB	50091.55	496	.2118753
14	АС	706.9372	7	.0029902
15	AF	1918.830	10	.0031162
16			_	,
17	<b>B3</b>	AAXC	10 # 4	•
	TOTAL	227249	1954	1004166
19	$\lambda A$	93039.51	800	.4794166
20	AB	50241.33		.2219850
21	AC	40006.99	344	.1760491
22 23	AF	11746.24	101	.0516898
24	momat c			
25	TOTALS AA	442313.0		
26	AB	120823.6		
27	AC	40927.37		
23	AF	51231.47		
<u> </u>	ME	21-21-4:1		•

	A	В	С	Ð
1	QTE3			
2	C2	AXXA		
3		EXP	HRS	23
4	TOTAL	423164	1199	7001750
5	77	333519.6	945	.7831568 .0575480
	AB	24352.22 2117.585	69 6	.0050042
7 8	AC	57880.65	164	.1367807
9	AF	37880.03	104	.1507607
	B2	AAXB		¢/
11	TOTAL	354415	2046	,
12		125240.5	723	.3533724
13	AB	114673.9	662	.3235582
14	AC	0	O.	0
	AF ·	7102.158	41	.0200391
16				.,
	B3	AAIIC		3
18	TOTAL	341353	1764	2020540
19	44	103721.8	5 <b>3</b> 6 513	.3038549
20	AB	99271.03 63084.51	326	
21 22	AC AF	2902.562	15	.0085034
23	Ar	25028504	15	• 000000
24	TOTALS			
25	λA	562481.8		
26		238297.1		
27	AC	65202.10		
28	AF	67885.47		

	A	D	C	D
1	QTR4			
2	C2	AAXA		
3		EXP	HRS	%
4	TOTAL	557973	1095	
5	λA	394438.1	767	.7069124
6	AD	105423.5	205	.1889401
7	AC	1028.522	2	.0018433
8	AΓ	56568.69	110	.1013825
9				
10	E2	AAKB		7,3
11	TOTAL	472597	1774	
12	λA	201399.8	756	.4261556
13	AB	125741.7	472	.2660654
14	AC	~ 0	0	0
15	AF	27439.40	103	.0500000
16		3 3 3 2 4		,
17	B3	AAKC	1540	1
	TOTAL	454733	1543	2160151
19	AA	144111.8	489	.3169151
20	AB	120829.9	410	.2657161
21	AC .	103736.9	352	.2281270
22	AF	5599.434	19	.0123137
23	moma z c	4		
24 25	TOTALS	720040 7		
26	AA	739949.7		
20	AB	351995.1 104765.4		
	AC	104765.4		
28	AF	89607.52		

	A	3	c ,	D
1	QTR 1			
2	C2 TOTAL AA AB	· AAKA		
3		EXP	HPS	• -
	TOTAL	153468	634	
3	AA	143059.3	591	
<u> </u>	AB	9440.461	39	.0615142
- 7	AC	0	0	
3	AF	242.0631	1	.0015773
. 3	B2	AAXB		53
		132082	2168	
2	AA	55866.79	917	
. 3	AD	28024.78	460	
	'JC	, O	0	0
3	AF	2254:167	37	.0170664
. Š	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	AAXC		o <i>r</i>
,	TOTAL	137733		75
,	32	46203.60	1726 579	
	AB	35909.53	450	
•	30	27051.85	339	
2	AA AD AC AF TOTALS AA	2154.572	27	
3			•	* 10 * 21 * 12 *
:	TOTALS			
5	AA	245129.7		
•	AB	73374.77		
7		27051.85		
•>	ΛF	4650.802		

· A I OR	В	C	. D
2 QTR1 3	DFBA	****	.,
4 TOTAL	EXP 92304	HRS 1188	¢′
5 AA 6 AB	0 52911.64	0 681	.5732323
7 AC 8 AF	24552.24	316	
9	_	O	
10 QTR2 11 TOTAL	DFBA 27920	1121	ć,
12 AA 13 AB	24,90633	1	.0000921
1 4 3 4	13872.83 7696.057	557 309	
15 AF	0	0	0
14 AC 15 AF 16 17 GTR3 18 TOTAL 12 AA	DFBA	•	e.*
18 TOTAL	49234 0	1372	0
LO AB	25801.20	0 719	_
D1 AC	12487.92	348	
03 AF	0	0	С
24 QTR4	DFDA	1121	· ·
15 AA	65140 0	1131	o
27 AD	34557.03 20043.00	600 <b>34</b> 3	
10 AF	20043.00	0 24-3	•3070923 0
10 AA 10 AB 21 AC 22 AF 23			
C2 AA	24.90633		
13 AB	127142.7		
35 AF	64779.30 0		

1	rr	D	C	ם
1034		DFAC EMP	HPS	<b>;</b> ;
4 5	TOTAL	6281 0	299 0	,, ,,
5 6 7 8 9	AC	4201.338 1197.381 0	200 57 0	
10 11 12 13 14	QTR2 TOTAL AA AD AC AF	DFAC 22420 817.3953 -10392.40 6013.698	384 14 179 103	.0364583 .4635417 .2602292
16 17	QTR3	DFAC 30003 46203.6 19391.94 7995.403 0	637 75 325 134 0	.0706436 .5102041 .2103611
243 236 27 23 20 30	TOTAL AA AR AC AF CTR4 TOTAL AA AC AC AC AC TOTAL	DFAC 45739 386.7992 29300.04 10330.38	303 112 0	.0034507 .0405020 .0367965
32 33	TOTALS AA AB AC AF	47407.79 63285.01 26036.86 0	·	

_	A	В	С	D
1	AMESTH	nn::		
2 3	QTR1	DFAA EXP	• 1	
4	TOTAL	49264		IRS % 173
5	AA	0		0 0
6	AB	28872.67	1	.60 .5860806
7	AC	11909.98		66 .2417582
8	AF	0		0 0
9 10	OMD 3	DELL		-
11	QTR2 TOTAL	DFAA 60004	2	:22
12	AA	0	2	0 0
13	AB	27839.69	1	03 .4639640
14	AC	16487.59		61 .27-17748
15	AF	0		0 0
16	0.000			
17 18	QTR3 TOTAL	DFAA	_	,,,, ,,,
10		88026 0	ک	0 <b>7</b> 0
20	AD.	45876.74	1	60 .5211726
21	AC	13350.70		63 .2084691
22	AF	0		0 3
23	AA AB AC AF QTR4 TOTAL AA AB AC AF			-
24	QTR4	DFAA		<i>*</i> *
25	TOTAL	101656	2	57
20	7 D	0 51421.32	1	0 0 30 .5058366
20	VC VC	32039.44		30 .5058366 81 .2151751
29	AF	0		01 -1131/31
				,
31	TOTALS			
32	AA	0		-
33	AB	154010.4		
34 35	AC AF	78787.70 0		•
رر	PAE .	U		

# APPENDIX R

	1
1	GENERAL
2	441.24
3	1067.10
4	2347.62
ີ່ ຂໍ້.	1000.65
7	1029.56
ġ	588.32
9	514.78
10	1029.56
11	1057.10
13	1493.94
14	1067.10
13	1920.78
16	746.97
17	514.78
10	969-39
20	960.39
21	640.25
22	640.23
23 27	746.117
25	640.26
1234567890112345678901234567890123456	GENERAL 441.24 1067.10 2347.62 3201.30 1009.56 588.32 514.78 1029.56 1067.10 4412.40 1493.94 1067.10 746.77 746.23 746.23 746.23 746.23 746.23 746.23 746.23 746.23 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33 746.33
27	969.39
23	640.20
30 38	746.07
31	853.69
32	1085.50
33	514.73
344 75	1023.00 589.22
36	583.32
37	
38	147.08
39	1103.10
41	441.24
.12	147.08 147.08 1103.10 1280.52 441.24 2132.10
37 38 39 41 42 44 45 46 47 48 49 50	147.08 1103.10 1280.52 441.24 2132.60 294.16 2059.12 73.54 204.10 1397.26 1103.10 1591.42 1103.10
4A 45	2059.12
45 46	204.16
47	1397.25
48	1103.10
40	1591.42
50	1103.10

	I
553355555566666666667777777777778888888888	1 29.56.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 1029.029 102
84 85 86 86 89	220.62 661.36 1103.10 320.13 100.71 1707.38
90 91 93 93 95	147.0% 503.00 441.04 740.07 210.42 2437.23
Ú.	03040.09

# APPENDIX S

	λ			D	С		Ü
1	QUAPTERLY	DATA			•		
2	CLE NO		TOTAL	IMPENSE	WORKLAND/O	ro cost	PEP LIGER
4	PHARH			506187	7	65150	5.08
5	PATH			396837		75389	.01
6 7	RADIOL			304211		<b>2</b> 0056	10.16
9	QUARTERIA	DATA					
9	CII 1.0			3	}		
10 11	Dr. Z. Z.		A hadd	######################################	WODKLOAD/2:  -	DD GOST 17025	TIT VILL
12	PATH	,		592183			1.37
13	RADIOL			490344	ļ	32500 20175	17.12
14 15	O:::: ::::::::::::::::::::::::::::::::	** * ** *					
	QUARTERLY QTR NO	Arakask.		•	• •		
17			TOTAL	DIFFICE	mounthuve/o		
	PHARM Page			66675- 734043		11202	0.20
10	PATH NADIOL			734011. 653651	:	01202 20370 20436	00.00
21					-		22 V .
22	QUARTERLY	DATA					
23 21	700 X00		TOTAL	TIPRICE	L SCOPICE CARZO	n-, non-	manager of the same and
25	PHARM		-01	556191		กลาวอ	· · · · · · · · · · · · · · · · · · ·
26	Patii			139759	:	07333	• • • 7
27 28	PADIOL			1.10030	) -	20 3:	J.02
50	OVERALL AN	/ERACES	3		J <del></del>		
30	PHARM		e.	2213673	3	41050	Ç.49
31 32	PATH RADIOL			1952823		44754 163''2	1.12
ک ن	بدلالماستتان			1598031	1	1037	13.73

1	A PHAMACY WEIGHTS	B	С	ם	
	HOMENCLATURE	ÇTY	i ili	LOLYT	
	NEW PRESCRIPTION			00	i)
7	REFILLS CLINIC ISSUES		•	00 60	0
9	BULK ISSUES UNIT DOSE		-	15	C
10	STERILE PRODUCT		2.	O0	0

		- \					:
.'		-:	STAT WT ROUTI			NT TOTAL	<b>.</b> 5
		AMYLASE	3	3	. 3		0
		AMONIA	21	21	21		0
	4	SMA 6	2.7	. 2.7	2.7		0
	- 5	PT/PTT	.75	.75	.75		Ō
		CEC	4	4	4		ő
		CEC/DIFF	15	15	15	•	
			7.5	12			Ō
		SODIUN	2.2 2.2		2.2	2.8	0
		POTASSIU::	2.2		2.2	2.8	Q
	10	COMPLETE UA	6	6	6	•	0
	11	UA PROT/GLUC	6	5	G		Ō
		UA CHEM	4	5 4	4		Õ.
		SEROLOGY RPR	3	3	3		
		SEROLOGI RFR	3	3	3		0
	14						0
	15						0
	16	HEPATIC PANEL				3.6	0
	17	KDA SMA 6				3.3	Õ
		RENAL PAHEL	6.5		6.5	3.7	ŏ
		PRE-OP SCREEN	0.5		0.5		
		GOT/AST				3.3	Ö
						2.3	0
		LDH/LD610				2.8	0
		GPT ALT				2.8	0
	23	FTA/ADS		21			0
	24						Õ
		TISSUE EXAM	4				
	26	riocob mari					0
		comic form a form					0
		SENS/CULT/CNT	<u>.</u>				0
		BLOOD	13	27			0
	29	URINE	7.7	21.			0
	30	SPUTUM	9.5	25			Õ
		BILE	10.	26.			Ő
		CALL DLADDER					
			11.	27.			0
		CREATININE	_				Q
		BLOOD	3 3		3 3	2.8	0
	35	URINE	3		3	2.9	0
	36	UREA					Ö
		PLOOD	2.5		2.5	2.8	ŏ
		URINE	2.5		2.5		
				•	2.3	2.3	0
		CRAM STAIN	0.0				0
		SPUTUM	8.8				0
	41	BLOOD	3				0
	42	URINE	8.8				Ö
		BLOOD GAS	4	4	4		ŏ
		CALCIUN!	3	•	-	2.9	~
		PHOSPHATE .	46				0
						2.0	0
		GLUCOSE	2.2	2.2	2.2	2.9	0
		CPK	3 3		2 3	2.7	0
		ISO-ENZYMES	3		3		0
	-19	SERUM IROH				2.5	Ö
	50	FERRITI:		21		0.0	ő
	51		2		~		
		ELCOD ALC	3 3	3 3	3 3		ŋ
				3 ,	Ĵ		Ŋ
		GLUCOSE TOLERAN				2.2	9
		BLOOD TRANSFUSS	iion 17				O
		HCD					ō
	56	HCT	3	3	3		ő
;		CELL COUNT	3 7 3	18	3		
,	38	PROTEIN	2	40		• •	Ö
	70	LDH	3			2.8 2.8	0
,				_	_	2.8	0
,		MAGNESIUM	3	3	. 3		0
		ALBUMIN				2.8	Ō
, í		TOXICOL	21				ŏ
•	്3	ALC PHOS	<del></del> -			2.8	ŏ
	74	-	•	136		£ , Ü	
	- •	Annex 2 to Apr	andir e	130		.# <u>*</u>	0
		HILLEY & FO ADI	ירושגא ס			***	-

•

	A	В	С	ກ * ÷6	E	F TOTALS	
2	RADIOLOGY PROCEDURE	FINED	WT 2.3	PONTABLE	VT		0
4	ADD ADD SERIES ACDE		6 9 7				0 0
	DAS DE		7 9 7		•	_	0
8	CHOLANGIOGRAM		7 6			<del>ა</del> 6	0
10	CKR Gb		5 7 8				0
11 12	IVC IVP		8				0
13 14	LIVER U/S ~		13 14	•			0
15 16	PILVIC U/S		13 2.9			Ç	00000000000
17	UGI		9 13				0
18	U/S PANC		13	3	TOTAL		0
20 21							
22 23		ST DD		سدد ا عمر مب			
24 OB OR = CHOLAMOIOGRAM = U DILLARY TRUE 25 OB SCOUT = ADDOMEN = KUB							
26 27	IVC = IV CHOLADIO						
29			CD				

	_		
_	Α	В	C
1	PHARM CNT	*CST_PER	TOT CST
2	31.6	6.49	205.08
3	41.45	6.49	269.01
4	133.25	6.49	864.79
5	127.65	6.49	828.45
6	59.25	6.49	384.53
7	57.35	6.49	372.20
8	40.55	6.49	263.17
9	46.55	6.49	302.11
10	102	6.49	661.98
11	26.6	6.49	172.63
12	372.15	6.49	2415.25
13	29.85	6.49	193.73
14	23.6	6.49	153.16
15	61.85	6.49	401.41
16	26.15	6.49	169.71
17	27.65	6.49	179.45
18	31.15	6.49	202.16
19	22.85	6.49	148.30
20	19.65	6.49	127.53
21	15.95	6.49	103.52
22	27.35	6.49	177.50
23	25.25	6.49	163.87
24	13.2	6.49	85.67
25	18.45	6.49	119.74
26	22,65	6.49	147.00
27	34.85	6.49	226.18
28	21.95	6.49	142.46
29	26.25	6.49	170.36
30	27.65	6.49	179.45
3 ι	26.55	6.49	172.31
32	93.65	6.49	607.79
33	22.35	6.49	145.05
34	48	6.49	311.52
35	28.95	6.49	187.89
36	32.3	6.49	209.63
37	5.15	6.49	33.42
38	2.3	6.49	14.93
39	45	6.49	292.05
40	41.65	6.49	270.31
41	12.55	6.49	81.45
42	101.1	6.49	656.14
43	9.25	6.49	60.03
44	89.65	6.49	581.83
45	2.45	6.49	15.90
46	60.3	6.49	58.41
47	68.2	6.49	442.62
48	47.25	6.49	306.65
49	78.15	6.49	507.19
50	31.25	6.49	202.81

	A	В	С
51	5.3	6.49	34.40
52	48.3	6.49	313.47
53	37.25	, 6.49	241.75
54	18.25	6.49	118.44
55	7.65	6.49	49.65
56	28.25	6.49	183.34
57	26.2	6.49	170,04
58	5.05	6.49	32.77
59	22.6	6.49	146.67
60	327.45	6.49	2125.15
61	18.5	6.49	120.07
62	22.45	6.49	145.70
63	31.1	6.49	201.84
64	24.45	6.49	158.68
65	61.15	6.49	396.86
66	13.95	6.49	90.54
67	43.35	6.49	281.34
68	23.65	6.49	153.49
69	13.75	6.49	89.24
70	20.7	6.49	134.34
71	11.8	6.49	76.58
72	28.55	6.49	185.29
73	26.6	6.49	172.63
74	33.95	6.49	220.34
75	35.95	6.49	233.32
76	43.45	6.49	281.99
77	68.75	6.49	446.19
78	. 0	6.49	.00
79	.75	6.49	4.87
80	35.35	6.49	229.42
81	9.8	6.49	63.60
82	28.6	6.49	185.61 31.80
83	4.9 9.85	6.49 6.49	63.93
84	35.55	6.49	230.72
85 86	48.25	6.49	313.14
87	13.85	6.49	89.89
88	13.65	6.49	.00
89	58.2	6.49	377.72
90	6.9	6.49	44.78
91	19.75	6.49	128.18
92	19.7	6.49	127.85
93	23.65	6.49	153.49
94	7.9	6.49	51.27
95	68.5	6.49	444.57
96		TAL	24333.28

NAME		λ	В	С	D	E F
2       32       126       192       13       14.6         3       32       897       197       33.5       37.5         4       32       2875       197       388.1       435.         5       32       875       197       368.1       435.         7       32       1015       197       368.1       435.         8       32       2003       197       82.55       92.5         9       32       20071       197       90.5       101.         10       32       2312       197       208.4       233.         11       32       2383       197       19.9       22.3         12       32       3156       197       26.3       29.5         14       32       3067       197       26.3       29.5         14       32       3087       197       291.1       326.1         15       32       3156       197       291.1       326.1         16       32       3156       197       291.1       326.1         17       31       9954       198       27.7       31.0         19 <td>1</td> <td>NAME</td> <td>1</td> <td>REG NO</td> <td></td> <td></td>	1	NAME	1	REG NO		
3	2		32	126		
4       32       221       197       318.1       129.         5       32       875       197       388.1       435.         6       32       965       197       66.2       74.1         8       32       2003       197       82.55       92.5         9       32       2071       197       90.5       101.         10       32       2312       197       208.4       233.         11       32       2383       197       19.9       22.3         12       32       3026       197       208.4       233.         12       32       3086       197       208.3       29.5         14       32       3087       197       229.1       326.3       27.5         15       32       3156       197       291.1       326.3       27.5         16       32       3680       197       55.9       62.6         17       31       9954       198       38.7       43.3         18       31       9954       198       38.7       43.3         19       32       204       198       194.3       15	3.		32			
10	4					
10	5				197	300 1 42E
10	6		32		197	200.1 422.
10	7		32		107	211 226
10	8				197	
10	9					62.55 92.5
11       32       2383       197       19.9       22.33         12       32       2848       197       1295       1450         14       32       3026       197       26.3       29.5         15       32       3156       197       291.1       326.         16       32       3680       197       55.9       62.6         17       31       9985       198       38.7       43.3         18       31       9985       198       32.7.7       31.0         19       32       204       198       134.3       150.         20       32       1043       198       199.22.3         21       32       1300       198       199.22.3         21       32       1300       198       199.22.3         21       32       1502       198       24.26.9         21       32       1502       198       24.26.9         23       32       1599       198       31.3       35.1         25       32       3140       198       27.6       30.9         25       32       3140       198       20.3 <td>10</td> <td></td> <td>32</td> <td></td> <td>107</td> <td>90.5 101.</td>	10		32		107	90.5 101.
12			32	2202	107	208.4 233.
13       32       3026       197       26.3       29.5         14       32       3087       197       24.3       27.2         15       32       3156       197       291.1       326.2         16       32       3680       197       55.9       62.6         17       31       9954       198       38.7       43.3         18       31       9985       198       27.7       31.0         20       32       1043       198       134.3       150.         20       32       1043       198       134.3       150.         21       32       1330       198       13.44.6         23       21502       198       24       26.9         23       3140       198       20.22.4       26.9         24       32       3088       198       27.6       30.9         25       32       3140       198       20.22.4         27       32       3322       198       20.3       22.7         28       32       3438       198       42.4       47.5         30       32       3547       198			32			19.9 22.3
14       32       3087       197       20.3       29.1         15       32       3156       197       291.1       326.         16       32       3680       197       55.9       62.6         17       31       9954       198       38.7       43.3         18       31       9985       198       27.7       31.0         19       32       204       198       134.3       150.         20       32       1043       198       19.9       22.3         21       32       1300       198       13.14.6         23       21       32       1502       198       24.26.9         24       26.9       32       1599       198       31.3       35.1         25       32       3140       198       27.6       30.9       22.4         25       32       3140       198       20.3       22.7         26       32       3203       198       20.3       22.7         28       32       3140       198       26.6       26.5       74.6         29       32       3547       198       26.6 <td< td=""><td></td><td></td><td>33</td><td></td><td>197</td><td></td></td<>			33		197	
15       32       3156       197       291.1       326.6       197       291.1       326.6       197       55.9       62.6       62.6       18       31       9985       198       38.7       43.3       198       19.9       22.3       198       27.7       31.0       20       32       1043       198       19.9       22.3       150       198       19.9       22.3       13       14.6       26.9       24       26.9       23       24       26.9       24       26.9       24       26.9       24       26.9       24       26.9       22.4       26.9       29       22.3       32.1599       198       31.3       35.1       35.1       35.1       35.1       35.1       36.9       24       26.9       29.9       22.4       32.9       32.2       26       32.3       3140       198       20.2       22.4       26.9       29.9       32.2       32.2       32.2       32.2       29.8       32.2       27.6       30.9       32.2       27.6       30.9       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2       32.2			32	3020	197	26.3 29.5
16       32       3680       197       55.9       62.6         17       31       9954       198       38.7       43.3         18       31       9985       198       27.7       31.0         20       32       1043       198       13.4.3       150.         20       32       1043       198       19.9       22.3         21       32       1330       198       19.9       22.3         22       32       1502       198       24       26.9         23       32       1509       198       24       26.9         24       26       32       3140       198       20.2       2.4         25       32       3140       198       20.3       22.7         26       32       3232       198       20.3       22.7         28       32       348       198       42.4       47.5         29       32       3547       198       26.6       29.8         31       32       3646       198       126       141.         32       3459       199       357.2       400.         33			32	300/	19/	24.3 27.2
17       31       9954       198       38.7       43.3         18       31       9985       198       27.7       31.0         19       32       204       198       134.3       150.0         20       32       1043       198       19.9       22.3         21       32       1330       198       13       14.6         22       32       1502       198       24       26.9         24       32       3088       198       27.6       30.9         25       32       3140       198       27.6       30.9         26       32       3203       198       20.3       22.7         26       32       3140       198       20.3       22.7         28       32       3438       198       42.4       47.5         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126       141.         32       3647       198       26.9       30.1         33       32			22		197	291.1 326.
18       31       9985       198       27.7       31.0         19       32       204       198       134.3       150.         20       32       1043       198       19.9       22.3         21       32       1502       198       13 14.6         22       32       1502       198       24 26.9         23       32       1599       198       31.3       35.1         24       32       3088       198       27.6       30.9         25       32       3140       198       20.2       22.4         26       32       3140       198       20.3       22.7         26       32       3140       198       20.3       22.7         27       32       3322       198       40.3       22.7         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         31       32       3646       198       126.141.         32       3647       198       26.9       30.1         33       32       148       200 <td< td=""><td></td><td>•</td><td></td><td></td><td></td><td>55.9 62.6</td></td<>		•				55.9 62.6
19       32       204       198       134.3       150.         20       32       1043       198       19.9       22.3         21       32       1330       198       13       14.6         22       32       1502       198       24       26.9         23       32       1599       198       31.3       35.1         24       24       32       3088       198       27.6       30.9         25       32       3140       198       20.3       22.7         26       32       3203       198       20.3       22.7         28       32       3438       198       20.3       22.7         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3547       198       26.6       29.8         31       32       3459       199       357.2       400.         32       342       198       200       105.95       119.         34       32       1446       200       187.92       210.      <						38.7 43.3
20       32       1043       198       19.9       22.3         21       32       1330       198       13       14.6         22       32       1502       198       24       26.9         23       32       1599       198       31.3       35.1         24       32       3088       198       27.6       30.9         25       32       3140       198       20.3       22.7         26       32       3203       198       20.3       22.7         27       32       322.198       66.65       74.6         29       32       3438       198       42.4       47.5         29       32       3438       198       42.4       47.5         29       32       3438       198       42.4       47.5         30       32       3646       198       126       141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         32       3459       199       357.2       400.         35       32       342       202<						
21       32       1330       198       13       14.6         22       32       1502       198       24       26.9         23       32       1599       198       31.3       35.1         24       32       3088       198       27.6       30.9         25       32       3140       198       20.22.4         26       32       3203       198       20.3       22.7         27       32       3322       198       66.65       74.6         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126.141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         34       32       146       200       187.9       210.         35       32       342       202       52       58.2         36       32       356       202       271.25       304.         38       32       1195       202<			34			
22       32       1502       198       24       26.9         23       32       1599       198       31.3       35.1         24       32       3088       198       27.6       30.9         25       32       3140       198       20.3       22.7         26       32       3203       198       20.3       22.7         28       32       3438       198       42.4       47.5         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126       141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         31       32       3459       199       357.2       400.         35       32       1446       200       105.95       119.         35       32       146       200       187.9       110.         36       32       156       202       271.25       304.         37       32<						
23       32       1599       198       31.3       35.1         25       32       3088       198       27.6       30.9         26       32       3140       198       20.22.4         27       32       3322       198       66.65       74.6         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126.141.         31       32       3646       198       126.6       29.8         33       32       3459       199       357.2       400.         35       32       3459       199       357.2       400.         35       32       146       200       105.95       119.         35       32       146       200       187.99       210.         35       32       146       200       187.99       210.         36       32       1565       202       271.25       304.         37       32       918       202       68.45       76.7         38       32			32	1330		13 14.6
24       32       3088       198       27.6       30.9         25       32       3140       198       20.22.4         26       32       3203       198       20.3       22.7         28       32       3322       198       66.65       74.6         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126.9       30.1         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         37       32       342       202       271.25       304.         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32			32			24 26.9
25       32       3088       198       27.6       30.9         26       32       3140       198       20.3       22.7         27       32       3203       198       66.65       74.6         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126       141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       3918       202       68.45       76.7         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>31.3 35.1</td>						31.3 35.1
26       32       3203       198       20.3       22.7         27       32       3322       198       66.65       74.6         28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126       141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.92       210.         35       32       342       202       52       58.2         36       32       342       202       70.6       79.1         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42			32			27.6 30.9
27       32       3203       198       20.3       22.7         28       32       3322       198       66.65       74.6         29       32       3438       198       42.4       47.5         30       32       3547       198       26.9       30.1         31       32       3646       198       126.141.         31       32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       318       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42			32			20 22.4
28       32       3438       198       42.4       47.5         29       32       3547       198       26.9       30.1         30       32       3646       198       126       141.         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         38       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       3047       202       18.5       20.7         43       32 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>20.3 22.7</td>						20.3 22.7
29       32       3438       198       42.4       47.5         30       32       3547       198       26.9       30.1         31       32       3646       198       126       141.         32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       3047       202       18.5       20.7         44       32       1028						66.65 74.6
30       32       3646       198       126       141         31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       3047       202       18.5       20.7         43       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>42.4 47.5</td>						42.4 47.5
31       32       3647       198       26.6       29.8         32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       2677       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       3						26.9 30.1
32       3459       199       357.2       400.         33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       342       202       52       58.2         37       32       565       202       271.25       304.         38       32       1195       202       68.45       76.7         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2134       202       186.6       175.         43       32       2677       202       156.6       175.         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>126 141.</td></td<>						126 141.
33       32       198       200       105.95       119.         34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       565       202       271.25       304.         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106. <td< td=""><td></td><td>•</td><td></td><td></td><td></td><td></td></td<>		•				
34       32       1446       200       187.9       210.         35       32       342       202       52       58.2         36       32       565       202       271.25       304.         37       32       918       202       68.45       76.7         38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106.         49       32       330       204       187.4       210.						357.2 400.
35       32       342       202       52       58.2         37       32       565       202       271.25       304.         38       32       918       202       68.45       76.7         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106.         49       32       330       204       136       152.         50       32       330       204       187.4       210.						
36       32       565       202       271.25       304.         38       32       918       202       68.45       76.7         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106.         49       32       330       204       136       152.         50       32       330       204       187.4       210.		*				
37       32       565       202       271.25       304.         38       32       918       202       68.45       76.7         39       32       1195       202       70.6       79.1         40       32       1456       202       311.8       349.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106.         49       32       330       204       136       152.         50       32       330       204       187.4       210.		•				52 58.2
38       32       1195       202       70.6       79.1         39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         48       31       9939       204       94.6       106.         49       32       330       204       136       152.         50       32       330       204       187.4       210.						
39       32       1270       202       311.8       349.         40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         50       32       330       204       187.4       210.						68.45 76.7
40       32       1456       202       147.15       165.         41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         45       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         50       32       330       204       187.4       210.						70.6 79.1
41       32       2134       202       181.35       203.         42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         49       32       330       204       187.4       210.						
42       32       2677       202       156.6       175.         43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         50       32       330       204       187.4       210.						147.15 165.
43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         50       32       330       204       187.4       210.						181.35 203.
43       32       3047       202       18.5       20.7         44       32       132       203       394.8       442.         45       32       1028       203       17.45       19.5         46       32       1216       203       2.7       3.02         47       31       9939       204       94.6       106.         48       31       9964       204       136       152.         49       32       330       204       187.4       210.						156.6 175.
32     132     203     394.8     442.       45     32     1028     203     17.45     19.5       46     32     1216     203     2.7     3.02       47     31     9939     204     94.6     106.       48     31     9964     204     136     152.       50     32     330     204     187.4     210.						
32 1028 203 17.45 19.5 32 1216 203 2.7 3.02 47 31 9939 204 94.6 106. 48 31 9964 204 136 152. 50 32 330 204 187.4 210.						
32 1216 203 2.7 3.02 47 31 9939 204 94.6 106. 48 31 9964 204 136 152. 50 32 330 204 187.4 210.						
31 9939 204 94.6 106. 31 9964 204 136 152. 32 330 204 187.4 210.						
31 9964 204 136 152. 32 330 204 187.4 210.				9939		
32 330 204 187.4 210.						
	<b>50</b>		32	470	204	185 207.

51         32         846         204         56.5 63.3           52         32         880         204         56.5 63.3           53         32         916         204         104.7 117.           54         32         1983         204         116.6 131.           55         32         2455         204         95.95         107.           56         32         2455         204         56.5 63.3         59.6           58         32         2708         204         56.5 63.3         58.5         59.9         32         3485         204         56.5 63.3         58.65         59.9         32         3485         204         78.8 88.3         59.9         32         3485         204         145.8 163.         66.5         67.3         32.8         66.5         67.3         32.9         205         686.05         748.8         86.3         66.3         66.2         32         93         205         120.65         135.         66.2         32         93         205         240.95         270.6         66.2         32         2938         205         223.8 284.         66.2         32         2938         205         223.8 284.		A	В	С	D .	E F
52       32       880       204       56.5       63.7       61.7       13.7         54       32       1983       204       104.7       11.6       131.         55       32       2104       204       53.2       59.95       107.         57       32       2708       204       56.5       63.3         58       32       3281       204       78.8       88.3         59       32       3485       204       145.8       163.3         60       31       9134       205       668.05       748.         61       31       9996       205       86.25       96.25         62       32       32       32       240.95       270.         64       32       2846       205       237.9       266.         65       32       2938       205       125.3       284.         66       32       23618       205       237.9       266.         65       32       2938       205       237.9       266.         66       32       263       205       237.9       266.         67       32       3618	51					111.6 125.
53         32         916         204         104.7 117.           54         32         1983         204         116.6 137.           55         32         2104         204         53.2 59.6           56         32         2455         204         95.95         107.           57         32         2708         204         56.5 63.3         358         32         3281         204         78.8 88.3         359         32         3485         204         145.8 163.3         59         32         3485         204         145.8 163.3         59         668.05         748.8 88.3         360         660         31         9134         205         668.05         748.8 88.3         360         660         31         9996         205         86.25         96.6         662         32         93         205         120.65         135.6         662         32         293         205         120.65         135.6         662         32         2846         205         237.9 266.         662         32         2846         205         237.9 266.         663         32         2818         205         181.05         206         665         32         2618		•				56.5 63.3
54         32         1983         204         116.6         131.           55         32         2104         204         53.2         59.6           56         32         22455         204         95.95         107.           57         32         2708         204         56.5         63.3           58         32         3281         204         78.8         88.3           59         32         3485         204         145.8         163.           60         31         9134         205         668.05         748.8           61         31         9996         205         86.25         96.6           62         32         93         205         120.65         135.           63         32         2634         205         240.95         276.           64         32         2846         205         237.9         266.           65         32         2938         205         253.8         284.           66         32         3618         205         181.05         203.           67         32         2938         205         181.05         203.						104.7 117.
55         32         2104         204         53.2         50.6           56         32         2455         204         95.95         107.           57         32         2708         204         56.5         63.3           58         32         3281         204         78.8         88.3           59         32         3485         204         145.8         163.           60         31         9134         205         568.05         748.           61         31         9996         205         86.25         96.6           61         31         9996         205         86.25         96.6           62         32         293         205         237.9         266.           63         32         2846         205         237.9         266.           65         32         2938         205         253.8         284.           66         32         3618         205         237.9         266.           67         32         263         206         88.2         98.8           68         32         1517         206         99.7         112.						
556         32         2455         204         95.95         107.           57         32         2708         204         56.5         63.3           58         32         2781         204         78.8         88.3           59         32         3485         204         145.8         163.           60         31         9134         205         668.05         748.           61         31         9996         205         86.25         96.6           62         32         93         205         240.95         270.           63         32         634         205         240.95         270.           64         32         2938         205         237.9         266.           65         32         2938         205         237.9         266.           66         32         3618         205         181.05         203.           67         32         2938         205         181.05         203.           68         32         1517         206         38.25         266.           70         32         3136         206         58.35         65.40						53.2 59.6
57         32         2708         204         56.5         63.3           58         32         3281         204         78.8         88.3           59         32         3485         204         145.8         163.           60         31         9134         205         668.05         748.           61         31         9996         205         86.25         996.6           62         32         32         32         240.95         270.           64         32         2846         205         237.9         266.           65         32         2938         205         253.8         284.           66         32         3618         205         181.05         203.           67         32         3618         205         181.05         203.           68         32         1517         206         38.298.8         298.8           69         32         1573         206         38.298.8         298.8           70         32         3136         206         58.35         65.4         0.6           71         32         325         206         3						
58         32         3281         204         78.8         88.3           59         32         3485         204         145.8         163.           60         31         9134         205         668.05         748.           61         31         9996         205         86.25         96.6           62         32         93         205         120.65         135.           63         32         634         205         237.9         266.           65         32         2846         205         237.9         266.           65         32         2938         205         253.8         284.           66         32         3618         205         181.05         203.           67         32         23618         205         181.05         203.           68         32         1517         206         99.7         112.           69         32         1793         206         38.25         40.6           71         32         325         206         39.6         44.4           72         32         3585         206         103.1         115. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
599       32       3485       204       145.8       163.         600       31       9134       205       668.05       748.         61       31       996       205       86.25       96.6         62       32       93       205       120.65       135.         63       32       634       205       240.95       270.         64       32       2846       205       237.9       266.         65       32       2938       205       253.8       284.         66       32       2618       205       253.8       284.         66       32       2618       205       253.8       284.         66       32       263       206       88.2       99.3         68       32       1517       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       40.4         72       32       3585       206       103.1       115.         73       32       1795       207       103.2       116.						
60         31         9134         205         668.05         748.           61         31         9996         205         86.25         96.6           62         32         32         93         205         120.65         135.           63         32         2846         205         240.95         270.           64         32         2846         205         237.9         266.           65         32         2938         205         253.8         284.           66         32         3618         205         181.05         203.           67         32         63         206         88.2         98.8           68         32         1517         206         99.7         112.           69         32         1537         206         36.25         40.6           70         32         3136         206         58.35         65.4           71         32         3255         206         39.6         44.6           72         32         3585         206         103.1         115.           73         32         1793         207         116.7						145.8 163.
61 31 9996 205 86.25 96.6 622 32 93 205 120.63 135. 63 32 93 205 120.63 135. 64 32 2846 205 240.95 270. 65 65 32 2938 205 253.8 284. 66 32 3618 205 181.05 203. 67 32 68 206 88.2 98.8 68 32 1517 206 99.7 112. 69 32 1793 206 36.25 40.6 70 32 3136 206 58.35 65.4 71 32 3225 206 39.6 44.4 72 32 3255 206 103.1 115. 73 32 53 207 42.3 47.4 32 1428 207 116.7 131. 75 32 1428 207 116.7 131. 75 32 1428 207 103.2 116. 76 32 2494 207 61.4 68.8 77 32 2535 207 366.4 410. 78 31 9947 208 30.7 34.4 17.9 32 2535 207 366.4 410. 78 31 9947 208 30.7 34.4 18.3 19.5 208 19.9 22.3 80 32 259 208 72.6 81.3 81 32 446 208 51.5 57.7 82 32 537 208 87.8 98.3 86 83 2 1035 208 57.4 64.3 85 86 83 2 1071 208 73.5 82.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 83 2 1035 208 38.7 43.3 86 9 32 1727 208 21 23.5 88 9 32 1727 208 21 23.5 88 9 32 1727 208 21 23.5 91 32 2781 208 76.1 85.2 92 93 32 2811 208 76.1 85.2 92 93 32 2811 208 24 26.9 93 93 32 3165 208 40.5 45.4 95 95 93 32 1374 468 111.55 125.						668.05 748.
62       32       93       205       120.65       135.         63       32       634       205       240.95       270.         64       32       2846       205       237.9       266.         65       32       2938       205       253.8       284.         66       32       2938       205       181.05       203.         67       32       3618       205       181.05       203.         68       32       1517       206       38.2       298.8         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.7         73       32       1795       207       103.2       116.7         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.7         76       32       2494       207       61.4       68.8 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td></tr<>						
63       32       634       205       240.95       270.         64       32       2846       205       237.9       266.         65       32       2938       205       253.8       284.         66       32       3618       205       181.05       203.         67       32       3618       205       181.05       203.         68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3255       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.						
64       32       2846       205       237.9       266.         65       32       2938       205       253.8       284.         66       32       3618       205       181.05       203.         67       32       63       206       88.2       98.8         68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       253       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
65       32       2938       205       253.8       284.         66       32       3618       205       181.05       203.         67       32       3618       205       181.05       203.         68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       253       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       72.6       81.3         <						
66       32       3618       205       181.05       203.         67       32       63       206       88.2       98.8         68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3255       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       103.2       116.7         75       32       1428       207       103.2       116.7         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       72.6       81.3         81       32       46       208       51.5       57.7         82<						
67       32       63       206       88.2       98.8         68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3136       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       161.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82 <td></td> <td></td> <td></td> <td></td> <td></td> <td>181.05 203.</td>						181.05 203.
68       32       1517       206       99.7       112.         69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       88.3         83 <td></td> <td></td> <td></td> <td></td> <td></td> <td>88 2 98.8</td>						88 2 98.8
69       32       1793       206       36.25       40.6         70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.6       61.6         84				1517		99.7 112.
70       32       3136       206       58.35       65.4         71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       253       208       72.6       81.3         81       32       253       208       51.5       57.7         82			34	1702		36 25 40.6
71       32       3225       206       39.6       44.4         72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       57.4       64.3         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86			32			50.2J 70.0 E0 2E 6E A
72       32       3585       206       103.1       115.         73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87			32			30 6 44 4
73       32       53       207       42.3       47.4         74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       259       208       72.6       81.3         81       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87						
74       32       1428       207       116.7       131.         75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.88       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       28.9       32.4         89       32						
75       32       1795       207       103.2       116.         76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32						44.3 4/.4
76       32       2494       207       61.4       68.8         77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       28.9       32.4         89       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32			32			110./ 131.
77       32       2535       207       366.4       410.         78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32			32			103.2 110.
78       31       9947       208       30.7       34.4         79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>01.4 00.0</td></t<>						01.4 00.0
79       32       19       208       19.9       22.3         80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       28.9       32.4         89       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32						366.4 410.
80       32       259       208       72.6       81.3         81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55.61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       40.5       45.4         95       32       1374       468       111.55       125.	78					30.7 34.4
81       32       446       208       51.5       57.7         82       32       537       208       87.8       98.3         83       32       679       208       55       61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	79					19.9 22.3
82       32       537       208       87.8       98.3         83       32       679       208       55       61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       40.5       45.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	80					72.6 81.3
83       32       679       208       55       61.6         84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       40.5       45.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	81					51.5 5/./
84       32       789       208       57.4       64.3         85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	82					87.8 98.3
85       32       1035       208       38.7       43.3         86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	83					
86       32       1071       208       73.5       82.3         87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       40.5       45.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	84	*				57.4 64.3
87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       . 235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       40.5       45.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	85					38.7 43.3
87       32       1327       208       21       23.5         88       32       1433       208       28.9       32.4         89       32       1727       208       . 235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.	86					73.5 82.3
88       32       1433       208       28.9       32.4         89       32       1727       208       235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.			32	1327		
89       32       1727       208       . 235.6       264.         90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.		•	, 32	1433	208	
90       32       2724       208       21       23.5         91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.			32	1727	208	
91       32       2781       208       76.1       85.2         92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.			32	2724	208	
92       32       2811       208       24       26.9         93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.			32	2781	208	
93       32       3165       208       18.2       20.4         94       32       3706       208       40.5       45.4         95       32       1374       468       111.55       125.			32	2811	208	
94     32     3706     208     40.5     45.4       95     32     1374     468     111.55     125.						
95 32 1374 468 111.55 125.						
			•			11300.25 7628

A	₿.	C	D,	E	F
1 NAME		REG NO	DRG	RADIOL WTD VAL	CST
2	32	126	192	8	109.84
<b>3 4</b>	32	897	194	59.8	821.05
4	32	221	197		425.63
5 6 7 8	32	875	197		930.89
<u>6</u> '	32	965	197		933.64
7	32	1015	197	12.6	173.00
8	32	2003	197	13	178.49
9	32	2071	197		178.49
10	32	2312	197		260.87
11	32	2383	197	13	178.49
12	32	2848	197	80.4	1103.9
13	32	3026	197	26	356.98
14	32	3087	197	25	
15	32	3156	197		491.53
16	32	3680	197		576.66
17	31	9954	198		560.18
18	31	9985	198	21	
19	32	204	198	29	398.17
20	32	1043	198		425.63
21	32	1330	198	52.6	722.20
22	32	1502	198	12	164.76
23	32	1599	198	40	549.2
24	32	3088	198		832.04
25	32	3140	198	35	
26	32	3203	198	20	
27	32	3322	198		384.44
28	32	3438	198	20 40	659.04
29	32	3547	198	57	782.61
30	32	3646	198	29	398.17
31	32	3647	198	20	
32	32	3459	199		810.07
33	32	198	200	23.8	226 77
34 *	32	1446	200	43.0 EC	326.77
35	32	342	202	16	768.88 219.68
36	32	565	202		
37	32	918	202		370.71
38	32	1195	202		205.95
39	32	1270	202		288.33
40	32	1456	202		834.78
41	32	2134	202		834.78
42	32	2677	202		247.14
43	32	3047	202	6	82.38
44	32	132	203		247.14
45	32	1028	203	6	82.38
46	32	1216	203	0	0
47	31	9939.	203		164.76
48	31	9964	204		518.99
49	32	330	204		337.76
50	32	470	204	40	549.2
	<i></i>	7/0	204	24.6	337.76

	A	В	¢	D	E	F
51		32	846	204	11.6	159.27
52		32	880	204	6	82.38
53		32	916	204	50.8	697.48
54		32	1983	204		120.82
55		32	2104	204		562.93
56	`	32	2455	204		477.80
57		32	2708	204		173.00
58		32	3281	204		164.76
59		32	3485	204	31.6	433.87
60		31	9134	205		604.12
61		31	9996	205	6	
		32	93	205	Ö	
62		32	634	205	6	
63				205	6	
64		32	2846			
65		32	2938	205	41	
66	-	32	3618	205	6	
67		32	63	206	Q	
68		32	1517	206	6	
69		32	1793	206	0	
70		32	3136	206	12	
71		32	3225	206	C	
72		32	3585	206		713.96
73		32	53	207	15	
74		32	1428	207	C	
75		32	1795	207		340.50
76		32	2494	207	$\epsilon$	
77		32	2535	207	C	
78		31	9947	208		491.53
79		32	19	208	C	
80		32	259	208	$\epsilon$	82.38
81		32	446	208	22	302.06
82		32	- 537	208	14.8	203.20
83		32	679	208	C	
84	•	32	789	208	19	260.87
85		32	1035	208	37.6	516.25
86		32	1071	208	27	370.71
87		32	1327	208	24.8	
88		32	1433	208	40	
89		32	1727	208		205.95
90		32	2724	208		356.98
91		32	2781	208		557.44
92		32	2811	208		356.98
93		32	3165	208		604.12
94		32	3706	208	28	
9 <del>4</del> 95		32	1374	468	20	
		32	13/4	400	40	4/4.0
96						

# APPENDIX T

1 2	A gmpž	B NSG EXF NSC	C D G HRS S PER HR
1 2 3 4 5 6 7	Č2 TOTAL	AAXA 279827	1311 213,4455
6 7 8	B2 TOTAL	AAKB 236420	2341 100.9910
9 10 11	TOTAL	AAXC 227249	1954 116.2994
12 13 14 15		AAXA EKP 423164	FRS 1109 352.0302
16 17 18	B2 TOTAL	AAMD 354415	1199 352.0303 2046 173.2234
19 20 21	D3 TOTAL	AAYO 341353	1754 193.5199
25	TOTAL OTR4 C2	AZMA MMP	ims
27	TOTAL	537073	1005 314.2300
	B2 TOTAL	AMID 472597	1774 266,4010
31	E3 TOTAL	ANIC 454733	1543 294.7071
34 35 36	QTR1 C2	AAMA EMP	UPS
37 38	TOTAL	153468	634 242.0631
40 41	E2 TOTAL	AAKE 132032	2168 60192343
4,4	LOUYT L3	137723	1726 70.Tonon
45 46 47 48 40	12	TMT 1414432 1105514 1151069 3771014	MPS S PRM CM 4229 334.4602 4329 143.5803 6987 166.1755 10545 102.4401

•		1		1	1	1	1	1	1	١	1	ı	1	1		
	· · · · · · · · · · · · · · · · · · ·								١	I		1		1	•	
DEP/	ARTMENT OF HURSING HER ARMY COMMUNITY HOSPITAL								-	1	. <b> </b>	1		- }		
KERI EAG	LEE, VA_23801				П		Н		)	- 1	1	- }	1	-		٠,
FUR	: A-2/1-790ATE: TIME: 3 200 19								١.	1	11	ı		-		
OWIT	: A-2/11-790ATE: TIME: 3 200 19				2.	m	*	1	ł		A	ᅬ	;	1		
SICK	ATURE:		-	-	H		ŀ	÷	-	ł	H	7	#	: 1		
-,			>	5	>	3	7	3	3		1	- 1				
	PATIENT ACRETY WORKSHEET		1	3	4	3	1	2	-3	.	ı					
			3	19			1	2.3			1	)		. 1		
POIN	4	ACUITY	N	1	17	[3	7	7	-		$\vdash$	``]	:			
VALU	ES CRITICAL INDICATORS	CCOE		5	Ĺ		7	1		_	1	ij	H	-		
	water around franchise term and										H			. 1		
t1	VITAL SIGHS (MANUAL THE, EP)		÷	-	-		H		7	$\dashv$	H	$\dashv$		-+	1	
<del>}</del>	بربي بين بربي الأمر وعدا في نتاء الطبيب والناس الساب الساب الساب الساب الساب الساب المساب المساب الم	2	۲	2	7	-	۳	ч	ч	-	H	Н	М	7	7	
1 4		3	┢	-	۳				Н	$\neg$	М		$\sqcap$	7	3	
( )	) Vital sions olh or x 24	4												$\Box$	1	
1 2	) Nectal or exillary temp or apical pulse eld or more	5												$\Box$	9	
1 2	) feworet or pedal nuises or FHT oth or more	6			L.,		L							_	6	
توسعه	)   Tilt tests gan or more	-?-	<b> </b> -	۸,	L	-	_	_	Н	Н	Щ	ш	닏	-4		
-	) Post-oo, post-partum, post-delivery (infants)	-	┡	<b> -</b>	┞	-	├-	Н	Н		Н	-	┝╌┆	+	-	
<u> </u>	)   Vital signs eln or x 8	<u> </u>	╁	╌	┝	Η.	-	-	Н	$\vdash$	Н	$\vdash$	H	$\dashv$		
•	MOMITGRING		l	1	l	1	1				1		H			
t 2	•	20	۳	V	1~	1	V	2			П	П	П	T	20	
	) Intake and output aih	21													21	
	) Circulation or fundus checks q2h or x 12	22					L		П						22	
<u> </u>	) Keuro checks cán or x 6	23	L	匚	L		L	L							23	
	Neuro checks g2h or x 12	24	┞	<del> </del>	┞-	╄-	┡	-	Н		Ш	Н	Н	-	24	
-	CYP or ICP (manual) o2h or x 12	25	╁	⊢	₽	╄	╄		-	Н	Н	Н	H	$\dashv$	25	
	Cardiac/somes/teme/oressure monitors (not cumulative) Transcuraneous monitor	26	⊢	╄	⊢	╁	╄	-	Н	-	H	Н	Н	$\dashv$	27	
	) A-line or ICP (monitor) or Swan Genz sur-wo	28	H	╁╴	┢	†	<del> </del>	1	Н	-	Н	Н	Н	H	28	
-	) A-line or ICP (monitor) reading g2h or x 12	29	t	+	۲	┿	t	<del> </del>		Н	М	М		$\sqcap$	29	
	) FAP/P4 wedge reading g4h or x 6	30					Ī								30	
	) PAP/P4 wedge reeding g2h on x 12	31	L	匚	L		匚								31	
	Cardiac output fld	32	L	<u> </u>	L	┞	1	_		Ш	Ш	<b> </b>	H	4	.32	
	**		ı	١	١	1	ı	1					1	1		
	ACTIVITIES OF DAILY LIVING	40	╀	╀	<del>i</del> -	⊹	Ͱ	⊢	Н	H	-	-	H	$\dashv$	40	
_	i) Infant/toddier care (4 5 years)    Self/minimal care laduit or child > 5 years)	1 41	12	╁╌	<del>i</del> -	+-	1 2	1 2	3		17	1/2	卜	$\dashv$	41	
-	) Assisted care (> 5 years) - positions self	42	۲		1.	†*	۲	Ť		H	<b>1</b>	۴	М	_	42	
7.1		43	T	1.	L		Г								43	
13	1) Total care (> 5 years) - position and sain care nZh	44	L		$\Gamma$										44	
-	i) Extra linen change and partial bath 2x per shift	45	L	L	L	L	Γ						Ц	$\Box$	49	
11	والمناف المناف المناف المناف المناف والمناف المناف	46	╄	<del></del>	╀	<u>Ļ</u>	┡	<del> </del>	<b>!</b>	<b> </b>	1		Н	Н	-46	٠
	Peds recreation/observation (0-12 years) (exclude HBH)	47	╀	누	╁	┿	<del>i</del> -	┾╌	┝	┢	⊢	┢	Н	Н	47	
•2	TEDING		l	}	1	1	ı	1	l		1			1		•
	Tube feed adult/child/neonate oth or 6 (Bolus)	50	t	+	†	+	T	1	1	1	T	$\vdash$		Н	50	
(10		51	T	T	T	1	L	Γ			Г		Г		51	
	5) Adult meets > 5 years (socon feed x 3)	52	Ι	Т	Ι.	$\Box$	L	1							52	
<u> </u>	D)   Child neals < 5 years (socon feed x 3)	53	Ļ	1	L	L	L	L.	L	匚					53	,
-	2) Infant/neunate bottle x 1 feeding	34	ļ.	╄	╀	╄	╄	╄	Ļ	뉴	╄	┡-	Ļ	_	54	
( 1		35	╀	╀	╁	┿	╀	<del>!</del>	┡	₩	╀-	┾	╄	Н	55	
	infant/megnate bottle g2h or x 12  Tybe feed aguit/child/megnate o5m or x 8	56	╁	┿	╁	┿~	ļ-	╁╴	┢	╀	╁╌	<del> -</del>	╀╌	₩	96 57	
	B) Tube feed aquit/child/menate o3h or x 8 2) Tube feed (continuous) her bottle change	38	╁	÷	۲	┿	┿	+-	+-	╆	+	╁	╁╴	÷	58	l
<u> </u>		<del></del>	t	†	Ť	十	۲	Ť	t	T	t	╁	†-	H		ı
	IN THERMY				L		L	<u>_</u>	L	L	L	1_	1		i	
	4) <90 (change bottle bid or less)	60	I	L	$\mathbf{I}$	$\Gamma$	L	1	L	匚	$\Gamma$	L	L		60	١.
	4) heparin lock or Brovinc	61	╀	4-	4	+	+	با	L	+	L	T	I	匚	61	
-	6) Simple (change torfle fid or gld)	43	╀	平	44	ىلە	4	4.	<del> </del>	╄	╄-	ㅗ	╀	뉴	62	
_	6) Complex (2 or more sites or change corrie a4h) 2) Medication e8h or x 3	64	┿	+-	╁	+-	╀	╄┈	₽-	÷	╄	╄	╄	<b>├</b>	63	į
_	2)   Medication e8h or x 3 3)   Medication o6h or x 4	65	t	۳	Ŧ	+-	┿	┼	╁	÷	┿	┿╌	╁	┼~	65	١.
-	A) Medication ath or v 6	45	T	+	+	+	+	1	†	Ť	十	┿	╁	一	66	1
-	2) Blood products (each administration)	67	T	L	T	T	1	+	T	Ť	╈	Ť	t	<del>十</del> 一	67	ĺ
									_	_	_		-	_		1
	INTS CATEGORY TOTALS NOTES: 1. For	any true	) T PRI	MT/	pro	9	lura	th	et	req	ui r	•	<b>~</b> I	t lp	le	
	Miner in the Mars	ing stat	1 1	, o	rr!	lors	, 1	wit	ip t	y †	100	cri	t ic	<b>6</b> 1	indicate	r
		r value	OY.	TIV	, IN	-	r c	7 1	701	1 1	ed n	ire	4.			
	11 (45) <del>T</del> (5) 2 Ally	est pulm out gill :		(	, C C (			<b>V</b> 1	V 04	יינש	ĸγ,	1.	٠.,	IM	ER 9 646	j
		nt only				-	-		۔ونے		٠.		-			٠.
	F141 V						_ •1	,			~ •					, T
	-977 71															
	CENSUS •															
	AC FORM 108-C								_		-	-	<b></b>	. 2 04.0	-45-100-i	ı
1 Des	cember 1984									,-,-						

Annex 1 to Appendix T

145 · 24 10 14 Unit isse

	,									
	A	В	C	D	E CAT		F		G	H
1	CAT 1	CAT 2	CAT 3	CAT 4	CAT	5	CAT	6	TOTAL	*\$11.73/HR
2	· 1.	4	1						.33	387.09
3	٠.	10	1						50	586.50
4	1	11	10						167	1958.91
5	14	2	12	2					206	2416.38
6	4	11		_					63	738.99
1 2 3 4 5 6 7 8 9	· 1	12	1			,			73	856.29
6	ī		1	1					56	656.88
0	1 5	3		_						030.00
	5	5 2 9 7		_	-	-			20	234.60
10	_	7	3 1	2					114	1337.22
11	2 1 4								50	586.50
12	1	12	12	35					824	9665.52
13	4	10							58	680.34
14	3	5	2						53	621.69
15	1	7	10						147	1724.31
16		7							35	410.55
17		7							35	410.55
18	3	3	1						32	375.36
19	3 1 1 3	7	1						48	563.04
20	•	á	•						42	492.66
	•	2							21	
21	3	2								246.33
22	_	37836235136572							30	351.90
23	5 3 1 7 6	2	_						20	234.60
24	3	3	1						32	375.36
25	1	5							27	316.71
26	7	1							19	222.87
27	6	3							27	316.71
28		6	ě						30	351.90
29		5	3						58	680.34
30		7							35	410.55
31	6	2							22	258.06
32	4		2						135	1583.55
33	4		ī				-	-	29	340.17
34	8	4					-		58	
35	· ·		. 2							680.34
36		6 5	3						52	609.96
			3						58	680.34
37	_	2 1							10	117.30
38	1	. 1	_						7	82.11
39	_	13	2						87	1020.51
40	8	4							36	422.28
41		6							30	351.90
42	14	15							103	1208.19
43	3	1							11	129.03
44	18	1 5 î	5						116	1360.68
45		î	_						5	58.65
46		_	2	2					58	680.34
47		19		_					95	
48	8									1114.35
	20								. 51	598.23
49		3							55	645.15
50	14	1							33	387.09

 $\mathbf{z}_{i,r}^{\prime \prime }$ 

	A	В	С	D	E	F	G	Н
51		4					20	234.60
52		8 3 4 1 5 3 3 64	6				106	1243.38
53 54	10	<u>ح</u>					<b>35</b>	410.55 351.90
5 <del>4</del> 55	3	7					30 11	129.03
56	2	<b>5</b>	1				52	609.96
57	10 5 3 8 6	3					27	316.71
58	•	3	•				15	175.95
59	4	3					23	269.79
60	•	64	14				474	5560.02
61		4	2				42	492.66
62		5	2 2 3 1				47	551.31
63	4	2	3	1			69	809.37
64	4 2 12 1	5	1				40	469.20
65	12	<sub>~</sub> 5					49	574.77
66	1	5 2 5 5 6 12					32	375.36
67		12	1				71	832.83
68	6	1	•				17	199.41
69	4	1	_				13	152.49
70	_	1 1 5 1 1 5 3 7 2 22	1				36	422.28
71	3	1					11	129.03
72	8	Ţ	,				21	246.33
73	3 8 2 1 2 9	2	1		•		40	469.20
74 75	7	3					17	199.41 457.47
76	9	2					39 28	328.44
77 77	3	22	3				143	1677.39
78		1	•				5	58.65
79	1	ī					7	82.11
80	1 3	1 1 2 3 5					16	187.68
81	_	3	1			-	26	304.98
82	3	5				4 4	31	363.63
83		1	. 1				16	187.68
84	2	1 8					9	105.57
85		8	1				51	598.23
86	7	7	1				60	703.80
87		3 1					15	175.95
88		1				-	5	58.65
89	_	16					80	938.40
90	1	1					7	82.11
91	4	1					13	152.49
92	c	6					30	351.90
93 94	6 1	1					17	199.41
94 95	21	9					. 7 97	82.11 1020.51
95 96	41	7					87	63881.58
90							TOTAL	02001.20

# APPENDIX U

	A	С	E	F	C	**
1	SVC	OR TIME		STH CST	G PD TTME	H RR CST
2	AA	1.75	85.32	494.02	1.46667	91.98
3	BA	1.56667	76.38	442.26	1.96667	123.34
4	BA	2.41667	117.82	682,21	1.83333	114.98
5	BA	0	· •00	•00	0	.00
6	BA	1.71667	83.69	484.61	2.08333	130.66
7	AA	2.25	109.69	635.16	2.66667	167.24
8	AA	2.5	121.88	705.74	.783333	49.13
9	AA	2.5	121.88	705.74	2.08333	130.66
10 11	AA	1.58333	77.19	446.97	1.58333	99.30
12	BA	1.41667	69.07	399.92	1.75	109.75
13	AA	0	•00	•00	.166667	10.45
14	BA BA	1 22222	97.51	564.59	3.33333	209.05
15	BA	1.33333	65.00	376.39	1	62.72
16	3A	0 1.83333	.00	.00	0	.00
17	AA	2.13333	89.38 104.01		2.66667	167.24
18	BA	1.25	60.94	602.23	2.25	141.11
19	BA	2	97.51	352.87 564.59	2.41667 1.75	151.56
20	BA	. 1.5	73.13	423.44	2.5	109.75
21	BA	2.08333	101.57	588.11	1.91667	156.79 120.20
22	BA	1.95	95.07	550.47	2.16667	135.88
23	BA	1.5	73.13	423.44	1.83333	114.98
24	BA	2.41667	117.82	682.21	2.41667	151.56
25	BA	2.5	121.88	705.74	1.58333	99.30
26	AA	1.66667	81.25	470.49	1.45	90.94
27	BA	2.5	121.88	705.74	2.33333	146.34
28	BA	1.25	60.94		1.33333	83.62
29 30	BA	1.83333	89.38		1.16667	73.17
31	BA BA	2.01667	98.32		2.08333	130.66
32	AA	2 2.5	97.51	564.59	1	62.72
3 <b>3</b>	AA	2.58333	121.88 125.94		1.61667	101.39
34	AA	.466667	22.75	729.26	2.25	141.11
35	AA	0	00	131.74 - .00		62.72
36	AA	ō	.00	•00	0	•00
<b>37</b>	AA	Ō	•00	.00	ŏ	.00 .00
38	AA	0	•00	.00	Ŏ	.00
39	AA	0	•00	•00	ŏ	.00
40	BA	0	•00	•00	Õ	.00
41	AA	1	48.75	282.29	1	62.72
42	AA	Ō	.00	•00	Ó	.00
43	AA	0	.00	.00	0	.00
4 <b>4</b> 45	AA	0	•00	.00	0	•00
45 46	AA AA	0	.00	•00	0	•00
47	AA AA	0	•00		2.33333	146.34
48	AA	0	.00 .00	•00	0	•00
49	AA	Ŏ	.00	•00	, 0	•00
50	AA	ő	•00	•00	, 0	.00
-		•	• • •	•00	0	•00

	A	С	E	F	G	Н
51	AA	0	00	.00	1.75	109.75
52	AA	Ō	.00	.00	1.91667	120.20
53	AA	Ō	.00	.00	0	.00
54	BA	0	.00	.00	ŏ	.00
55	AA	Q	.00	• 00	Ŏ	.00
56	AA	·	.00	.00	ŏ	.00
57	λA	0	.00	.00	Ŏ	.00
58	BA	Ō	•00	.00	Ŏ	.00
59	AA	Ō	•00	.00	Ŏ	.00
60	AA	0	.00	•00	Ŏ	• 00
61	AA	0	.00	•00	Ō	.00
62	AA	0	.00	.00	Ō	•00
63	AA	0	.00	.00	Ō	.00
64	AA	0	.00	.00	Ō	•00
65	CA	0	•00	.00	Ō	•00
66	AA	0	•00	.00	0	.00
67	AA	~ O	•00	.00	Ö	•00
68	AA	.416667	20.31	117.62	. 2	12.54
69	AA	0	.00	.00	0	.00
70	AA	0	•00	.00	0	.00
71	AA	0	•00	.00	.75	47.04
72	AA	0	•00	.00	0	.00
73	AA	0	•00	•00	0	.00
74	BA	1.95	95.07	550.47	.75	47.04
75	BA	0	.00	.00	0	•00
76	BA	0	.00	.00	0	.00
77	AA	0	.00	.00	0	.00
78	BA	0	.00	.00	0	.00
79	AA	0	•00	.00	1.5	94.07
80	AA	0	•00	•00	Ō	.00
81	BA	0	•00	.00	0	.00
82	BA	0	.00	•00	Q	•00
83	AA	0	•00	• 00	0	•00
84	AA	0	.00	.00	0	.00
85 86	AA	0 *	•00	.00	2.83333	177.69
87	AA BA	0	.00 .00	~00	0	•00
88	BA	0	.00	•00	0	•00
89	BA	Ö	.00	.00 .00	0	.00
90	AA	ŏ	•00	•00	1.56667	.00 98.25
91	BA	ŏ	.00	.00	0	
92	AA	ŏ	.00	.00	0	.00 .00
93	BA	ŏ	.00	.00	0	.00
94	BA	ŏ	.00	.00	Ö	.00
95	FA	Ŏ	.00	.00	0	.00
96			• • • •	•00	•	•00
97		OR EXP	OR HRS \$	PER HR		
98		234598	4812.00	48.75		
99						
100		ANESTH EX		\$ PER HR		
101		298950	1059.00	282.29		
102				1_		
103		RR EXP	RR HRS \$			
104		112448	1793.00	62.72		

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

## APPENDIX V

R	1829.	423.1 540.7	811.6	430.9	579.4	656.0	289.6	146.5	2605.7	057.9	625.5	716.5	864.0	740.6	555,6	209.2	992.1	681.8	536.7	142.7	341.2	022.5	506.5	898.2	936,3	338.5	197.2	674.5	313.2	316.0	441.7	217.9	564.0	152.8	30.4	11.5	96.6	972.7
Q	9	682.21		84.6	5.1	05.7	05.7	46.	6.66	00.	564.59	76.	o.	17.5	02.2	52.8	64.5	23.4	88.1	50.4	23.4	82.2	05.7	70.49	705.74	52.8	17.5	69.2	9	05.7	29.2	31.7	00•	00.	Q		0	00.
<b>4</b> 00	91	2 d		9.0	7.2	9.1	•	99.3	9.7	4	9.0	2.7	0	67.2	41.1	51.5	09.7	56.7	20.2	35.8	4.9	51.5	9.3	6.0	146.34	3.6	73.1	9.0	62.7	1.3	41.1	2.7	00.	00.	00.	00.	00.	00.
0 0	85	יים מעל		3.6	9	1.8	1.8	7.1	9	•	97.51	5.0	•	9,3	4.0	6.0	7.5	3.1	1.5	5.0	3.1	7.8	1.8	1.2	ω.	6.0	ۍ 9	8,3	97.5	1.8	25.9	2.7	00.	00.	00.	00.	00.	00•
NON	387.	286.9 958.9	16.3	738.9	56.2	56.8	234.6	37.2	86.5	65.5	80.3	621.6	24.3	10.5	10.5	75.3	63.0	95.6	46.3	51.9	34.6	75.3	16.7	22.8	Ĩ.	51.9	80.3	10.5	258.0	83.5	40.1	œ.	6.60	80.3	17.3	ထ	0.5	22.2
Z	م	7 5	30.8	33.6	73.0	78.4	78.4	60.8	78.4	03.8	56.9	43.2	91.5	76.6	60.1	88.3	98.1	25.6	22.2	64.7	49.2	32.0	80.5	74.6	4.	59.0	82.6	98.1	-	10.0	26.7	68.8	19.6	70.7	05.9	88.3	34.7	34.7
I SE	14	128.80	34.6	4.1	ů.	12.4	11.3	33.4	2.5	4.	4.6	27.2	0.9	2.6	ω. ω.	1.0	4.0	2.2	4.5	6.8	5.0	o. 0	2.4		4.6	7.4	30.1	1.1	29.7	00°C	8.6	10.	58.2	3.8	6.6	79	9.2	64.8
K	វហៈវ	64.7	28.4	84.5	72.2	67.1	02.1	61.9	72.6	15.2	93.7	53.1	01.4	69.7	79.4	02.1	48.3	27.5	103.5	177.5	63.8	85.6	19.7	47.0	6.1	45.4	70.3	79.4	72.3	07.7	45.0	11.5	87.8	09.6	3.4	14.9	2.0	70.3
GNEDAT	441.2	2347.62	201.3	600.6	029.5	88.3	514.7	029.5	067.1	12.4	493.9	067.1	920.7	46.9	14.7	46.9	50.3	E. 03	40.2	40.26	46.9	3 <b>6.</b> S	40.2	38.3	50.3	10.2	53.6	16.9	853.6	35.5	514.7	9.5	88.3	38.3	17.0	17.0	3.1	280.5
-	• ~ (	n 4	. ഹ	9	۲	8	6	70	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	<b>5</b> 6	27	28	53	30	31	32	33	34	35	36	37	38	39	40

Carlotte Start W

And the second

œ	Ä	254.7	-	26.1	16	347.0	579.1	498.0	05.	237.9	957.1	2852.27	423.0	682.1	095.3	408.1	384.8	781.8	1528.4	773.6	232.9	346.9	098.8	65	620.9	265.8	168.9	12.2	650.	57.9	91.1	22.	3.4	Ö	107.2	Ġ	72.4	91.2	ທັ	948.49	
	2.2	00.	00.	00.	00.	00.	00.	00•	00.	00.	00.	0	00.	0	00.	00.	00.	00.	00.	00.	0	00.	00.	00.	0	00.	•		00.	00.	00.		Ō.	550.47	8.	00.			00.		
Д	2.7		00•		o.	146.34	00.	00.	00.	00.		20.	.30	00.	00.	00•	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	•	12.54	00.	•			•	47.04	00.	00.	00.	00.	54.07	00.	
0	8				00.		00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	0	20.31	00.	00.	00.		•	0		00.			00.	00.	
z	51.9	08.1	9.0	9.09	3.6	80.3	14.3	98.2	45.1	87.0	34.6	3.3	10.5	51.9	29.0	9.60	16.7	75.9	269.7	90.09	95.6	51.3	09.3	69.2	74.7	75.3	32.8	99.4	152.49	22.2	29.0	46.3	69.2	99.4	57.4	28.4	77.3	8.6	82.11	9	
M	7.1	82.3	7.1	<b>ب</b>	0	4.7	18.9	37.7	9.2	37.7	59.2	82.38	97.4	20.8	65.9	77.8	73.0	64.7	33.8	4.1	2.3	00.	m.	2,3	2.9	5	00.	82.38		164.76	00.	3.9	05.9	00.	S		•	S	00.	82.38	
H	3.1	75.3	20.7	2.1	19.5	3.0	05.9	52.3	8.60	07.2	0.4	63.2	7.2	30.5	59.5	7.4	63.2	88.2	63.3	48.2	96.6	35.1	69°E	66.4	84.2	2.7	98.7	11.6	40	5	44.	5.4	47.3	30.7	i.	68.7		4	2.2		
×	4.1	5.1	60.0	8.1	15.9	3.4	42.6	9.90	7.1	02.8	34.4	13.4	1.7	18.4	49.6	83.3	0.0	32.7	46.6	25.1	120.0	45.7	01.8	58.6	96.8	ດ ເຄ	81.3	53.4	89.24	<b>6.</b> 3	76.5	85.2	72.¢	20.3	33.3	1.9	46.1	0	æ	4	; ; ;
ט	41.2	32.6	294.1	59.1	73.5	34.1	397.2	103.1	11.4	103.1	294.1	29.5	956.0	50.3	34.1	29.5	661.8	20.1	14.7	36.1	441.2	14.7	35.4	88.3	02.1	514.7	56.0	14.7	367.70	41.2	94.1	61.8	88,3	26.8	60.3	173.8	38.5	106.7	47.0	57.7	•
	41	42	43	44	45	46	47	48	49	20	51	52	53	54	55	56	57	58	29	09	19	62	63	64	65	99	29	68	69	20	71	72	73	74	75	92	77	78	79	80	) }

151

ato in the State and

×	1155,16	1704.46		715.27	2228.09	-	_	746.93	_	_	1456.89		1724.37		4301,81	246665.92	
œ	00.	00.	00•	%	00.	00.	00.	00.	00.	00.	00.	00.	00•	00.	00.	17045.89	
Д	00•	00.	00.	00.	177.69	• 00	00.	00.	00.	98.25	00.	00.	00.	00.	00.	4455.90	
0	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	00.	2943.85	
Z	304.98	363,63	187.68	105.57	598,23	703.80	175.95	58.65	938.40	82.11	152,49	351.90	199,41	82,11	1020.51	63881,58	
X	302.06	203,20		260.87	516.25	370.71	340.50	549.20	205.95	356.98	557.44	356.98	604.12	384.44			
H	57.68	_	61.60		43,34	82,32	23.52	32,37	263.87	23.	85.23	26.88	20,38	45.36	٠.	- :	
×		•			30.	313,14		•	7	44.	8	127.85	(4)	•	4	24333.28	
17	26.	2 6		20.0	61.	1103.10	320.	90	07.	147.	33.	41.	46	13,		9	•
	81	200	) (C	2 2	ה	98	87	88	89	90	91	6	16	9 6	٠ و	96	

	75	e	T
•	R KACH	S	DRG-KACH
1		DRG	
2 3 4	1829.13	10028.72	8199.59
۶	3423.16	5086.49	1663.33
4	6640.76	3804.14	-2836.62
5 6	7811.69	3804.14	-4007.55
6	4430.91	3804.14	-626.77
7.	3579.47	3804.14	224.67
8	2656.06	3804.14	1148.08
9	2289.61	3804.14	1514.53
10	4146.50	3804.14	-342.36
11	2605.75	3804.14	1198.39
12	19057.92	3804.14	-15253.78
13	3625.59	3804.14	178.55
14	2716.53	3804.14	1087.61
15	4864.06	3804.14	-1059.92
16	2740.66	3804.14	1063.48
17	2555.65	3262.50	706.85
18	2209.22	3262.50	1053.28
19	2992.16	3262.50	270.34
20	2681.85	3262.50	580.65
21	<b>2536.7</b> 5	3262.50	725.75
22	2142.73	3262.50	1119.77
23	2341.25	3262.50	921.25
24	3022.54	3262.50	239.96
25	2506.58	3262.50	755.92
26	1898.21	3262.50	1364.29
27	2936.32	3262.50	326.18
28	2338.57	3262.50	923.93
29	3197.21	3262.50	65.29
30	2674.53	3262.50	587.97
31	2313.25	3262.50	949.25
32	6316.06	6287.41	-28.65
33	2441.75	6605.67	4163.92
34	3217.95	6605.67	3387.72
35	1664.09	3061.36	.1397.27
36	2152.80	3061.36	908.56
37	580.42	3061.36	2480.94
38	611.52	3061.36	2449.84
39	3599.66	3061.36	-538.30
40	2972.70	3061.36	88.66
41	1718.60	3061.36	1342.76
42	4254.76	3061.36	-1193.40
43	751.08	3061.36	2310.28
44	4526.18	2798.17	-1728.01
45	167.63	2798.17	2630.54
46	1347.03	2798.17	1451.14
47	3579.17	2477.06	-1102.11
48	2498.06	2477.06	-21.00
49	3602.85	2477.06	-1125.79
50	2237.96	2477.06	239.10

	R	S	•
51	957.17	2477.06	T
52	2852.27		1519.89
53	2423.07	2477.06	-375.21
54	1602 15	2477.06	_53.99
55	1682.15	2477.06	794.91
	1095.35	2477.06	1381.71
. 56	2408.13	2477.06	- 68.93
57	1384.89	2477.06	1092.17
58	781.87	2477.06	1695.19
59	1528.41	2477.06	948.65
60	14773.63	2768.95	-12004.68
61	1232.95	2768.95	1536.01
62	1346.92	2768.95	1422.03
63	2098.85	2768.95	670.10
64	1565.03	2768.95	1203.92
65	4620.93	2768.95	-1851.98
66	1265.83	2768.95	1503.12
67	2168.98	2365.89	196.91
68	1212.20	2365.89	1153.69
69	650.03	2365.89	1715.86
70	1227.98	2365.89	1137.92
71	591.16	2365.89	1774.73
72	1922.91	2365.89	442.98
73	1483.48	2172.76	689.28
74	1669.87	2172.76	502.89
75	2107.26	2172.76	
76	1935.39	2172.76	65.50 237.37
77	4372.45	2172.76	-2199.69
78	691.28	1871.56	1180.28
79	350.42	1871.56	1501.14
80	948.49	1871.56	1521.14
81	1155.16	1871.56	923.07
82	1704.46	1871.56	716.40
83	428.16	1871.56	167.10
84	715.27	1871.56	1443.40
85	2228.09	1871.56	1156.29
86	2573.07	1871.56	~356.53
87	949.99		-701.51
88	746.93	1871.56	921.57
89	3493.30	1871.56	1124.63
90	752.72	1871.56	-1621.74
91	1456.89	1871.56	1118.84
92	1304.85	1871.56	414.67
93	1724.37	1871.56	566.71
94	776.60	1871.56	147.19
95	4301.81	1871.56	1094.96
96	_	5382.26	1080.45
30	246665.92	282794.38	36128.46

#### APPENDIX W

```
B
                                                                 D
                     KACH
   1 DRG
                                       AVERAGE VARIANCE VARIANCE STD DEV
                     1829.13 1829.129 N/A
   2 192
  3 194
                     3423.16 2522.71 N/A
                     6640.76
7811.69
  4 197
                                                           2173217.
  5 197
                                                          6996643.
5 197 7811.69
6 197 4430.91
7 197 3579.47
8 197 2656.06
9 197 2289.61
10 197 4146.50
11 197 2605.75
12 197 19057.92
13 197 3625.59
14 197 2716.53
15 197 4864.06
16 197 2740.66 5166
                                                          541205.9
                                                          2518923.
                                                          6302696.
                                                          8276920.
                                                          1040569.
                                                          6557854.
                                                          1.9297e8
                                                          2374652.
                                                          6002726.
15 197 4864.06 91515.41 20144277
16 197 2740.66 5166.578 5885069.
17 198 2555.65 .6465769
18 198 2209.22 120572.6
19 198 2992.16 189838.6
20 198 2681.85 15725.50
21 198 2536.75 388.2656
22 198 2142.73 171170.3
23 198 2341.25 46313.90
24 198 3022.54 217236.8
25 198 2506.58 2487.623
26 198 1898.21 433288.9
27 198 2936.32 144296.8
28 198 2338.57 47472.12
29 198 3197.21 410566.3
30 198 2674.53 13941.29 133746.2
31 198 2313.25 2556.454 59147.45
                                                          91515.41 20144277
                                                                                                   4488.238
 31 198 2313.25 2556.454 59147.45
                                                                                                   365.7133
 32 199 6316.06 6316.060 N/A
 33 200 2441.75
34 200 3217.95 2829.853 N/A
35 202 1664.09 136806.1
36 202 2152.80 14122.58
37 202 580.42 2112782.
38 202 611.52 2023334.
39 202 3599.66 2451421.
40 202 2972.70 881236.5

      41
      202
      1718.60
      99448.60

      42
      202
      4254.76
      4931964.

      43
      202
      751.08
      2033.959
      1645771.

                                                          4931964. 1787111.
                                                                                                   1336.829
       203 4526.18
203 167.63
 44
                                                          6313000.
                                                           3407648. 3936919.
45 203
46 203 1347.03 2013.616 444338.2
47 204 3579.17 2249518.
48 204 2498.06 175331.2
                    1347.03 2013.616 444338.2
                                                                                                   1984.167
49 204 3602.85
50 204 2237.96
                                                          2321103.
                                                          25162.12
```

```
В
                                D
                                          E
     A
    204
           957.17
                             1259258.
51
52
    204
         2852.27
                             597430.0
53
    204
          2423.07
                             118154.3
54
    204
          1682.15
                             157756.9
55
    204
          1095.35
                             968221.1
56
    204
          2408.13
                             108106.6
57
    204
          1384.89
                             482259.1
58
    204
           781.87
                             1683414. 922337.6
59
    204
         1528.41 2079.335 303520.3
                                                 960.3841
    205 14773.63
60
                             1.1947e8
61
    205
          1232.95
                             6814723.
62
    205
          1346.92
                             6232657.
63
    205
          2098.85
                             3043610.
64
    205
          1565.03
                             5191193.
         4620.93
                             604478.3 24666596
65
    205
    205
66
          1265.83 3843.448 6644104.
                                                 4966.548
67
    206
          2168.98
                             762886.2
68
    206
          1212.20
                             6945.565
69
    206
           650.03
                             416588.9
70
    206
          1227.98
                             4565.291
71
    206
           591.16
                             496153.6 416166.4
72
    206
          1922.91 1295.542 393592.6
                                                 645.1096
73
    207
          1483.48
                             689247.2
74
    207
          1669.87
                             414505.6
75
    207
          2107.26
                             42611.53
76
    207
          1935.39
                             143111.3 1381988.
77
    207
          4372.45 2313.689 4238478.
                                                 1175.580
78
    208
           691.28
                             363420.9
79
    208
           350.42
                             890577.3
80
    208
           948.49
                             119459.1
81
    208
          1155.16
                             19309.89
82
    208
          1704.46
                             168380.5
           428.16
83
    208
                             749888.5
84
    208
           715.27
                             335064.5
85
    208
          2228.09
                             872303.7
86
    208
          2573.07
                             1635714.
87
    208
           949.99
                             118426.5
88
    208
           746.93
                             299421.3
89
    208
          3493.30
                             4836384.
    208
90
           752.72
                             293111.3
91
    208
          1456.89
                             26492.60
                            115.1537
92
    208
          1304.85
93
    208
          1724.37
                             185115.5 698813.3
94
    208
           776.60 1294.122 267828.0
                                                 835.9505
95
    468
          4301.81 4301.811
                               N/A
```

が、「は水がなるのでは、「は水がない。」

#### BIBLIOGRAPHY

### BOOKS

Cleverly, William O. <u>Essentials of Hospital Finance</u>. Germantown, Maryland; Aspen Systems Corporation; 1978.

THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.

- Cleverly, William O. ed. <u>Financial Management of Health Care Facilities</u>. Germantown, Maryland; Aspen Systems Corporation; 1976.
- Commission on Professional and Hospital Activities, H-ICDA; Hospital Adaptation of ICDA, 9th Edition; Volumes 1 and 2. Ann Arbor, Michigan, 1978.
- Grimaldi, Paul L. and Micheletti, Julie A. <u>Diagnosis Related</u>
  <u>Groups; A Practitioner's Guide</u>. Chicago, Pluribus Press,
  1983.
- Hancock, Walton M. and Walter, Paul F. The ASCS; Inpatient Admission Scheduling and Control System. Ann Arbor, Michigan; AUPHA Press, 1983.
- Health Care Financing Administration. Health Care Financing Grants and Contracts Report; Case Study of Prospective Reimbursement in New Jersey. Washington D.C., HEW, 1980.
- Herkimer, Allen G. Jr. <u>Patient Account Management</u>. Rockville, Maryland; An Aspen Publication, 1983.
- Managerial Cost Accounting for Hospitals. AHA, Chicago, American Hospital Publishing Company, 1980.
- Sandrick, Karen M. What Doctors Should Know About DRG's. Chicago, Illinois; Care Communications Incorporated, 1983.
- Schulz, Rockwell and Johnson, Alton C. Management of Hospitals, New York, New York; McGraw-Hill, Incorporated; 1976.
- Zernott, Marjorie M., Ramirez, Nancy L. and Seeman, Robert H., Coding with ICD-9-CM. Commission on Professional and Hospital Activities, 1983.

## PERIODICALS

AHA, "Hospitals Wait, Wonder as Blue Cross of Kansas Prepares Its New DRG Payment Plan", Review of Federal American Hospitals, 16, No. 5 (September-October 1983): pp. 37-38, 48.

- Averill, Richard F., "The Design and Development of the Diagnosis Related Groups (DRG's)", The Revised ICD-9-CM Diagnosis Related Group (DRG's), (Hospital Corporation of America, 1983), pp. 3-16.
- Berki, S. E.; Ashcraft, Marie L. F.; and Newbrander, William C. "Length-of Stay Variations Within ICDA-8 Diagnosis Related Groups". Medical Care. 22, No. 2 (February 1984): pp. 126-42.
- Blendon, Robert J., "Public Health Care Faces an Emergency,"
  County News, 25 February 1985.
- "Defense Resources" Defense 85, (April 1985) p. 18-23.
- Friedman, Emily, "Shifting the Cost and the Blame,"

  Hospitals, 56, No. 99 (16 March 1982): pp. 93-97.
- Frost, Martin, "Budget Process Holds Health Issues Captive," Hospitals, 59, No. 10 (16 May 1985): pp. 106-108.
- Gibson, Robert M.; Levit, Katharine R.; Lazenby, Helen; and Waldo, Daniel R.; "National Health Expenditures, 1983,"

  Health Care Financing Review, 6, No. 2 (Winter 1984):

  1-29.
- "Hospital Cost Control; A Bitter Pill to Swallow," <u>Harvard</u>
  <u>Business Review</u>, (March-April 1985) No. 2, p. 160.
- "Hospitals in Cost Squeeze "Dump" More Patients Who Can't Pay Bills," A Wall Street Journal News Roundup, 1985.
- Jackson, Geoffrey G., "The New DRG's ICD-9-CM," <u>Journal of AMRA</u>, April 1982, pp. 52-55.
- Jemison, T. "VA Prepares to Implement DRG Plan", <u>U.S. Medicine</u>, 19, No.23 (December 1983): pp. 1, 21.
- Johnson, Ann, "Cost-Shifting: The Discount Dilemma," <u>Journal of Health Politics and Policy</u>, 9 No. 2 (Summer; 1984): pp. 251-267.
- Maddrey, Willis C. and Zimmerman, Hyman J., "Cirrhosis of the Liver" National Digestive Diseases Education and Information Clearing House, Fact Sheet.
- Marenco, Eduardo Jr., "Health Education: An Alternative to Illness," <u>Family Community Health</u>, 1, No. 1 (6 April 1978): pp. 31-36.

Panniers, Teresa Lagona and Tomkiewicz, Zygmunt M. "The ICD-9-CM DRG's: Increased Homogeneity Through Use of AS-SCORE".

Quality Review Bulletin. 1985 Feb: 47-52.

M. See . Land Frederick States of States of States of Section 1985

- Plomann, Marilyn Peacock, "Choosing a Patient Classification System to Describe the Hospital Product," <u>Hospital & Health</u> <u>Services Administration</u>, 30, No. 3 (May/June 1985): pp. 106-117.
- Schneeweiss, Ronald; Rosenblatt, Roger A.; Cherkin, Daniel C.; Kirkwood, C. Richard; and Hart Gary. "Diagnosis Clusters: A New Tool for Analyzing the Content of Ambulatory Medical Care". Medical Care. 23, No. 1 (January 1983): 105:22.
- Schneider, William, "Public Ready for Real Change in Health Care," National Journal of Public Health, 23 March 1985.
- Smits, Helen L. and Watson, Rita E. "DRG's and The Future of Surgical Practice". The New England Journal of Medicine. 311, No. 25 (December 1984): 1612:15.
- Tyor, Malcolm P., "Gallstone Disease," <u>National Digestive</u>

  <u>Diseases Education and Information Clearing House, Fact</u>

  <u>Sheet.</u>
- "Uniform Chart of Accounts Revisited", A Touch of Class, 12 No. 1 (August 1985): pp. 1, 2, and 5.
- "What is Pancreatitis?" <u>National Institute of Arthritis</u>, <u>Diabetes</u>, <u>Digestive and Kidney Diseases</u>, <u>Fact Sheet</u>.
- Young, Quentin, "How Profits Endanger Health Care System,"
  <u>American Medical News</u>, 22 March 1985.

## UNPUBLISHED REPORTS, STUDIES, PAPERS

- Kenley, James B., "Rising Health Costs -- Who is going to Pay?" Remarks by State Health Commissioner, Department of Health, Commonwealth of Virginia, (Health Director's Conference, Charlottesville, Virginia, 10 April 1985), pp. 1-6.
- Rossiter, Louis F., "The New Wave of Competition: Will Consumers and Providers be Caught in the Undertow?" (Seminar with the Capital Area Health Advisory Council, Richmond, Virginia, 24 June 1985).
- Triscornia, John F. and Bradford, Charles K., "Prospective Payment/DRG's -- The Results To-Date; Strategies and Approaches", ACHA Congress on Administration, February 14-15, 1985; Chicago, II.

Sherrod, S. M.; Rauch, T. M.; and Twist, P. A.; Nursing Care Hour Standards Study, Academy of Health Sciences, Fort Sam Houston Texas, File Number AD-A109-883, September 1981.

### GOVERNMENT PUBLICATIONS

- "Briefing Material for UCAPERS Schedule Recipients", <u>Uniform</u>

  <u>Chart of Accounts Personnel Utilization System</u>. 1 September 1984.
- Department of Defense: <u>Uniform Chart of Accounts for Fixed</u>

  <u>Military Medical and Dental Treatment Facilities</u>. Office of the Assistant Secretary of Defense (Health Affairs). DOD 6010.10-M July 1979 with Change 1, 11 April 1980.
- Department of the Army, Pamphlet 40-XX, Uniform Staffing Methodologies, 1 October 1983.
- Department of the Army, Office of the Surgeon General. <u>Uniform</u>
  <u>Chart of Accounts; Procedures Manual</u>. 6 August 1979.
- Fcderal Register. 1 September 1984 and 3 January 1984.
- Health Services Command Regulation 40-27, AMEDD Support of Army Total Fitness Program.
- Office of Assistant Secretary of Defense. <u>Automated Source Data</u>

  <u>Collection System Desk Guide; Uniform Chart of Accounts.</u>

  1983.
- Office of the Secretary of Defense (Health Affairs), Uniform Staffing Methodologies for Fixed Military Medical and Dental Treatment Facilities, 6010.11-M, January 1982.
- Organization and Functions, MEDDAC Regulation No. 10-1. 1 June 1983.
- Surgeon General's Report, U.S. Department of Health Education and Welfare, "Healthy People," Washington, D.C., U.S. Government Printing Office, 1979.
- Title VI of Public Law 98-21. Social Security Amendments of 1983.
- UCA Training Materials Modules I-V. 30 March 1979.
- Uniform Chart of Accounts; Operator Training Materials. Federal Data Systems Corporation for the Office of the Secretary of Defense (Health Affairs), 14 March 1983.
- Uniform Chart of Accounts; Pharmacy Training Materials. Federal Data Systems Corporation for the Office of the Secretary of Defense (Health Affairs), 22 February 1983.

- Uniform Chart of Accounts; Pathology Training Materials. Federal Data Systems Corporation for the Office of the Secretary of Defense (Health Affairs), 22 February 1983.
- Uniform Chart of Accounts; Radiology Training Materials. Federal Data Systems Corporation for the Office of the Secretar; of Defense (Health Affairs), 22 February 1983.
- <u>Uniform Chart of Accounts; Management and Supervisor Training</u>

  <u>Materials</u>. Federal Data Systems Corporation for the Office of the Secretary of Defense (Health Affairs). 14 March 1983.
- <u>Uniform Chart of Accounts; CADRE Workbook.</u> Federal Data Systems Corporation for the Office of the Secretary of Defense (Health Affairs), 14 March 1983.
- U.S. Department of Health, Education, and Welfare; Public Health Service; National Center for Health Statistics. <u>Eighth Revision International Classification of Diseases, Adapted for use in the United States (ICDA) Volume 1 and Volume 2.</u> 1967.